PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶:

C07K 14/47, C12N 15/12, C07K 16/28,
C12N 5/06, A01K 67/027

(11) International Publication Number:

WO 99/51636

(43) International Publication Date:

14 October 1999 (14.10.99)

(21) International Application Number:

PCT/US99/07352

A2

(22) International Filing Date:

2 April 1999 (02.04.99)

(30) Priority Data:

60/080.676

3 April 1998 (03.04.98)

US

(71) Applicant (for all designated States except US): NPS PHAR-MACEUTICALS, INC. [US/US]; Suite 240, 420 Chipeta Way, Salt Lake City, UT 84108 (US).

(72) Inventors: and

- (75) Inventors/Applicants (for US only): GARRETT, James, E. [US/US]; 1584 E. 3159 South, Salt Lake City, UT 84105 (US). SIMIN, Rachel, T. [US/US]; 1520 E. Redondo Avenue, Salt Lake City, UT 84105 (US). BUSBY, James, G. [US/US]; 3256 East Del Verde Avenue, Salt Lake City, UT 84109 (US). STORMANN, Thomas, M. [US/US]; 1327 East Harrison, Salt Lake City, UT 84105 (US).
- (74) Agents: WARBURG, Richard, J. et al.; Lyon & Lyon LLP, Suite 4700, 633 West Fifth Street, Los Angeles, CA 90071-2066 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: GABA B RECEPTOR

(57) Abstract

The present invention features a novel GABA_B receptor subtype ("GABA_BR2"). The cDNA sequence encoding GABA_BR2 is shown in Figures (1a-1n) as SEQ. ID. NO: 1. The GABA_BR2 amino acid sequence is provided in Figures (2a-2f) as SEQ. ID NO: 4.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
ВВ	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	us	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

GABA_B RECEPTOR

5

10

15

20

25

30

35

40

RELATED APPLICATIONS

The present application claims priority to Garrett et al. U.S. Serial No. 60/080,676, filed April 3, 1998, which is hereby incorporated by reference herein in its entirety including the drawings.

FIELD OF THE INVENTION

The present invention relates to a GABA $_{B}$ receptor, nucleic acid encoding a GABA $_{B}$ receptor, and uses of a GABA $_{B}$ receptor and nucleic acid encoding a GABA $_{B}$ receptor.

BACKGROUND

The references cited herein are not admitted to be prior art to the claimed invention.

GABA_B receptors are metabotropic receptors coupled to guanine-nucleotide-binding proteins (G-proteins). GABA_B receptors modulate synaptic transmission by inhibiting presynaptic transmitter release and by increasing K⁺ conductance responsible for long-lasting inhibitory postsynaptic potentials. (Kaupmann et al., Nature 386:239-246, 1997, hereby incorporated by reference herein.)

GABA_B receptors are found in the mammalian brain, in locations outside of the brain, and in lower species. Outside of the brain, GABA_B receptors have been identified on axon terminals and ganglion cell bodies of the autonomic nervous system, on fallopian tube and uterine intestinal smooth muscle cells, in the kidney cortex, urinary bladder muscle and on testicular interstitial cells. (See, Bowery, Annu. Rev. Pharmacol. Toxicol. 33:109-147, 1993, hereby incorporated by reference herein.)

 ${\sf GABA_B}$ receptors have been targeted to achieve therapeutic effects. Kerr and Ong, DDT 1:371-380, 1996, describe different compounds indicated to be ${\sf GABA_B}$ receptor agonists and ${\sf GABA_B}$ receptor antagonists. Kerr and Ong also review therapeutic implications of affecting GABA receptor activity including,

15

20

25

30

35

spasticity and motor control, analgesia, epilepsy, cognitive effects, psychiatric disorders, alcohol dependence and withdrawal, feeding behavior, cardiovascular and respiratory functions, and peripheral functions.

Bittiger et al., Tips 4:391-394, 1993, review therapeutic applications of GABA_B receptor antagonists. Potential therapeutic applications noted by Bittiger et al. include cognitive processes, epilepsy, and depression.

Kaupmann et al., Nature 386:239-246, 1997, indicate that they cloned GABAB receptors. Two GABAB receptor proteins were indicated to be cloned from rat brain: GABABR1a and GABABR1b. GABABR1a differs from GABABR1b in that the N-terminal 147 residues are replaced by 18 amino acids. GABABR1a and GABABR1b appear to be splice variants. The cloned GABAB receptors were indicated to negatively couple to adenylyl cyclases and show sequence similarity to the metabotropic receptors for L-glutamate (mGluR).

Kaupmann et al., Nature 386:239-246, 1997, indicate that bestfit sequence alignments with GABA_B and different mGluR subtypes indicates 18-23% amino acid sequence identity and 43-48% related residues. (Devereux et al., Nucleic Acids Res. 12:387-395, 1984, was referenced for carrying out bestfit sequence alignments.) No significant sequence similarity was found with GABA_A or GABA_C receptors, or with other G-protein-coupled receptors which were not mGluR.

Kaupmann et al., International Application Number PCT/EP97/01370, International Publication Number WO 97/46675, indicate that they have obtained rat GABA $_{\rm B}$ clones, GABA $_{\rm B}$ Rla and GABA $_{\rm B}$ Rlb; and human GABA $_{\rm B}$ clones, GABA $_{\rm B}$ Rla/b (representing a partial receptor clone) and GABA $_{\rm B}$ Rlb (representing a full-length receptor clone). Amino acid sequence information, and encoding cDNA sequence information, is provided for the different human GABA $_{\rm B}$ clones.

SUMMARY OF THE INVENTION

The present invention features a novel GABA $_B$ receptor subtype ("GABA $_B$ R2"). The cDNA sequence encoding GABA $_B$ R2 is shown in Figures 1a-1n as SEQ. ID. NO. 1. The GABA $_B$ R2 amino acid sequence is provided in Figures 2a-2f as SEQ. ID. NO. 4.

25

30

35

Thus, a first aspect of the present invention describes a purified nucleic acid containing at least 18 contiguous nucleotides of SEQ. ID. NO. 1 which provides the nucleic acid encoding GABABR2. Preferably, the nucleic acid contains at least 27 contiguous nucleic acids, more preferably at least 45 contiguous nucleic acids, or most preferably the entire nucleic acid sequence provided in SEQ. ID. NO. 1. Advantages of longer-length nucleic acid include producing longer-length protein fragments having the sequence of GABABR2 which can be used, for example, to produce antibodies; and increased nucleic acid probe specificity under higher stringent hybridization assay conditions.

By "purified" in reference to nucleic acid is meant the nucleic acid is present in a form (i.e., its association with other molecules) other than found in nature. For example, a purified receptor nucleic acid is separated from one or more nucleic acids which are present on the same chromosome. Preferably, the purified nucleic acid has been separated from at least 90% of the other nucleic acids present on the same chromosome. More preferably, the nucleic acid has been substantially purified such that it represents at least 75%, more preferably at least 85%, and most preferably at least 95% of the total nucleic acids present.

Another example of purified nucleic acid is recombinant nucleic acid. Preferably, recombinant nucleic acid contains nucleic acid encoding GABABR2 or GABABR2 fragments cloned in a vector. The vector contains the necessary elements for introducing heterologous nucleic acid into cells for either expression or replication.

Preferably, the vector is an expression vector containing elements needed for expressing a cloned nucleic acid sequence to produce a polypeptide. The expression vector contains a promoter region directing the initiation of RNA transcription, and DNA sequences which when transcribed into RNA signal protein synthesis initiation.

Recombinant nucleic acid may contain nucleic acid encoding for $GABA_BR2$, a $GABA_BR2$ fragment, or a $GABA_BR2$ derivative, under the control of genomic $GABA_BR2$ nucleic acid regulatory elements, or under the control of exogenous regulatory elements including

10

15

20

25

30

an exogenous promoter. By "exogenous" is meant a promoter that is not normally coupled in vivo transcriptionally to the coding sequence for $GABA_BR2$.

Another aspect of the present invention features a purified nucleic acid encoding at least 6 contiguous amino acids of the $GABA_BR2$ amino acid sequence which is provided as SEQ. ID. NO. 4. Due to the degeneracy of the genetic code, different combinations of nucleotides encode for the same polypeptide. Thus, numerous $GABA_BR2$ and $GABA_BR2$ fragments having the same amino acid sequences can be encoded for by different nucleic acid sequences. In preferred embodiments, the nucleic acid encodes at least 12, at least 18, at least 54 contiguous amino acids, or the entire amino acid sequence provided in SEQ. ID. NO. 4.

Another aspect of the present invention features a recombinant cell. The recombinant cell, which can be a tissue cell, is made up of a recombinant nucleic acid encoding $GABA_BR2$, a functional $GABA_BR2$ derivative, or a fragment thereof, and a cell able to express the nucleic acid. Recombinant cells have various uses including acting as biological factories to produce large amounts of polypeptides encoded for by the recombinant nucleic acid, as tools for screening for compounds which modulate $GABA_BR$ activity, and as research tools to study the effects of $GABA_BR$ activity.

Another aspect of the present invention features a purified nucleic acid comprising a nucleic acid sequence region substantially complementary to a sequence region of the SEQ. ID. NO. 1 or the perfect complement of SEQ. ID. NO. 1. Such nucleic acid can be used, for example, to specifically detect the presence of nucleic acid encoding for GABABR2 or a close relative thereof.

Substantially complementary nucleic acid regions contain at least 18 nucleotides in a stretch of 20 contiguous nucleotides which are complementary. Complementary nucleic acid form Watson-Crick A-T, G-C, and A-U, hydrogen bonds. More preferably, the nucleic acid comprises a nucleotide sequence of 20 contiguous nucleotides which has at least 19 bases, most preferably 20 bases, complementary to the nucleic acid sequence provided in SEQ. ID. NO. 1 or the perfect complement of SEQ. ID. NO. 1.

Another aspect of the present invention features a purified

ě

10

15

20

30

35

polypeptide having at least 6 contiguous amino acids of the GABABR2 amino acid sequence. By "purified" in reference to a polypeptide is meant that the polypeptide is in a form (i.e., its association with other molecules) distinct from naturally occurring polypeptides. Preferably, the polypeptide has been substantially purified to represent at least 75%, more preferably 85%, most preferably 95% of the total protein present in a preparation. In preferred embodiments, the purified polypeptide has at least 12 contiguous, at least 18 contiguous, at least 54 contiguous, or the entire amino acid sequence of SEQ. ID. NO. 4.

Another aspect of the present invention features a GABABR2binding agent comprising a molecule which binds to a polypeptide consisting of the amino acid sequence of SEQ. ID. NO. 4. binding agent is preferably a purified antibody. Other examples of binding agents include organic compounds which bind to $GABA_BR2$.

By "purified" in reference to a binding agent, such as an antibody, is meant that the binding agent is in a form (i.e., its association with other molecules) distinct from a naturally occurring binding agent, if the binding agent is found in nature. Preferably, the binding agent is an antibody provided as a purified preparation representing at least 1%, more preferably at least 50%, more preferably at least 85%, most preferably at least 95% of the total protein in the preparation.

Another aspect of the present invention describes a method of making a $GABA_BR2$ or a fragment thereof. The method is carried out by incubating recombinant cells containing nucleic acid encoding $GABA_BR2$ or a fragment thereof under conditions where the nucleic acid is expressed.

Another aspect of the present invention describes a method of selecting for compounds able to modulate $\mbox{GABA}_B\mbox{R}$ activity. The method comprises the steps of (a) contacting a recombinant cell functionally expressing GABABR2 with a first test compound; and (b) measuring the ability of said test compound to affect $GABA_BR$ activity. Compounds modulating GABABR activity either evoke a $GABA_BR$ activity, potentiate $GABA_BR$ activity, or inhibit a $GABA_BR$ activity. Cells functionally expressing GABABR2 also express GABABRla and/or GABABRlb.

Preferably, the ability of a plurality of different test compounds to affect GABABR activity are tested. In preferred

WO 99/51636

10

15

20

25

30

35

embodiments at least 5, at least 10, at least 50 different compounds, and at least 100 different compounds are tested over a span of one week.

Other aspects of the present invention describe coexpression systems and the use of such systems to measure the activity at, or screen compounds active at, GABA $_B$ R1a, GABA $_B$ R1b, or GABA $_B$ R2, preferably GABA $_B$ R2. The coexpression systems comprise at least one of GABA $_B$ R1a and GABA $_B$ R1b, GABA $_B$ R2, and Gqo5.

Other aspects of the present invention describe coexpression systems and the use of such systems to measure the activity at, or screen compounds active at, GABA_BR1a, GABA_BR1b, or GABA_BR2. The coexpression systems comprise at least one of GABA_BR1a or GABA_BR1b, coexpressed with GABA_BR2 and Gqo5. The presence of Gqo5 provides for signal transduction swapping allowing for receptor activity to be measured by mobilization of intracellular calcium mediated by the activation of phospholipase C.

Assays using the coexpression systems described above can be used to screen chemical libraries for compounds that modulate GABAB receptors. For example, in different embodiments, a library of compounds containing 10 or more compounds is screened at once; and 10 or more compounds are individually tested over the course of eight hours.

Preferably, the coexpression system is present in an isolated cell. An "isolated cell" includes tissue cells and refers to a cell present in a different environment (including a different concentration), than it is normally found in nature.

In other aspects, the invention describes transgenic nonhuman mammals containing a transgene encoding $GABA_BR2$, a $GABA_BR2$ fragment, or a derivative thereof; or a gene affecting the expression of $GABA_BR2$; and methods of creating a transgenic nonhuman mammal containing a transgene encoding an $GABA_BR2$, a $GABA_BR2$ fragment, or a derivative thereof.

Various examples are described herein. These examples are not intended in any way to limit the claimed invention.

Other features and advantages of the invention will be apparent from the following drawing, the description of the invention, the examples, and the claims.

10

15

20

25

. 30

35

BRIEF DESCRIPTION OF DRAWINGS

Figures 1a-1n illustrate the nucleic acid sequences encoding for the human $GABA_BR2$ designated SEQ. ID. NO. 1, human $GABA_BR1a$ designated SEQ. ID. NO. 2, and human $GABA_BR1b$ designated SEQ. ID. NO. 3.

Figures 2a-2f illustrate the amino acid sequences of the human GABA $_B$ R2 (SEQ. ID. NO. 4); the rat GABA $_b$ R1a (SEQ. ID. NO. 5); the rat GABA $_b$ R1b protein (SEQ. ID. NO. 6); the human GABA $_b$ R1a (SEQ. ID. NO. 7); and the human GABA $_b$ R1a (SEQ. ID. NO. 8).

Figures 3a-3d provides the human calcium receptor nucleic acid sequence and the encoded for amino acid sequence.

Figure 4 illustrates functional expression of $\mbox{GABA}_B\mbox{R2}$ in Xenopus oocytes.

DETAILED DESCRIPTION OF THE INVENTION

The present invention features $GABA_BR2$. $GABA_BR2$ is closely related to $GABA_BR1a$ and $GABA_BR1b$. Nucleic acid encoding for human $GABA_BR2$ has a sequence similarity of about 50% with nucleic acid encoding rat $GABA_BR1a$ and rat $GABA_BR1b$. Human $GABA_BR2$ has a sequence identity of about 40% with rat $GABA_BR1a$ and $GABA_BR1b$ amino acid sequence.

Nucleic acid encoding $GABA_BR2$ was cloned by first identifying a human nucleic acid sequence approximately 38% identical to the nucleic acid sequence of rat $GABA_BR1$. Exact match polymerase chain reaction (PCR) primers were designed based on sequences from the identified sequence and used to amplify human $GABA_BR2$ nucleic acid from a human cerebral cortex cDNA library. A PCR product encoding human $GABA_BR2$ was isolated and cloned.

Northern blot analysis revealed that an approximately 6.3 Kb human $GABA_BR2$ transcript was abundantly expressed in the human brain. Expression was not detected in the heart, placenta, lung, liver, skeletal muscle, kidney or pancreas under conditions where $GABA_BR2$ transcript was identified in the human brain. Within the human brain $GABA_BR2$ is broadly expressed at variable levels.

Compounds modulating $GABA_BR$ activity can be obtained, for example, by screening a group, or library, of compounds to identify those compounds having the desired activity and then synthesizing such compounds. Thus, included in the present

invention is a method of making a $GABA_BR$ active compound by first screening for a compound having desired properties and then chemically synthesizing that compound.

Nucleic Acid Encoding GABABR2 5

· 10

15

20

25

30

35

Nucleic acids encoding $GABA_BR2$ have a variety of different uses including one or more of the following: (1) producing receptor proteins which can be used, for example, for structure determination, to assay a molecule's activity on a receptor, and to obtain $GABA_BR2$ modulatory agents; (2) being sequenced to determine a receptor's nucleotide sequence which can be used, for example, as a basis for comparison with other receptors to determine conserved regions, determine unique nucleotide sequences for normal and altered receptors, and to determine nucleotide sequences to be used as target sites for antisense nucleic acids, ribozymes, hybridization detection probes, or PCR amplification primers; (3) as hybridization detection probes to detect the presence of a native receptor and/or a related receptor in a sample; (4) as PCR primers to generate particular nucleic acid sequence regions, for example, to generate regions to be probed by hybridization detection probes; and (5) to provide an extracellular domain, transmembrane domain, or extracellular domain for use in the construction of a chimeric receptor.

Hybridization probes and primers based on the $\mbox{GABA}_{\mbox{\scriptsize B}}\mbox{R2}$ sequence information provided herein can be used, for example, to obtain nucleic acid from different sources or to identify the presence of $GABA_BR2$ nucleic acid in a sample. Nucleic acid encoding proteins related to human $GABA_BR2$ can be obtained from human and nonhuman sources. Such related nucleic acids are useful for identifying important $GABA_BR2$ structural motifs and may also provide new therapeutic target sites.

Primer hybridization specificity to target nucleic acid can be adjusted by varying the hybridization conditions. When annealing at higher stringency conditions of 50-60°C, sequences which are greater than about 75% complementarity to the primer will be amplified. By employing lower stringency conditions, annealing at 35-37°C, sequences which are greater than about 40-50% complementarity to the primer will be amplified.

15

20

25

30

35

Hybridization assay probes can be designed to detect the presence of a particular nucleic acid target sequence perfectly complementary to the probe and target sequences of lesser complementarity by varying the hybridization conditions and probe design. Factors affecting probe design, such as length, G and C content, possible self-complementarity, and wash conditions, are well known in the art. (See, for example, Sambrook et al., Molecular Cloning, Cold Spring Harbor Laboratory Press (1989).) Sambrook et al., Molecular Cloning, also discusses the design and use of degenerative probes based on polypeptide sequence information.

Preferably, the nucleic acid probes targeted to $GABA_BR2$ nucleic acid distinguish $GABA_BR2$ nucleic acid from $GABA_B1a$ and $GABA_B1b$ nucleic acid. Such probes are readily designed by comparing the nucleic acid sequences of target $GABA_BR2$, and non-target $GABA_B1a$ and $GABA_B1b$, to obtain probes having proper probe:target and probe:non-target T_m characteristics. Preferably, the probe:target duplex T_m is at least about 5°C greater than the probe:non-target T_m .

Probes specific for a target contain a target complementary region and may also contain target non-complementary regions. The target non-complementary regions, if present, are designed not to affect the specificity of the probe. An example of a target non-complementary region is a nucleic acid sequence used as a capture sequence in a sandwich assay, where the capture sequence does not hybridize to target or non-target nucleic acids. (See, Stabinsky, U.S. Patent No. 4,739,044, and Ranki et al., U.S. Patent No. 4,563,419, both of which are incorporated by reference herein.)

The probes can be used under conditions of proper stringency conditions where target and non-target nucleic acid are distinguished. As the stringency conditions are increased, the complementarity of two nucleic acids required to form a stable duplex is also increased.

As a general guideline, high stringency conditions (e.g., hybridization at $50-65^{\circ}$ C, 5X SSPC, 50% formamide, wash at $50-65^{\circ}$ C, 0.5X SSPC) can be used to obtain hybridization between nucleic acid sequences having regions which are greater than about 90% complementary. Low stringency conditions (e.g., hybridization at

 $35-37^{\circ}\text{C}$, 5X SSPC, 40-45% formamide, wash at 42°C 1X SSPC) can be used so that sequences having regions greater than 35-45% complementarity will hybridize to the probe.

If desired, nucleic acid probes may be labeled with a detectable label using techniques well known in the art. Examples of detectable labels include radiolabels, enzymes, fluorescent molecules, and chemiluminescent molecules.

Any tissue can be used as a source for genomic DNA. However, with respect to RNA, the most preferred source is tissues which express elevated levels of $GABA_BR2$ or related proteins.

Specific nucleic acids can also be produced enzymatically using a host transformed with a plasmid encoding for the desired nucleic acid. Additionally, standard techniques for chemically synthesizing nucleic acids include solid phase phosphoramidite chemical synthesis.

GABA_BR2 polypeptides

5

10

15

20

25

30

35

 $GABA_BR2$ polypeptides made up of $GABA_BR2$, $GABA_BR2$ fragments, and derivatives thereof have different uses including, being used to produce antibodies to determine the presence of the protein, and being used to screen for compounds able to bind to the protein. GABABR2 polypeptides are preferably produced using recombinant nucleic acid techniques.

Polypeptides can also be synthesized using solid phase techniques. Solid-phase synthesis is commenced from the carboxyterminal end of the peptide using an $\alpha\text{-amino}$ protected amino acid. BOC protective groups can be used for all amino groups even though other protective groups are suitable. For example, BOC-lys-OH can be esterified to chloromethylated polystyrene resin supports. The polystyrene resin support is preferably a copolymer of styrene with about 0.5 to 2% divinylbenzene as a cross-linking agent which causes the polystyrene polymer to be completely insoluble in certain organic solvents. See Stewart et al., Solid-Phase Peptide Synthesis (1969), W.H. Freeman Co., San Francisco; and Merrifield, J. Am. Chem. Soc. 85:2149-2154, 1963. These and other methods of peptide synthesis are also exemplified by U.S. Patent Nos. 3,862,925; 3,842,067; 3,972,859; and 4,105,602.

GABA_BR2 derivatives, and nucleic acid encoding for GABA_BR2 derivatives can be produced using techniques well known in the art based upon the present disclosure. GABA_BR2 derivatives have a sequence similarity of at least 70%, more preferably at least 90%, even more preferably at least 95% sequence similarity to the amino acid sequence provided in SEQ. ID. NO. 4. Sequence similarity is preferably determined using BLASTN (Altschul et al., J. Mol. Biol. 215:403-410, 1990.)

5

25

30

35

Examples of specific types of derivatives include amino acid alterations such as deletions, substitutions, additions, and 10 amino acid modifications. A "deletion" refers to the absence of one or more amino acid residue(s) in the related polypeptide. "addition" refers to the presence of one or more amino acid residue(s) in the related polypeptide. Additions and deletions to a polypeptide may be at the amino terminus, the carboxy 15 Amino acid "modification" refers to terminus, and/or internal. the alteration of a naturally occurring amino acid to produce a non-naturally occurring amino acid. A "substitution" refers to the replacement of one or more amino acid residue(s) by another amino acid residue(s) in the polypeptide. Derivatives can 20 contain different combinations of alterations including more than one alteration and different types of alterations.

While the effect of an amino acid change varies depending upon factors such as phosphorylation, glycosylation, intra-chain linkages, tertiary structure, and the role of the amino acid in the active site or a possible allosteric site, it is generally preferred that the substituted amino acid is from the same group as the amino acid being replaced. To some extent the following groups contain amino acids which are interchangeable: the basic amino acids lysine, arginine, and histidine; the acidic amino acids aspartic and glutamic acids; the neutral polar amino acids serine, threonine, cysteine, glutamine, asparagine and, to a lesser extent, methionine; the nonpolar aliphatic amino acids glycine, alanine, valine, isoleucine, and leucine (however, because of size, glycine and alanine are more closely related and valine, isoleucine and leucine are more closely related); and the aromatic amino acids phenylalanine, tryptophan, and tyrosine. In addition, although classified in different categories, alanine, glycine, and serine seem to be interchangeable to some extent,

and cysteine additionally fits into this group, or may be classified with the polar neutral amino acids.

10

15

20

25

30

35

While proline is a nonpolar neutral amino acid, its replacement represents difficulties because of its effects on conformation. Thus, substitutions by or for proline are not preferred, except when the same or similar conformational results can be obtained. The conformation conferring properties of proline residues may be obtained if one or more of these is substituted by hydroxyproline (Hyp).

Examples of modified amino acids include the following: altered neutral nonpolar amino acids such as ω -amino acids of the formula $H_2N(CH_2)_nCOOH$ where n is 2-6, sarcosine (Sar), t-butylalanine (t-BuAla), t-butylglycine (t-BuGly), N-methyl isoleucine (N-MeIle), and norleucine (Nleu); altered neutral aromatic amino acids such as phenylglycine; altered polar, but neutral amino acids such as citrulline (Cit) and methionine sulfoxide (MSO); altered neutral and nonpolar amino acids such as cyclohexyl alanine (Cha); altered acidic amino acids such as cysteic acid (Cya); and altered basic amino acids such as ornithine (Orn).

Preferred derivatives have one or more amino acid alteration(s) which do not significantly affect the receptor activity of the related receptor protein. In regions of the GABABR2 not necessary for receptor activity amino acids may be deleted, added or substituted with less risk of affecting activity. In regions required for receptor activity, amino acid alterations are less preferred as there is a greater risk of affecting receptor activity. Such alterations should be conservative alterations. For example, one or more amino acid residues within the sequence can be substituted by another amino acid of a similar polarity which acts as a functional equivalent.

Conserved regions tend to be more important for protein activity than non-conserved regions. Standard procedures can be used to determine the conserved and non-conserved regions important of receptor activity using *in vitro* mutagenesis techniques or deletion analyses and measuring receptor activity as described by the present disclosure.

Derivatives can be produced using standard chemical techniques and recombinant nucleic acid techniques.

Modifications to a specific polypeptide may be deliberate, as through site-directed mutagenesis and amino acid substitution during solid-phase synthesis, or may be accidental such as through mutations in hosts which produce the polypeptide.

Polypeptides including derivatives can be obtained using standard techniques such as those described by Sambrook et al., Molecular Cloning, Cold Spring Harbor Laboratory Press (1989). For example, Chapter 15 of Sambrook describes procedures for sitedirected mutagenesis of cloned DNA.

10

15

20

25

35

5

GABABR2 Antibodies

Antibodies binding $GABA_BR2$ have various uses such as being used as therapeutic agents to modulate $GABA_BR$ activity; as diagnostic tools for determining $GABA_BR2$ number; as research tools for studying receptor synthesis, structure, and function; and as a tool by purifying $GABA_BR2$.

 $GABA_BR2$, and $GABA_BR2$ fragments retaining antigenic determinants, can be used to generate antibodies recognizing $GABA_BR2$. Preferably, polypeptide fragments used to generate antibodies are at least six amino acid in length. Both polyclonal and monoclonal antibodies can be generated.

Antibodies can be produced using standard techniques such as those described by Harlow and Lane in Antibodies, a Laboratory Manual, Cold Spring Harbor Laboratory, 1988. Sources of immunogens for antibody production include purified $GABA_BR2$, $GABA_BR2$ fragments, and whole cells expressing $GABA_BR2$. present invention also includes hybridoma cells secreting monoclonal antibodies to $GABA_BR2$.

Recombinant Cells 30

Nucleic acid expressing a functional $\mbox{GABA}_{\mbox{\tiny B}}\mbox{R2}$ can be used to create transfected cells lines functionally expressing $GABA_BR2$. Such cell lines have a variety of uses such as being used for high-throughput screening for compounds modulating ${\sf GABA_BR}$ activity; being used to assay binding to $GABA_BR2$; and as factories to produce large amounts of $\textsc{GABA}_{B}\textsc{R2}\textsc{,}$ or $\textsc{GABA}_{B}\textsc{R2}$ fragments.

A variety of cell lines can couple exogenously expressed receptors to endogenous functional responses. Cell lines such as NIH-3T3, HeLa, NG115, CHO, HEK 293 and COS7 which are expected to lack $GABA_BR2$ can be tested to confirm that they lack an endogenous $GABA_BR2$.

Production of stable transfectants can be accomplished by transfection of an appropriate cell line with an expression vector, such as the eukaryotic pMSG vectors. Expression vectors containing a promoter region, such as the mouse mammary tumor virus promoter (MMTV), drive high-level transcription of cDNAs in a variety of mammalian cells. In addition, these vectors contain genes for selecting cells stably expressing cDNA of interest.

The selectable marker in the pMSG vectors encodes an enzyme, xanthine-guanine phosphoribosyl transferase (XGPRT), conferring resistance to a metabolic inhibitor that is added to the culture to kill nontransfected cells.

The most effective method for transfection of eukaryotic cell lines with plasmid DNA varies with the given cell type. The GABABR2 expression construct will be introduced into cultured cells by the appropriate technique, such as Ca²⁺ phosphate precipitation, DEAE-dextran transfection, lipofection or electroporation. Expression of the GABABR2 cDNA in cell lines can be assessed by solution hybridization and Northern blot analysis.

Assaying For Compounds Modulating GABABR Activity

25

30

35

The ability of compounds to modulate GABA_BR activity can be assayed by measuring alterations of cellular processes affected by GABA_BR activity. Generally, a GABA_BR2 agonist is present when measuring antagonist activity. However, protein fusions can be created, for example, where an agonist extracellular binding domain of GABA_BR2 is swapped with the agonist binding domain of a different receptor allowing for the measurement of antagonist activity using an agonist of the different receptor; or where the intracellular domain of GABA_BR2 is swapped with the intracellular domain of a different receptor allowing for the measuring of GABA_BR activity by measuring intracellular effects caused by the different receptor.

Chimeric proteins are preferably produced using recombinant nucleic acid techniques to provide an appropriate nucleic acid encoding for the chimeric protein. Preferably, portions of $GABA_BR2$ are swapped with portions of the calcium receptor. The $GABA_BR2$ extracellular domain is made up of approximately amino

acids 1-422 Of SEQ. ID. NO. 4, the $GABA_BR2$ transmembrane domain is made up of approximately amino acids 423-686 Of SEQ. ID. NO. 4, and the $GABA_BR2$ intracellular domain is made up of approximately amino acids 687-883 Of SEQ. ID. NO. 4. The human calcium receptor amino acid and encoding nucleic acid is provided in Figure 3. The calcium receptor extracellular domain is made up of approximately amino acids 1-612, the calcium receptor transmembrane domain is made up of approximately amino acids 613-862, and the calcium receptor intracellular domain is made up of approximately amino acids 863-1078. Calcium receptor activity can be measured using techniques well known in the art such as those described by Brown et al., U.S. Patent No. 5,688,938, hereby incorporated by reference herein.

15 Binding Assays

10

20

25

The present invention also includes using $\mbox{GABA}_{B}\mbox{R2}$ and fragments thereof in binding assays. Binding assays can be carried out using techniques well known in the art. Binding assays preferably employ radiolabeled binding agents.

An example of a binding assay is carried out by first attaching $GABA_BR2$, or a fragment thereof, to a solid-phase support to create an affinity matrix. The affinity matrix is then contacted with potential $GABA_BR2$ binding agents. A large library of compounds may be used to determine those compounds binding to the affinity matrix. Bound compounds can be eluted from the column.

Transgenic Animals

The present invention also concerns the construction and use of transgenic animals, and transformed cells, encoding GABA $_{\theta}R2$. 30 Transgenic nonhuman mammals are particularly useful as an in vivo test system for studying the effects of introducing GABABR2; regulating the expression of $GABA_BR2$ (e.g., through the introduction of additional genes, antisense nucleic acids, or ribozymes); and studying the effect of compounds which mimic or 35 block the effect of GABABR2.

Experimental model systems for studying the physiological role of the $GABA_BR2$ can be created having varying degrees of

receptor expression. For example, nucleic acid encoding a receptor may be inserted into cells naturally expressing the receptor such that the gene is expressed at much higher levels. Alternatively, a recombinant gene may be used to inactivate the endogenous gene by homologous recombination and, thereby, create an $GABA_BR2$ deficient cell, tissue, or animal.

Inactivation of a gene can be caused, for example, by using a recombinant gene engineered to contain an insertional mutation (e.g., the neo gene). The recombinant gene is inserted into the genome of a recipient cell, tissue or animal, and inactivates transcription of the receptor. Such a construct may be introduced into a cell, such as an embryonic stem cell, by techniques such as transfection, transduction, and injection. Stem cells lacking an intact receptor sequence may generate transgenic animals deficient in the receptor.

10

15

20

25

30

35

Preferred test models are transgenic animals. A transgenic animal has cells containing DNA which has been artificially inserted into a cell and inserted into the genome of the animal which develops from that cell. Preferred transgenic animals are primates, mice, rats, cows, pigs, horses, goats, sheep, dogs and cats.

A variety of methods are available for producing transgenic animals. For example, DNA can be injected into the pronucleus of a fertilized egg before fusion of the male and female pronuclei, or injected into the nucleus of an embryonic cell (e.g., the nucleus of a two-cell embryo) following the initiation of cell division (Brinster et al., Proc. Nat. Acad. Sci. USA 82: 4438-4442, 1985). By way of another example, embryos can be infected with viruses, especially retroviruses, modified to carry $GABA_BR2$ nucleotide sequences.

Pluripotent stem cells derived from the inner cell mass of the embryo and stabilized in culture can be manipulated in culture to incorporate nucleotide sequences of the invention. A transgenic animal can be produced from such stem cells through implantation into a blastocyst that is implanted into a foster mother and allowed to come to term. Animals suitable for transgenic experiments can be obtained from standard commercial sources such as Charles River (Wilmington, MA), Taconic (Germantown, NY), and Harlan Sprague Dawley (Indianapolis, IN).

Methods for the culturing of embryonic stem (ES) cells and the subsequent production of transgenic animals by the introduction of DNA into ES cells using methods such as electroporation, calcium phosphate/DNA precipitation and direct injection are well known to those of ordinary skill in the art. See, for example, Teratocarcinomas and Embryonic Stem Cells, A Practical Approach, E.J. Robertson, ed., IRL Press (1987).

5

10

15

20

25

30

35

Procedures for embryo manipulations are well known in the art. Procedures for manipulating rodent embryo and for microinjecting DNA into the pronucleus of the zygote are well known in the art. Microinjection procedures for fish, amphibian eggs and birds are well known in the art and are described, for example, in Houdebine and Chourrout, Experientia 47: 897-905, 1991. Procedures for introducing DNA into tissues of animals are well known in the art and are described, for example, in U.S. Patent No. 4,945,050.

Transfection and isolation of desired clones can be carried out using standard techniques (e.g., E.J. Robertson, supra). For example, random gene integration can be carried out by cotransfecting nucleic acid with a gene encoding antibiotic resistance. Alternatively, for example, the gene encoding antibiotic resistance is physically linked to a nucleic acid sequence encoding GABA_BR2.

DNA molecules introduced into ES cells can also be integrated into the chromosome through the process of homologous recombination. (E.g., Capecchi, Science 244: 1288-1292, 1989.) Methods for positive selection of the recombination event (e.g., neomycin resistance) and dual positive-negative selection (e.g., neomycin resistance and gancyclovir resistance) and the subsequent identification of the desired clones by PCR have been described in references such as Capecchi, supra and Joyner et al., Nature 338:153-156, 1989, which is hereby incorporated by reference herein.

The final phase of the procedure is to inject targeted ES cells into blastocysts and to transfer the blastocysts into pseudopregnant females. The resulting chimeric animals are bred and the offspring are analyzed by Southern blotting to identify individuals carrying the transgene.

An example describing the preparation of a transgenic mouse

is as follows. Female mice are induced to superovulate and placed with males. The mated females are sacrificed by CO_2 asphyxiation or cervical dislocation and embryos are recovered from excised oviducts. Surrounding cumulus cells are removed. Pronuclear embryos are then washed and stored until the time of injection.

Randomly cycling adult female mice paired with vasectomized males serve as recipients for implanted embryos. Recipient females are mated at the same time as donor females and embryos are transferred surgically to recipient females.

Procedures for generating transgenic rats are similar to that of mice. (E.g., Hammer et al., Cell 63:1099-1112, 1990.) Procedures for producing transgenic non-rodent mammals and other animals are well known in art. (E.g., Houdebine and Chourrout, supra; Pursel et al., Science 244:1281-1288, 1989; and Simms et al., Bio/Technology 6:179-183, 1988.)

Therapeutic Modulation

10

15

20

25

30

35

Different types of diseases and disorders can be treated using compounds modulating $GABA_BR$ activity. Additionally, such compounds can be used prophylactically. Compounds modulating $GABA_BR$ activity can be administered to patients who would benefit from such treatment. Patients are mammals, preferably humans.

Modulating GABA_BR activity can be carried to achieve useful therapeutic effects such as preventing or treating one or more of the following: spasticity and motor control disorders using GABA_BR agonists; pain, using GABA_BR antagonists; cognitive disorders using GABA_BR antagonists; neurological disorders such as Alzheimer's disease and Huntington's disease; psychiatric disorders, such as depression using GABA_BR agonists; alcohol dependence and withdrawal using GABA_BR antagonists; feeding behavior; cardiovascular and respiratory disorders with antagonists exerting an excitatory effect and agonists depressing inspiratory neurons; and peripheral function disorders.

Modulators of GABA_BR activity can be administered to a patient using standard techniques. Techniques and formulations generally may be found in Remington's Pharmaceutical Sciences, $18^{\rm th}$ ed., Mack Publishing Co., Easton, PA, 1990 (hereby incorporated by reference herein).

15

20

25

30

35

Suitable dosage forms, in part, depend upon the use or the route of entry, for example, oral, transdermal, transmucosal, or by injection (parenteral). Such dosage forms should allow the therapeutic agent to reach a target cell whether the target cell is present in a multicellular host or in culture. For example, pharmacological compounds or compositions injected into the blood stream should be soluble. Other factors are well known in the art, and include considerations such as toxicity and dosage forms which retard the therapeutic agent from exerting its effect.

Therapeutic compounds can be formulated as pharmaceutically acceptable salts and complexes thereof. Pharmaceutically acceptable salts are non-toxic salts in the amounts and concentrations at which they are administered. The preparation of such salts can facilitate the pharmacological use by altering the physical characteristics of the compound without preventing it from exerting its physiological effect. Useful alterations in physical properties include lowering the melting point to facilitate transmucosal administration and increasing the solubility to facilitate administering higher concentrations of the drug.

The pharmaceutically acceptable salt of a compound may be present as a complex. Examples of complexes include an 8chlorotheophylline complex (analogous to, e.g., dimenhydrinate:diphenhydramine 8-chlorotheophylline (1:1) complex; Dramamine) and various cyclodextrin inclusion complexes.

Pharmaceutically acceptable salts include acid addition salts such as those containing sulfate, hydrochloride, fumarate, maleate, phosphate, sulfamate, acetate, citrate, lactate, tartrate, methanesulfonate, ethanesulfonate, benzenesulfonate, ptoluenesulfonate, cyclohexylsulfamate and quinate.

Pharmaceutically acceptable salts can be obtained from acids such as hydrochloric acid, maleic acid, sulfuric acid, phosphoric acid, sulfamic acid, acetic acid, citric acid, lactic acid, tartaric acid, malonic acid, methanesulfonic acid, ethanesulfonic acid, benzenesulfonic acid, p-toluenesulfonic acid, cyclohexylsulfamic acid, fumaric acid, and quinic acid. Pharmaceutically acceptable salts also include basic addition salts such as those containing benzathine, chloroprocaine, choline, diethanolamine, ethylenediamine, meglumine, procaine,

aluminum, calcium, lithium, magnesium, potassium, sodium, ammonium, alkylamine, and zinc, when acidic functional groups, such as carboxylic acid or phenol are present. For example, see Remington's Pharmaceutical Sciences, 18th ed., Mack Publishing Co., Easton, PA, p. 1445, 1990. Such salts can be prepared using the appropriate corresponding bases.

Carriers or excipients can also be used to facilitate administration of therapeutic agents. Examples of carriers include calcium carbonate, calcium phosphate, various sugars such as lactose, glucose, or sucrose, or types of starch, cellulose derivatives, gelatin, vegetable oils, polyethylene glycols and physiologically compatible solvents. Examples of physiologically compatible solvents include sterile solutions of water for injection (WFI), saline solution and dextrose.

10

15

20

25

30

35

 ${\sf GABA_BR}$ modulating compounds can be administered by different routes including intravenous, intraperitoneal, subcutaneous, intramuscular, oral, topical (transdermal), or transmucosal administration. For systemic administration, oral administration is preferred. For oral administration, for example, the compounds can be formulated into conventional oral dosage forms such as capsules, tablets, and liquid preparations such as syrups, elixirs, and concentrated drops.

Alternatively, injection (parenteral administration) may be used, e.g., intramuscular, intravenous, intraperitoneal, and subcutaneous. For injection, compounds are formulated in liquid solutions, preferably, in physiologically compatible buffers or solutions, such as saline solution, Hank's solution, or Ringer's solution. In addition, the compounds may be formulated in solid form and redissolved or suspended immediately prior to use. Lyophilized forms can also be produced.

Systemic administration can be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are well known in the art, and include, for example, for transmucosal administration, bile salts and fusidic acid derivatives. In addition, detergents may be used to facilitate permeation. Transmucosal administration, for example, may be through nasal sprays, rectal suppositories, or vaginal suppositories.

For topical administration, compounds can be formulated into ointments, salves, gels, or creams, as is well known in the art.

The amounts of various GABA $_{8}R$ modulating compounds to be administered can be determined by standard procedures taking into account factors such as the compound IC $_{50}$, EC $_{50}$, the biological half-life of the compound, the age, size and weight of the patient, and the disease or disorder associated with the patient. The importance of these and other factors to be considered are well known to those of ordinary skill in the art. Generally, the amount is expected to preferably be between about 0.01 and 50 mg/kg of the animal to be treated.

EXAMPLES

The example provided below illustrates different aspects and embodiments of the present invention. The example is not intended to limit the claimed invention.

Functional expression of GABA,R2

10

30

35

Xenopus oocytes were co-injected with in vitro transcribed

RNA (7 ng) encoding GABABR1a, GABABR2 and chimeric Gqo5. Chimeric Gqo5 is described in Nature 363:274-276, 1993. Coexpression of the different proteins was employed because GABABR functions as a heterodimer of the subunits GABABR1 or GABABR2 (Jones et al. Nature 396:674-679, 1998). Following a 72 hour incubation, the oocytes were voltage clamped using standard electrophysiological techniques (Hille, B., Ionic Channels of Excitable membranes, pp. 30-33, Sinauer Associates, Inc., Sunderland, MA, 1992). Activation of the receptor heterodimers was detected by increases in the calcium-activated chloride current.

Application of the GABA_B receptor agonist baclofen caused dose-dependent, reversible, oscillatory increases in the calcium-activated chloride current as shown in Figure 4, with an EC₅₀ of approximately 1 μ M. These responses were completely blocked by the competitive GABA_B receptor antagonist SCH 50911 (100 μ M). Occytes expressing GABA_B receptor heterodimers with the inwardly rectifying potassium channels (GIRKS; Kir3.1/3.2/3.4) were used as the positive control (Jones *et al.*, *Nature 396*:674-679, 1998.) Thus, the use of the chimeric G-Protein Gqo5 promotes signal transduction through mobilization of intracellular calcium.

Other embodiments are within the following claims. Thus, while several embodiments have been shown and described, various modifications may be made, without departing from the spirit and scope of the present invention.

Claims

- A purified nucleic acid comprising at least 18
 contiguous nucleotides of a nucleic acid sequence provided in SEQ
 ID NO: 1.
 - 2. The purified nucleic acid of claim 1, comprising at least 27 contiguous nucleotides of the nucleic acid sequence provided in SEQ ID NO: 1.

10

- 3. The purified nucleic acid of claim 2, comprising at least 45 contiguous nucleotides of the nucleic acid sequence provided in SEQ ID NO: 1.
- 15 4. The purified nucleic acid of claim 3, comprising the nucleic acid sequence provided in SEQ ID NO: 1.
- 5. A purified nucleic acid comprising a nucleic acid sequence encoding at least 6 contiguous amino acids of an amino acid sequence provided in SEQ. ID. NO: 4.
 - 6. The purified nucleic acid of claim 5, wherein said nucleic acid encodes at least 12 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.

- 7. The purified nucleic acid of claim 6, wherein said nucleic acid encodes at least 18 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.
- 30 8. The purified nucleic acid of claim 7, wherein said nucleic acid encodes at least 54 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.
- 9. The purified nucleic acid of claim 8, wherein said
 35 nucleic acid encodes the amino acid sequence provided in SEQ. ID.
 NO: 4.
 - 10. The purified nucleic acid of any of claims 1-9, wherein said nucleic acid is substantially purified.

11. The purified nucleic acid of any of claims 1-9, wherein said nucleic acid is recombinant nucleic acid which is part of an expression vector.

5

20

- 12. The purified nucleic acid of any of claims 1-9, wherein said nucleic acid is transcriptionally coupled to an exogenous promoter.
- 13. A recombinant cell comprising the expression vector of claim 11.
- 14. A recombinant cell made by a process comprising the step of introducing the nucleic acid of any one of claims 1-12 into a cell.
 - 15. A purified nucleic acid comprising a nucleotide sequence of 20 contiguous nucleotides of which at least 18 nucleotides are complementary to the nucleic acid sequence provided in SEQ ID NO: 1 or the perfect complement of SEQ ID NO: 1.
 - 16. The nucleic acid of claim 15, wherein said purified nucleic acid comprises a nucleotide sequence of 20 contiguous nucleotides which has at least 19 bases complementary to the nucleic acid sequence provided in SEQ ID NO: 1 or the perfect complement of SEQ ID NO: 1.
- 17. The nucleic acid of claim 16, wherein said purified nucleic acid comprises a nucleotide sequence of 20 contiguous nucleotides which is complementary to the nucleic acid sequence provided in SEQ ID NO: 1 or the perfect complement of SEQ ID NO: 1.
- 35 18. A purified polypeptide comprising at least 6 contiguous amino acids of an amino acid sequence provided in SEQ. ID. NO: 4.
 - 19. The purified polypeptide of claim 18, comprising at least 12 contiguous amino acids of the amino acid sequence

provided in SEQ. ID. NO: 4.

- 20. The purified polypeptide of claim 19, comprising at least 18 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.
 - 21. The purified polypeptide of claim 20, comprising at least 54 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.

10

- 22. The purified polypeptide of claim 21, consisting of the amino acid sequence provided in SEQ. ID. NO: 4.
- 23. The polypeptide of any one of claims 18-22, wherein said polypeptide is substantially purified.
 - 24. A purified $GABA_BR2$ -binding agent comprising a molecule which binds to a polypeptide consisting of the amino acid sequence of SEQ. ID. NO: 4.

- 25. The binding agent of claim 24, wherein said binding agent is an antibody.
- 26. A method of making a GABA_BR2 or fragment thereof comprising the step of incubating the recombinant cells of claim 13 under conditions wherein the nucleic acid encoding for the $GABA_BR2$ is expressed.
- 27. The method of claim 26, further comprising the step of purifying said GABA_BR2 or fragment thereof.
 - $28\,.\,$ A method of selecting for a compound modulating $GABA_BR$ activity comprising the steps of
- a) contacting a recombinant cell functionally expressing \$35\$ GABA_BR2 with a first test compound; and
 - b) measuring the ability of said test compound to affect $GABA_BR$ activity to select for said compound modulating $GABA_BR$ activity.

- 29. The method of claim 28, wherein the ability of a plurality of different test compounds to affect GABA $_BR$ activity are tested to select for said compound modulating GABA $_BR$ activity.
- 30. A coexpression system comprising
 - a) a cell;

- b) at least one of $GABA_BR1a$ and $GABA_BR1b$, which is present in said cell;
 - c) $GABA_BR2$, which is present in said cell; and
- 10 d) Gqo5, which is present in said cell.
- 31. A method of screening for one or more compounds active at GABABRIa, GABABRIb, or GABABR2 comprising the steps of contacting the coexpression system of claim 30 with at least one of said compounds and measuring the ability of said compounds to effect the mobilization of intracellular calcium.
- 32. The method of claim 31, wherein 10 or more compounds are individually tested for their ability to effect the 20 mobilization of intracellular calcium over the course of 8 hours.
 - 33. A transgenic nonhuman mammal comprising a nonhuman mammal and a recombinant nucleic acid encoding a polypeptide comprising 6 contiguous amino acids of an amino acid sequence provided in SEQ. ID. NO: 4.

1 / 25

ClustalW Formatted Alignments

SEQ. SEQ. SEQ.	ID.	NO.	2	A A A	Т	G G G	Т	Т	G	С	Т	G	С	T	G	С	Т	G	С	T	Α	С	T	G	G	С	G	C
SEQ. SEQ. SEQ.	ID.	NO.	2	С	Α	C C G	Т	С	Т	T	С	С	T	С	С	G	С	С	С	С	С	С	G	G	G	С	G	С
SEQ. SEQ. SEQ.	ID.	NO.	2	G	G	G G T	С	G	G	G	G	С	G	С	Α	G	A	С	С	С	С	С	Α	A	С	G	C	С
SEQ. SEQ. SEQ.	ID.	NO.	2	Α	С	C C G	T	С	A	G	Α	Α	G	G	T	T	G	C	С	Α	G	Α	T	С	Α	T	Α	С
SEQ. SEQ. SEQ.	ID.	NO.	. 2	Α	С	T C C	С	G	C	С	C	T	G	G	G	Α	Α	G	G	G	G	G	С	Α	T	C	Α	G
SEQ. SEQ. SEQ.	ID.	NO.	. 2	G	Т	G A C	С	С	G	G	G	G	С	С	T	G	Α	C	T	С	G	G	G	A	С	С	Α	G
SEQ. SEQ. SEQ.	ID.	NO	. 2	G	Т	G	Α	Α	G	G	С	T	A	T	С	A	Α	С	T	T	С	С	T	G	С	С	Α	T G T
SEQ. SEQ. SEQ.	. ID	. NO	. 2	T	G	G	Α	С	T	Α	T	G	Α	G	Α	T	·T	G	A	G	T	Α	T	G	T	G	T	G
SEQ SEQ SEQ	. ID	. NC	. 2	C	С	G	G	G	G	G	G	Α	G	С	G	C	G	A	G	G	T	G	G	T	G	G	G	G .G G

SEQ. ID. NO.1 G T G T G C T C C C C G C C G T G G A A C T G G C SEQ. ID. NO.2 C C C A A G G T C C G C A A G T G C C T G G C C A SEQ. ID. NO.3 G A G A T G G C G C A G A G A C G T G A A T A T G G C ID. NO.3 G C C G C A G G C T G G A G A C G T G A A T A T G G A C A C G G C A G G C T C C T G G A C A C G G A C A T A T G G A C A C G G C T C C T G G A C A T C C T G C C G G A C T A C T A C T T C C T C G A C C C A C C A A A A A A C C C C A A A C C C A A A C C C C A A A C C C C A A A C C C C A C C C A C C C A C C C A C C C A A A A A A C C C C A A A C C C C A A A C C C C A A A C C C C A A A C C C C A C

SEQ. ID. NO.1 CAACGCAAAAGGGTTGAAAGCCTTC SEQ. ID. NO.2 ATGGGAAGGTTTTCCTGACGGGTGG SEQ. ID. NO.3 CCAAGTACCTATATGAGCTGCTCTA

SEQ. ID. NO.1 TACGATGCAATAAAATACGGGGCCGA SEQ. ID. NO.2 GGACCTCCCAGCTCTGGACGGACC SEQ. ID. NO.3 CAACGACCCTATCAAGATCATCCTT

SEQ. ID. NO.1 ACCACTTGATGGTGTTTGGAGGCGT SEQ. ID. NO.2 CGGGTGGATTTCCGGTGTGACCCCG SEQ. ID. NO.3 ATGCCTGGCTGCAGCTCTGTCTCCA

SEQ. ID. NO.1 CTGTCCATCCGTCACATCCATCATT SEQ. ID. NO.2 ACTTCCATCTGGTGGCAGCTCCCGSEQ. ID. NO.3 CGCTGGTGGCTGAGGCTGCTAGGAT

SEQ. ID. NO.1 GCAGAGTCCCTCCAAGGCTGGAATC SEQ. ID. NO.2 GAGCATCTGTAGTCAGGGCCAGTGG SEQ. ID. NO.3 GTGGAACCTCATTGTGCTTTCCTAT

3 / 25

SEQ. ID. NO.1 CACGCCTGTTCTAGCCGATAAGAAA SEQ. ID. NO. 2 TGAATCGAACGCCACACTCAGAACG SEQ. ID. NO. 3 ACCGGCAGCGTTTCCCCACTTTCTT A A A T A C C C T T A T T T C T T T C G G A C C G SEQ. ID. NO.1 SEQ. ID. NO. 2 GCGCGCAGTGTACATCGGGGCACTG SEQ. ID. NO. 3 CCGAACGCACCCATCAGCCACACTC T C C C A T C A G A C A A T G C G G T G A A T C C SEQ. ID. NO.1 SEQ. ID. NO. 2 TTTCCCATGAGCGGGGGCTGGCCAG SEQ. ID. NO. 3 CACAACCCTACCCGCGTGAAACTCT AGCCATTCTGAAGTTGCTCAAGCAC SEQ. ID. NO.1 SEQ. ID. NO. 2 GGGGCCAGGCCTGCCAGCCGGGT SEQ. ID. NO. 3 TTGAAAAGTGGGGCTGGAAGAAAT T A C C A G T G G A A G C G C G T G G G C A C G C SEQ. ID. NO.1 SEQ. ID. NO. 2 GGAGATGGCGCTGGAGGACGTGAAT SEQ. ID. NO. 3 TGCTACCATCCAGCAGACCACTGAG TGACGCAAGACGTTCAGAGGTTCTC SEQ. ID. NO.1 SEQ. ID. NO. 2 AGCCGCAGGGACATCCTGCCGGACT SEQ. ID. NO. 3 G T C T T C A C T T C G A C T C T G G A C G A C C T G A G G T G C G G A A T G A C C T G A C T G G A SEQ. ID. NO.1 SEQ. ID. NO. 2 ATGAGCTCAAGCTCATCCACCACGA SEQ. ID. NO. 3 TGGAGGAACGAGTGAAGGAGGCTGG SEQ. ID. NO.1 GTTCTGTATGGCGAGGACATTGAGA SEQ. ID. NO. 2 CAGCAAGTGTGATCCAGGCCAAGCC SEQ. ID. NO. 3 AATTGAGATTACTTTCCGCCAGAGT T T T C A G A C A C C G A G A G C T T C T C C A A SEQ. ID. NO.1 SEQ. ID. NO. 2 ACCAAGTACCTATATGAGCTGCTCT SEQ. ID. NO. 3 TTCTTCTCAGATCCAGCTGTGCCCG SEQ. ID. NO.1 CGATCCCTGTACCAGTGTCAAAAAG SEQ. ID. NO. 2 ACAACGACCCTATCAAGATCATCCT

SEQ. ID. NO. 3 TCAAAACCTGAAGCGCCAGGATGC

SEQ. ID. NO.1 CTGAAGGGGAATGATGTGCGGATCA SEQ. ID. NO. 2 TATGCCTGGCTGCAGCTCTGTCTCC SEQ. ID. NO. 3 CCGAATCATCGTGGGACTTTTCTAT SEQ. ID. NO.1 TCCTTGGCCAGTTTGACCAGAATAT SEQ. ID. NO. 2 ACGCTGGTGGCTGAGGCTGCTAGGA SEQ. ID. NO. 3 GAGACTGAAGCCCGGAAAGTTTTTT SEQ. ID. NO.1 GGCAGCAAAAGTGTTCTGTTGCA SEQ. ID. NO. 2 TGTGGAACCTCATTGTGCTTTCCTA SEQ. ID. NO. 3 GTGAGGTGTACAAGGAGCGTCTCTT SEQ. ID. NO.1 TACGAGGAGAACATGTATGGTAGTA SEQ. ID. NO. 2 TGGCTCCAGCTCACCAGCCCTGTCA SEQ. ID. NO. 3 TGGGAAGAAGTACGTCTGGTTCCTC AATATCAGTGGATCATTCCGGGCTG SEQ. ID. NO.1 SEQ. ID. NO. 2 AACCGGCAGCGTTTCCCCACTTTCT SEQ. ID. NO. 3 ATTGGGTGGTATGCTGACAATTGGT G T A C G A G C C T T C T T G G T G G G A G C A G SEQ. ID. NO.1 SEQ. ID. NO. 2 TCCGAACGCACCCATCAGCCACACT SEQ. ID. NO. 3 TCAAGATCTACGACCCTTCTATCAA SEQ. ID. NO.1 G T G C A C A C G G A A G C C A A C T C A T C C C SEQ. ID. NO. 2 CCACAACCCTACCCGCGTGAAACTC SEQ. ID. NO. 3 CTGCACAGTGGATGAGATGACTGAG SEQ. ID. NO.1 GCTGCCTCCGGAAGAATCTGCTTGC SEQ. ID. NO. 2 TTTGAAAAGTGGGGCTGGAAGAAGA SEQ. ID. NO. 3 GCGGTGGAGGGCCACATCACAACTG TGCCATGGAGGCTACATTGGCGTG SEQ. ID. NO.1 SEQ. ID. NO. 2 TTGCTACCATCCAGCAGACCACTGA SEQ. ID. NO. 3 AGATTGTCATGCTGAATCCTGCCAA GATTTCGAGCCCCTGAGCTCCAAGC SEQ. ID. NO.1 SEQ. ID. NO. 2 GGTCTTCACTTCGACTCTGGACGAC SEQ. ID. NO. 3 TACCCGCAGCATTTCCAACATGACA

SEQ. ID. NO.1 A G A T C A A G A C C A T C T C A G G A A A G A C SEQ. ID. NO. 2 C T G G A G G A A C G A G T G A A G G C T G SEQ. ID. NO. 3 T C C C A G G A A T T T G T G G A G A A C T A A

PCT/US99/07352

5 / 25

SEQ. ID. NO.1 TCCACAGCAGTATGAGAGAGAGTAC SEQ. ID. NO. 2 GAATTGAGATTACTTTCCGCCAGAG SEQ. ID. NO. 3 CCAAGCGACTGAAAAGACACCCTGA SEQ. ID. NO.1 AACAACAAGCGGTCAGGCGTGGGGC SEQ. ID. NO. 2 TTTCTCTCAGATCCAGCTGTGCCC SEQ. ID. NO. 3 GGAGACAGGAGGCTTCCAGGAGGCA SEQ. ID. NO.1 CCAGCAAGTTCCACGGGTACGCCTA SEQ. ID. NO. 2 G T C A A A A C C T G A A G C G C C A G G A T G SEQ. ID. NO. 3 CCGCTGGCCTATGATGCCATCTGGG SEQ. ID. NO.1 CGATGGCATCTGGGTCATCGCCAAG SEQ. ID. NO. 2 CCCGAATCATCGTGGGACTTTTCTA SEQ. ID. NO. 3 CCTTGGCACTGGCCCTGAACAAGAC SEQ. ID. NO.1 ACACTGCAGAGGGCCATGGAGACAC SEQ. ID. NO. 2 TGAGACTGAAGCCCGGAAAGTTTTT SEQ. ID. NO. 3 A T C T G G A G G A G G C G G C C G T T C T G G T TGCATGCCAGCAGCCGGCACCAGCG SEQ. ID. NO.1 SEQ. ID. NO. 2 TGTGAGGTGTACAAGGAGCGTCTCT SEQ. ID. NO. 3 GTGCGCCTGGAGGACTTCAACTACA SEQ. ID. NO.1 GATCCAGGACTTCAACTACACGGAC SEQ. ID. NO. 2 TTGGGAAGAAGTACGTCTGGTTCCT SEQ. ID. NO. 3 ACAACCAGACCATTACCGACCAAAT SEQ. ID. NO.1 CACACGCTGGGCAGGATCATCCTCA SEQ. ID. NO. 2 CATTGGGTGGTATGCTGACAATTGG SEQ. ID. NO. 3 CTACCGGGCAATGAACTCTTCGTCC SEQ. ID. NO.1 ATGCCATGAACGAGACCAACTTCTT SEQ. ID. NO. 2 TTCAAGATCTACGACCCTTCTATCA SEQ. ID. NO. 3 TTTGAGGGTGTCTCTGGCCATGTGG

SEQ. ID. NO.1 CGGGGTCACGGGTCAAGTTGTATTC SEQ. ID. NO. 2 ACTGCACAGTGGATGAGATGACTGA SEQ. ID. NO. 3 TGTTTGATGCCAGCGGCTCTCGGAT SEQ. ID. NO.1 CGGAATGGGGAGAGAATGGGGACCA SEQ. ID. NO. 2 GGCGGTGGAGGGCCACATCACAACT SEQ. ID. NO. 3 GGCATGGACGCTTATCGAGCAGCTT TTAAATTTACTCAATTTCAAGACAG SEQ. ID. NO.1 SEQ. ID. NO. 2 GAGATTGTCATGCTGAATCCTGCCA SEQ. ID. NO. 3 CAGGGTGGCAGCTACAAGAAGATTG SEQ. ID. NO.1 CAGGGAGGTGAAGGTGGGAGAGTAC SEQ. ID. NO. 2 ATACCCGCAGCATTTCCAACATGAC SEQ. ID. NO. 3 GCTACTATGACAGCACCAAGGATGA SEQ. ID. NO.1 AACGCTGTGGCCGACACACTGGAGA SEQ. ID. NO. 2 A T C C C A G G A A T T T G T G G A G A A A C T A SEQ. ID. NO. 3 TOTTTCCTGGTCCAAAACAGATAAA SEQ. ID. NO.1 TCATCAATGACACCATCAGGTTCCA SEQ. ID. NO. 2 ACCAAGCGACTGAAAAGACACCCTG SEQ. ID. NO. 3 TGGATTGGAGGGTCCCCCCAGCTG SEQ. ID. NO.1 AGGATCCGAACCACCAAAAGACAAG SEQ. ID. NO. 2 AGGAGACAGGAGGCTTCCAGGAGGC SEQ. ID. NO. 3 ACCAGACCCTGGTCATCAAGACATT SEQ. ID. NO.1 ACCATCATCCTGGAGCAGCTGCGGA SEQ. ID. NO. 2 ACCGCTGGCCTATGATGCCATCTGG SEQ. ID. NO. 3 CCGCTTCCTGTCACAGAAACTCTTT SEQ. ID. NO.1 AGATCTCCCTACCTCTACAGCAT SEQ. ID. NO. 2 GCCTTGGCCACTGGCCCTGAACAAGA SEQ. ID. NO. 3 A T C T C C G T C T C A G T T C T C T C C A G C C SEQ. ID. NO.1 CCTCTCTGCCCTCACCATCCTCGGG SEQ. ID. NO. 2 CATCTGGAGGAGGCGGCCGTTCTGG SEQ. ID. NO. 3 TGGGCATTGTCCTAGCTGTTGTCTG

SEQ. ID. NO.1 A T G A T C A T G G C C A G T G C T T T T C T C T SEQ. ID. NO.2 T G T G C G C C T G G A G G A C T T C A A C T A C SEQ. ID. NO.3 T C T G T C C T T T A A C A T C T A C A A C T C A

SEQ. ID. NO.1 T C T T C A A C A T C A A G A A C C G G A A T C A SEQ. ID. NO. 2 A A C A A C C A G A C C A T T A C C G A C C A A A SEQ. ID. NO. 3 C A T G T C C G T T A T A T C C A G A A C T C A C

SEQ. ID. NO.1 G A A G C T C A T A A A G A T G T C G A G T C C A SEQ. ID. NO.2 T C T A C C G G G C A A T G A A C T C T T C G T C SEQ. ID. NO.3 A G C C C A A C C T G A A C A A C C T G A C C T G C

SEQ. ID. NO.1 TACATGAACAACCTTATCATCCTTG. SEQ. ID. NO.2 CTTTGAGGGTTGTCTCTGGCCATGTG. SEQ. ID. NO.3 TGTGGGCTGCTCACTGGCTTAGCT

SEQ. ID. NO.1 G A G G G A T G C T C T C C T A T G C T T C C A T SEQ. ID. NO.2 G T G T T T G A T G C C A G C G G C T C T C G G A SEQ. ID. NO.3 G C T G T C T T C C C C C T G G G G C T C G A T G

SEQ. ID. NO.1 A T T T C T C T T T G G C C T T G A T G G A T C C SEQ. ID. NO.2 T G G C A T G G A C G C T T A T C G A G C A G C T SEQ. ID. NO.3 G T T A C C A C A T T G G G A G G A A C C A G T T

SEQ. ID. NO.1 TTTGTCTCTGAAAAGACCTTTGAAA SEQ. ID. NO.2 TCAGGGTGGCAGCTACAAGAAGATT SEQ. ID. NO.3 TCCTTTCGTCTGCCAGGCCCGCCTC

SEQ. ID. NO.1 C A C T T T G C A C C G T C A G G A C C T G G A T SEQ. ID. NO.2 G G C T A C T A T G A C A G C A C C A A G G A T G SEQ. ID. NO.3 T G G C T C C T G G G C C T G G G C T T T A G T C

SEQ. ID. NO.1 TCTCACCGTGGGCTACACGACCGCT SEQ. ID. NO.2 ATCTTTCCTGGTCCAAAACAGATAA SEQ. ID. NO.3 TGGGCTACGGTTCCATGTTCACCAA

SEQ. ID. NO.1 GGAGAGTCCACGCCATCTTCAAAAA SEQ. ID. NO. 2 GACCAGACCCTGGTCATCAAGACAT SEQ. ID. NO. 3 A C A A A G A A G G A A G A A A G A A G G A G T SEQ. ID. NO.1 TGTGAAAATGAAGAAGAAGATCATC SEQ. ID. NO. 2 TCCGCTTCCTGTCACAGAAACTCTT SEQ. ID. NO. 3 GGAGGAAGACTCTGGAACCCTGGAA SEQ. ID. NO.1 AAGGACCAGAAACTGCTTGTGATCG SEQ. ID. NO. 2 TATCTCCGTCTCAGTTCTCTCCAGC SEQ. ID. NO. 3 GCTGTATGCCACAGTGGGCCTGCTG SEQ. ID. NO.1 TGGGGGGGCATGCTGCTGATCGACCT SEQ. ID. NO. 2 CTGGGCATTGTCCTAGCTGTTGTCT SEQ. ID. NO. 3 GTGGGCATGGATGTCCTCACTCTCG SEQ. ID. NO.1 GTGTATCCTGATCTGCTGGCAGGCT SEQ. ID. NO. 2 G T C T G T C C T T T A A C A T C T A C A A C T C SEQ. ID. NO. 3 CCATCTGGCAGATCGTGGACCCTCT SEQ. ID. NO.1 GTGGACCCCCTGCGAAGGACAGTGG SEQ. ID. NO. 2 ACATGTCCGTTATATCCAGAACTCA SEQ. ID. NO. 3 GCACCGGACCATTGAGACATTTGCC SEQ. ID. NO.1 AGAAGTACAGCATGGAGCCGGACCC SEQ. ID. NO. 2 CAGCCCAACCTGAACAACCTGACTG SEQ. ID. NO. 3 AAGGAGGAACCTAAGGAAAGATATTG SEQ. ID. NO.1 AGCAGGACGGGATATCTCCATCCGC SEQ. ID. NO. 2 CTGTGGGCTGCTCACTGGCTTTAGC SEQ. ID. NO. 3 ACGTCTCTATTCTGCCCCAGCTGGA SEQ. ID. NO.1 CCTCTCCTGGAGCACTGTGAGAACA SEQ. ID. NO. 2 TGCTGTCTTCCCCCCTGGGGCTCGAT SEQ. ID. NO. 3 GCATTGCAGCTCCAGGAAGATGAAT SEQ. ID. NO.1 CCCATATGACCATCTGGCTTGGCAT

SEQ. ID. NO. 2 GGTTACCACATTGGGAAGGAACCAGT SEQ. ID. NO. 3 ACATGGCTTGGCATTTCTATGGTT

PCT/US99/07352

9 / 25

SEQ. ID. NO.1 CGTCTATGCCTACAAGGGACTTCTC SEQ. ID. NO. 2 TTCCTTTCGTCTGCCAGGCCCGCCT SEQ. ID. NO. 3 ACAAGGGGCTGCTGCTGCTGGG SEQ. ID. NO.1 ATGTTGTTCGGTTGTTTCTTAGCTT SEQ. ID. NO. 2 CTGGCTCCTGGGCCTGGGCTTTAGT SEQ. ID. NO. 3 AATCTTCCTTGCTTATGAGACCAAG SEQ. ID. NO.1 GGGAGACCCGCAACGTCAGCATCCC SEQ. ID. NO. 2 CTGGGCTACGGTTCCATGTTCACCA SEQ. ID. NO. 3 AGTGTGTCCACTGAGAAGATCAATG SEQ. ID. NO.1 CGCACTCAACGACAGCAAGTACATC SEQ. ID. NO. 2 AGATTTGGTGGGTCCACACGGTCTT SEQ. ID. NO. 3 ATCACCGGGCTGTGGGCATGGCTAT SEQ. ID. NO.1 G G G A T G A G T G T C T A C A A C G T G G G A SEQ. ID. NO. 2 CACAAAGAAGAAGAAAGAAGAAG SEQ. ID. NO. 3 CTACAATGTGGCAGTCCTGTGCCTC SEQ. ID. NO.1 TCATGTGCATCATCGGGGCCGCTGT SEQ. ID. NO. 2 TGGAGGAAGACTCTGGAACCCTGGA SEQ. ID. NO. 3 ATCACTGCTCCTGTCACCATGATTC SEQ. ID. NO.1 CTCCTTCCTGACCCGGGACCAGCCC SEQ. ID. NO. 2 AGCTGTATGCCACAGTGGGCCTGCT SEQ. ID. NO. 3 TGTCCAGCCAGCAGGATGCAGCCTT SEQ. ID. NO.1 AATGTGCAGTTCTGCATCGTGGCTC SEQ. ID. NO. 2 GGTGGGCATGGATGTCCTCACTCTC SEQ. ID. NO. 3 TGCCTTTGCCTCTCTTGCCATAGTT SEQ. ID. NO.1 TGGTCATCATCTTCTGCAGCACCAT SEQ. ID. NO. 2 GCCATCTGGCAGATCGTGGACCCTC SEQ. ID. NO. 3 TTCTCCTCCTATATCACTCTTGTTG SEQ. ID. NO.1 CACCCTCTGCCTGGTATTCGTGCCG SEQ. ID. NO. 2 TGCACCGGACCATTGAGACATTTGC SEQ. ID. NO. 3 TGCTCTTTGTGCCCAAGATGCGCAG

SEQ. ID. NO.1 AAGCTCATCACCCTGAGAACAACC SEQ. ID. NO. 2 CAAGGAGGAACCTAAGGAAGATATT SEQ. ID. NO. 3 GCTGATCACCCGAGGGGAATGGCAG SEQ. ID. NO.1 SEQ. ID. NO. 2 GACGTCTCTATTCTGCCCCAGCTGG SEQ. ID. NO. 3 TCGGAGGCGCAGGACACCATGAAGA ATTCCAGTTCACTCAGAATCAGAAG SEQ. ID. NO.1 SEQ. ID. NO. 2 AGCATTGCAGCTCCAGGAAGATGAA SEQ. ID. NO. 3 CAGGGTCATCGACCAACAACAACGA AAAGAAGATTCTAAAACGTCCACCT SEQ. ID. NO.1 SEQ. ID. NO. 2 TACATGGCTTGGCATTTCTATGGT SEQ. ID. NO. 3 GGAGGAGAGTCCCGGCTGTTGGAG CGGTCACCAGTGTGAACCAAGCCAG SEQ. ID. NO.1 SEQ. ID. NO. 2 TACAAGGGGCTGCTGCTGCTGG SEQ. ID. NO. 3 A A G G A G A A C C G T G A A C T G G A A A A G A CACATCCCGCCTGGAGGGCCTACAG SEQ. ID. NO.1 SEQ. ID. NO. 2 GAATCTTCCTTGCTTATGAGACCAA SEQ. ID. NO. 3 TCATTGCTGAGAAAGAGAGCGTGT TCAGAAAACCATCGCCTGCGAATGA SEQ. ID. NO.1 SEQ. ID. NO. 2 GAGTGTGTCCACTGAGAAGATCAAT SEQ. ID. NO. 3 C T C T G A A C T G C G C C A T C A A C T C C A G AGATCACAGAGCTGGATAAAGACTT SEQ. ID. NO.1 SEQ. ID. NO. 2 GATCACCGGGCTGTGGGCATGGCTA SEQ. ID. NO. 3 TCTCGGCAGCAGCTCCGCTCCGGC G G A A G A G G T C A C C A T G C A G C T G C A G SEQ. ID. NO.1 SEQ. ID. NO. 2 TCTACAATGTGGCAGTCCTGTGCCT SEQ. ID. NO. 3 GCCACCCACCGACACCCCAGAACC SEQ. ID. NO.1 GACACACCAGAAAAGACCACCTACA SEQ. ID. NO. 2 CATCACTGCTCCTGTCACCATGATT SEQ. ID. NO. 3 CTCTGGGGGCCTGCCCAGGGGACCC

SEQ. ID. NO.1 TTAAACAGAACCACTACCAAGAGCT SEQ. ID. NO. 2 CTGTCCAGCCAGCAGGATGCAGCCT SEQ. ID. NO. 3 CCTGAGCCCCCCGACCGGCTTAGCT SEQ. ID. NO.1 CAATGACATCCTCAACCTGGGAAAC SEQ. ID. NO. 2 TTGCCTTTGCCTTCTTGCCATAGT SEQ. ID. NO. 3 GTGATGGGAGTCGAGTGCATTTGCT SEQ. ID. NO.1 TTCACTGAGAGCACAGATGGAGGAA SEQ. ID. NO. 2 TTTCTCCTCCTATATCACTCTTGTT SEQ. ID. NO. 3 TTATAAGTGAGGGTAGGGTGAGGGA SEQ. ID. NO.1 AGGCCATTTTAAAAAATCACCTCGA SEQ. ID. NO. 2 GTGCTCTTTGTGCCCAAGATGCGCA SEQ. ID. NO. 3 GGACAGGCCAGTAGGGGAAGGGAAA SEQ. ID. NO.1 TCAAAATCCCCAGCTACAGTGGAAC SEQ. ID. NO. 2 GGCTGATCACCCGAGGGGAATGGCA SEQ. ID. NO. 3 GGGAGAGGGGAAGGGCAGGGACTC SEQ. ID. NO.1 ACAACAGAGCCCTCTCGAACATGCA SEQ. ID. NO. 2 GTCGGAGGCGCAGGACACCATGAAG SEQ. ID. NO. 3 AGGAAGCAGGGGGTCCCCATCCCCA SEQ. ID. NO.1 AAGATCCTATAGAAGATATAAACTC SEQ. ID. NO. 2 ACAGGGTCATCGACCAACAACAACG SEQ. ID. NO. 3 GCTGGGAAGAACATGCTATCCAATC SEQ. ID. NO.1 TCCAGAACACATCCAGCGTCGGCTG SEQ. ID. NO. 2 AGGAGGAGAAGTCCCGGCTGTTGGA SEQ. ID. NO. 3 TCATCTCTTGTAAATACATGTCCCC SEQ. ID. NO.1 TCCCTCCAGCTCCCCATCCTCCACC SEQ. ID. NO. 2 GAAGGAGAACCGTGAACTGGAAAAG SEQ. ID. NO. 3 CTGTGAGTTCTGGGCTGATTTGGGT SEQ. ID. NO.1 ACGCCTACCTCCCATCCATCGGAGG SEQ. ID. NO. 2 A T C A T T G C T G A G A A G A G G G G G G G SEQ. ID. NO. 3 CTCTCATACCTCTGGGAAACAGACC

SEQ. ID. NO.1 CGTGGACGCCAGCTGTGTCAGCCCC SEQ. ID. NO. 2 TCTCTGAACTGCGCCATCAGCTCCA SEQ. ID. NO. 3 TTTTTCTCTCTTACTGCTTCATGTA SEQ. ID. NO.1 TGCGTCAGCCCCACCGCCAGCCCC SEQ. ID. NO. 2 G T C T C G G C A G C A G C T C C G C T C C C G G SEQ. ID. NO. 3 ATTTTGTATCACCTCTTCACAATTT SEQ. ID. NO.1 GCCACAGACATGTGCCACCCTCCTT SEQ. ID. NO. 2 CGCCACCGACACCCCAGAAC SEQ. ID. NO. 3 AGTTCGTACCTGGCTTGAAGCTGCT SEQ. ID. NO.1 CCGAGTCATGGTCTCGGGCCTG SEQ. ID. NO. 2 CCTCTGGGGGCCTGCCCAGGGGACC SEQ. ID. NO. 3 CACTGCTCACACGCTGCCTCAG SEQ. ID. NO.1 SEQ. ID. NO. 2 CCCTGAGCCCCCGACCGGCTTAGC SEQ. ID. NO. 3 CAGCCTCACTGCATCTTTCTCTTCC SEQ. ID. NO.1 SEQ. ID. NO. 2 TGTGATGGGAGTCGAGTGCATTTGC SEQ. ID. NO. 3 CATGCAACACCCTCTTCTAGTTACC SEQ. ID. NO.1 SEQ. ID. NO. 2 TTTATAAGTGAGGGTAGGGG SEQ. ID. NO. 3 ACGGCAACCCCT SEQ. ID. NO.1 SEQ. ID. NO. 2 AGGACAGGCCAGTAGGGGAAGGAA SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 AGGGAGAGGGGAAGGGCAGGGACT SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 CAGGAAGCAGGGGGTCCCCATCCCC

SEQ. ID. NO. 3

SEQ. ID. NO.1 SEQ. ID. NO.2 AGCTGGGAAGAACATGCTATCCAAT SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO.2 CTCATCTCTTGTAAATACATGTCCC SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO.2 CCTGTGAGTTCTGGGCTGATTTGGG SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO.2 TCTCTCATACCTCTGGGAAACAGAC SEQ. ID. NO.3

SEQ. ID. NO.1
SEQ. ID. NO.2 CTTTTCTCTCTTACTGCTTCATGT
SEQ. ID. NO.3

SEQ. ID. NO. 2
SEQ. ID. NO. 2
SEQ. ID. NO. 3

SEQ. ID. NO.1 SEQ. ID. NO.2 TAGTTCGTACCTGGCTTGAAGCTGC SEQ. ID. NO.3

SEQ. ID. NO.1
SEQ. ID. NO.2 TCACTGCTCACACGCTGCCTCA
SEQ. ID. NO.3

SEQ. ID. NO.1
SEQ. ID. NO.2 GCAGCCTCACTGCATCTTTCTCTTC
SEQ. ID. NO.3

SEQ. ID. NO.1
SEQ. ID. NO.2 CCATGCAACACCCTCTTCTAGTTAC
SEQ. ID. NO.3

SEQ. ID. NO.1
SEQ. ID. NO.2 CACGGCAACCCCTGCAGCTCCTG
SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO. 2 CCTTTGTGCTCTGTTCCTGTCCAGC SEQ. ID. NO. 3

SEQ. ID. NO.1 SEQ. ID. NO.2 AGGGGTCTCCCAACAAGTGCTCTTT SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO.2 CCACCCAAAGGGGCCTCTCCTTT SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO.2 CTCCACTGTCATAATCTCTTTCCAT SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO. 2 CTTACTTGCCCTTCTATACTTCTC SEQ. ID. NO. 3

SEQ. ID. NO.1 SEQ. ID. NO.2 ACATGTGGCTCCCCCTGAATTTTGC SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO.2 TTCCTTTGGGGAGCTCATTCTTTCG SEQ. ID. NO.3

SEQ. ID. NO.1 SEQ. ID. NO. 2 CCAAGGTCACATGCTCCCTTGCCTC SEQ. ID. NO. 3

SEQ. ID. NO.1 SEQ. ID. NO.2 TGGCTCCGTGCA SEQ. ID. NO.3

ClustalW Formatted Alignments

```
SEQ. ID. NO. 4 MASPRSSGQPGPXPPPPPPPARLLL
SEQ. ID. NO. 5 M L L L L L V P L F L R P L G A G G A Q T P N A T
SEQ. ID. NO. 6 MGPGGPCTPVGWPLPLLLVMAAGVA
SEQ. ID. NO. 7 M L L L L L A P L F L R P P G A G G A Q T P N A
SEQ. ID. NO. 8 M G P G A P F A R V G W P L P L L V V M A A G V A
SEQ.ID. NO. 4 LLLLPLLLPLAPGAWGWARGAPRPP
SEQ. ID. NO. 5 SEGCQIIHPPWEGGIRYRGLTRDQV
SEQ. ID. NO. 6 PVWASHSPHLPRPHPRVPPHPSSER
SEQ. ID. NO. 7 TSEGCQIIHPPWEGGIRYRGLTRDQ
SEQ. ID. NO. 8 PVWASHSPHLPRPHSRVPPHPSSER
SEQ. ID. NO. 4 PSSP-PLSIMGLMPLTKEVAKGSIG
SEQ. ID. NO. 5 KAINFLPVDYEIEYVCRGEREVVGP
SEQ. ID. NO. 6 RAVYIGAL FPM SGGWPGGQACQPAV
SEQ. ID. NO. 7 VKAINFLPVDYEIEYVCRGEREVVG
SEQ. ID. NO. 8 RAVYIGAL FPM SGGWPGGQACQPAV
SEQ. ID. NO. 4 RGVLPAVELAIEQIRNE - SLLRPYF
SEQ. ID. NO. 5 K V R K C L A N G S W T D M D T P S R C V R I C S
SEQ. ID. NO. 6 EMALEDVNSRRDILPDYELKLIHHD
SEQ. ID. NO. 7 PKVRKCLANGSWTDMDTPSRCVRIC
SEQ. ID. NO. 8 EMALEDVNSRRDILPDYELKLIHHD
SEQ. ID. NO. 4 LDLRLYDTECDNAKGLKAFYDAIKY
SEQ. ID. NO. 5 K S Y L T L E N G K V F L T G G D L P A L D G A R
SEQ. ID. NO. 6 SKCDPGQATKYLYELLYNDPIKIIL
SEQ. ID. NO. 7 SKSYLTLENGKVFLTGGDLPALDGA
SEQ. ID. NO. 8 SKCDPGQATKYLYELLYNDPIKIIL
SEQ. ID. NO. 4 GPN H L M V F G G V C P S V T S I I A E S L Q G
SEQ. ID. NO. 5 VEFRCDPDFHLVGSSRSVCSQGQWS
SEQ. ID. NO. 6 M P G C S S V S T L V A E A A R M W N L I V L S Y
SEQ. ID. NO. 7 R V D F R C D P D F H L V G S S R S I C S Q G Q W
SEQ. ID. NO. 8 M P G C S S V S T L V A E A A R M W N L I V L S Y
SEQ. ID. NO. 4 WNLVQLSFAATTPVLADKKKYPYFF
SEQ. ID. NO. 5 TPKPHCQVNRTPHSERRAVYIGALF
SEQ. ID. NO. 6 GSSSPALSNRQRFPTFFRTHPSATL
SEQ. ID. NO. 7 STPKPHCQVNRTPHSERRAVYIGAL
SEQ. ID. NO. 8 G S S S P A L S N R Q R F P T F F R T H P S A T L
```

SEQ. ID. NO. 4 RTVPSDNAVNPAILKLLKHYQWKRV SEQ. ID. NO. 5 PMSGGWPGGQACQPAVEMALEDVNS SEQ. ID. NO. 6 HNPTRVKLFEKWGWKKIATIQQTTE SEQ. ID. NO. 7 FPMSGGWPGGQACQPAVEMALEDVN SEQ. ID. NO. 8 HNPTRVKLFEKWGWKKIATIQQTTE SEQ. ID. NO. 4 GTLTQDVQRFSEVRNDLTGVLYGED SEQ. ID. NO. 5 RRDILPDYELKLIHHDSKCDPGQAT SEQ. ID. NO. 6 V F T S T L D D L E E R V K E A G I E I T F R Q S SEQ. ID. NO. 7 SRRDILPDYELKLIHHDSKCDPGQA SEQ. ID. NO. 8 V F T S T L D D L E E R V K E A G I E I T F R Q S SEQ. ID. NO. 4 IEISDTESFSNDPCTSVKKLKGNDV SEQ. ID. NO. 5 KYLYELLYNDPIKIILMPGCSSVST SEQ. ID. NO. 6 FFSDPAVPVKNLKRQDARIIVGLFY SEQ. ID. NO. 7 TKYLYELLYNDPIKIILMPGCSSVS SEQ. ID. NO. 8 FFSDPAVPVKNLKRQDARIIVGLFY SEQ. ID. NO. 4 RIILGQFDQNMAAKVFCCAYEENMY SEQ. ID. NO. 5 LVAEAARMWNLIVLSYGSSSPALSN SEQ. ID. NO. 6 ETEARKVFCEVYKERLFGKKYVWFL SEQ. ID. NO. 7 TLVAEAARMWNLIVLSYGSSPALS SEQ. ID. NO. 8 ETEARKVFCEVYKERLFGKKYVWFL SEQ. ID. NO. 4 G S K Y Q W I I P G W Y E P S W W E Q V H T E A N SEQ. ID. NO. 5 RQRFPTFFRTHPSATLHNPTRVKLF SEQ. ID. NO. 6 I G W Y A D N W F K T Y D P S I N C T V E E M T E SEQ. ID. NO. 7 NRQRFPTFFRTHPSATLHNPTRVKL SEQ. ID. NO. 8 I G W Y A D N W F K I Y D P S I N C T V D E M T E SEQ. ID. NO. 4 S S R C L R K N L L A A M E G Y I G V D F E P L S SEQ. ID. NO. 5 EKWGWKKIATIQQTTEVFTSTLDDL SEQ. ID. NO. 6 AVEGHITTEIVMLNPANTRSISNMT SEQ. ID. NO. 7 FEKWGWKKIATIQQTTEVFTSTLDD SEQ. ID. NO. 8 AVEGHITTEIVMLNPANTRSISNMT SEQ. ID. NO. 4 SKQIKTISGKTPQQYEREYNNKRSG SEQ. ID. NO. 5 EERVKEAGIEITFRQSFFSDPAVPV SEQ. ID. NO. 6 SQEFVEKLTKRLKRHPEETGGFQEA SEQ. ID. NO. 7 LEERVKEAGIEITFRQSFFSDPAVP SEQ. ID. NO. 8 SQEFVEKLTKRLKRHPEETGGFQEA

SEQ. ID. NO. 4 VGPSKFHGYAYDGIWVIAKTLQRAM SEQ. ID. NO. 5 KNLKRQDARIIVGLFYETEARKVFC SEQ. ID. NO. 6 PLAYDAIWALALALNKTSGGGGRSG SEQ. ID. NO. 7 VKNLKRQDARIIVGLFYETEARKVF SEQ. ID. NO. 8 PLAYDAIWALALALNKTSGGGGRSG SEQ. ID. NO. 4 ETLHASSRHQRIQDFNYTDHTLGRI SEQ. ID. NO. 5 EVYKERLFGKKYVWFLIGWYADNWF SEQ. ID. NO. 6 VRLEDFNYNNQTITDQIYRAMNSSS SEQ. ID. NO. 7 CEVYKERLFGKKYVWFLIGWYADNW SEQ. ID. NO. 8 VRLEDFNYNNQTITDQIYRAMNSSS SEQ. ID. NO. 4 ILNAMNETNFFGVTGQVVFRNGERM SEQ. ID. NO. 5 KTYDPSINCTVEEMTEAVEGHITTE SEQ. ID. NO. 6 FEGVSGHVVFDASGSRMAWTLIEQL SEQ. ID. NO. 7 FKIYDPSINCTVDEMTEAVEGHITT SEQ. ID. NO. 8 FEGVSGHVVFDASGSRMAWTLIEQL SEQ. ID. NO. 4 GTIKFTQFQDSREVKVGEYNAVADT SEQ. ID. NO. 5 IVMLNPANTRSISNMTSQEFVEKLT SEQ. ID. NO. 6 QGGSYKKIGYYDSTKDDLSWSKTDK SEQ. ID. NO. 7 EIVMLNPANTRSISNMTSQEFVEKL SEQ. ID. NO. 8 QGGSYKKIGYYDSTKDDLSWSKTDK SEQ. ID. NO. 4 LEIINDTIRFQGSEPPKDKTIILEQ SEQ. ID. NO. 5 KRLKRHPEETGGFQEAPLAYDAIWA SEQ. ID. NO. 6 WIGGSPPADQILVIKTFRFLSQKLF SEQ. ID. NO. 7 TKRLKRHPEETGGFQEAPLAYDAIW SEQ. ID. NO. 8 WIGGSPPADQTLVIKTFRFLSQKLF SEQ. ID. NO. 4 LRKISLPLYSILSALTILGMIMASA SEQ. ID. NO. 5 LALALNKTSGGGGRSGVRLEDFNYN SEQ. ID. NO. 6 ISVSVLSSLGIVLAVVCLSFNIYNS SEQ. ID. NO. 7 ALALALNKTSGGGGRSGVRLEDFNY SEQ. ID. NO. 8 ISVSVLSSLGIVLAVVCLSFNIYNS SEQ. ID. NO. 4 FLFFNIKNRNQKLIKMSSPYMNNLI SEQ. ID. NO. 5 NQTITDQIYRAMNSSSFEGVSGHVV SEQ. ID. NO. 6 HVRYIQNSQPNLNNLTAVGCSLAL, A SEQ. ID. NO. 7 NNQTITDQIYRAMNSSSFEGVSGHV SEQ. ID. NO. 8 HVRYIQNSQPNLNNLTAVGCSLALA

SEQ. ID. NO. 4 ILGGMLSYASIFLFGLDGSFVSEKT SEQ. ID. NO. 5 FDASGSRMAWTLIEQLQGGSYKKIG SEQ. ID. NO. 6 AVFPLGLDGYHIGRSQFPFVCQARL SEQ. ID. NO. 7 V F D A S G S R M A W T L I E Q L Q G G S Y K K I SEQ. ID. NO. 8 A V F P L G L D G Y H I G R N Q F P F V C Q A R L SEQ. ID. NO. 4 FETLCTVRTWILTVGYTTAFGAMFA SEQ. ID. NO. 5 YYD S T K D D L S W S K T D K W I G G S P P A D SEQ. ID. NO. 6 WLLGLGFSLGYGSMFTKIWWVHTVF SEQ. ID. NO. 7 GYYDSTKDDLSWSKTDKWIGGSPPA SEQ. ID. NO. 8 WLLGLGFSLGYGSMFTKIWWVHTVF SEQ. ID. NO. 4 KTWRVHAIFKNVKMKKKIIKDQKLL SEQ. ID. NO. 5 QILVIKTFRFLSQKLFISVSVLSSL SEQ. ID. NO. 6 TKKEEKKEWRKTLEPWKLYATVGLL SEQ. ID. NO. 7 DQTLVIKTFRFLSQKLFISVSVLSS SEQ. ID. NO. 8 TKKEEKKEWRKTLEPWKLYATVGLL SEQ. ID. NO. 4 VIVGGMLLIDLCILICWQAVDPLRR SEQ. ID. NO. 5 GIVLAVVCLS FNIYNS HVRYIQNS Q SEQ. ID. NO. 6 VGMDVLTLAIWQIVDPLHRTIETFA SEQ. ID. NO. 7 LGIVLAVVCLSFNIYNSHVRYIQNS SEQ. ID. NO. 8 VGM D V L T L A I W Q I V D P L H R T I E T F A SEQ. ID. NO. 4 TVEKYSMEPDPAGRDISIRPLLEHC SEQ. ID. NO. 5 PNLNNLTAVGCSLALAAVFPLGLDG SEQ. ID. NO. 6 KEEPKEDIDVSILPQLEHCSSKKMN SEQ. ID. NO. 7 QPNLNNLTAVGCSLALAAVFPLGLD SEQ. ID. NO. 8 KEEPKEDIDVSILPQLEHCSSRKMN SEQ. ID. NO. 4 ENTHMTIWLGIVYAYKGLLMLFGCF SEQ. ID. NO. 5 YHIGRS OF PFVC QARLWLLG LG FS L SEQ. ID. NO. 6 TWLGIFYGYKGLLLLGIFLAYETK SEQ. ID. NO. 7 GYHIGRNQFPFVCQARLWLLGLGFS SEQ. ID. NO. 8 TWLGIFYGYKGLLLLLGIFLAYETK

SEQ. ID. NO. 4 LAWETRNVSIPALNDSKYIGMSVYN SEQ. ID. NO. 5 GYGSMFTKIWWVHTVFTKKEEKKEW SEQ. ID. NO. 6 SVSTEKINDHRAVGMAIYNVAVLCL SEQ. ID. NO. 7 LGYGSMFTKIWWVHTVFTKKEEKKE SEQ. ID. NO. 8 SVSTEKINDHRAVGMAIYNVAVLCL

```
SEQ. ID. NO. 4 VGIMCIIGAAVS FLTRDQPN VQ FCI
SEQ. ID. NO. 5 RKTLEPWKLYATVGLLVGMDVLTLA
SEQ. ID. NO. 6 ITAPVTMILSSQQDAAFAFASLAIV
SEQ. ID. NO. 7 WRKTLEPWKLYATVGLLVGMDVLTL
SEQ. ID. NO. 8 I TAPVTMILS SQQDAAFAFASLAIV
SEQ. ID. NO. 4 VALVIIFCSTITLCLVFVPKLITLR
SEQ. ID. NO. 5 I W Q I V D P L H R T I E T F A K E E P K E D I D
SEQ. ID. NO. 6 FSSYITLVVLFVPKMRRLITRGEWQ
SEQ. ID. NO. 7 AIWQIVDPLHRTIETFAKEEPKEDI
SEQ. ID. NO. 8 FSSYITLVVLFVPKMRRLITRGEWQ
SEQ. ID. NO. 4 TN P D A A T Q N R R F Q F T Q N Q K K E D S K T
SEQ. ID. NO. 5 VSILPQLEHCSSKKMNTWLGIFYGY
SEQ. ID. NO. 6 SETQDTMKTGSSTNNNEEEKSRLLE
SEQ. ID. NO. 7 DVSILPQLEHCSSRKMNTWLGIFYG
SEQ. ID. NO. 8 SEAQDTMKTGSSTNNNEEEKSRLLE
SEQ.ID.NO.4 STSVTSVNQASTSRLEGLQSENHRL
SEQ.ID. NO. 5 KGLLLLGIFLAYETKSVSTEKIND
SEQ. ID. NO. 6 KENRELEKIIAEKEERVSELRHQLQ
SEQ. ID. NO. 7 YKGLLLLGIFLAYETKSVSTEKIN SEQ. ID. NO. 8 KENRELEKIIAEKEERVSELRHQLQ
SEQ. ID. NO. 4 RMKITELDKDLEEVTMQLQDTPEKT
SEQ. ID. NO. 5 HRAVGMAIYNVAVLCLITAPVTMIL
SEQ. ID. NO. 6 SRQQLRSRRHPPTPPDPSGGLPRGP
SEQ. ID. NO. 7 DHRAVGMAIYNVAVLCLITAPVTMI
SEQ. ID. NO. 8 SRQQLRSRRHPPTPPEPSGGLPRGP
SEQ. ID. NO. 4 TYIKQNHYQELNDILNLGNFTESTD
SEQ. ID. NO. 5 SSQQDAAFAFASLAIVFSSYITLVV
SEQ. ID. NO. 6 SEPPDRLSCDGSRVHLLYK
SEQ. ID. NO. 7 LSSQQDAAFAFASLAIVFSSYITLV
SEQ. ID. NO. 8 PEPPDRLSCDGSRVHLLYK
SEQ. ID. NO. 4 GGKAILKNHLDQNPQLQWNTTEPSR
SEQ. ID. NO. 5 L F V P K M R R L I T R G E W Q S E T Q D T M K T
SEQ. ID. NO. 6
SEQ. ID. NO. 7 VLFVPKMRRLITRGEWQSEAQDTMK
SEQ. ID. NO. 8
```

SEQ. ID. NO. 8

SEQ. ID. NO. 4 TCKDPIEDINSPEHIQRRLSLQLPI SEQ. ID. NO. 5 G S S T N N N E E E K S R L L E K E N R E L E K I SEQ. ID. NO. 6 SEQ. ID. NO. 7 TGSSTNNNEEEKSRLLEKENRELEK SEQ. ID. NO. 8 SEQ. ID. NO. 4 LHHAYLPSIGGVDASCVSPCVSPTA SEQ. ID. NO. 5 I A E K E E R V S E L R H Q L Q S R Q Q L R S R R SEQ. ID. NO. 6 SEQ. ID. NO. 7 IIAEKEERVSELRHQLQSRQQLRSR SEQ. ID. NO. 8 SEQ. ID. NO. 4 SPRHRHVPPSFRVMVSGL SEQ. ID. NO. 5 HPPTPPDPSGGLPRGPSEPPDRLSC SEQ. ID. NO. 6 SEQ. ID. NO. 7 RHPPTPPEPSGGLPRGPPEPPDRLS SEQ. ID. NO. 8 SEQ. ID. NO. 4 SEQ. ID. NO. 5 DGSRVHLLYK SEQ. ID. NO. 6 SEQ. ID. NO. 7 CDGSRVHLLYK

ATG GCA TTT TAT AGC Met Ala Phe Tyr Ser>

TGC TGC TGG GTC CTC TTG GCA CTC ACC TGG CAC ACC TCT GCC TAC GGG CCA GAC Cys Cys Trp Val Leu Leu Ala Leu Thr Trp His Thr Ser Ala Tyr Gly Pro Asp>

CAG CGA GCC CAA AAG AAG GGG GAC ATT ATC CTT GGG GGG CTC TTT CCT ATT CAT Gln Arg Ala Gln Lys Lys Gly Asp Ile Ile Leu Gly Gly Leu Phe Pro Ile Hip>

TTT GGA GTA GCT AAA GAT CAA GAT CTC AAA TCA AGG CCG GAG TCT GTG GAA Phe Gly Val Ala Lys Asp Gln Asp Leu Lys Ser Arg Pro Glu Ser Val Glu>

TGT ATC AGG TAT AAT TTC CGT GGG TTT CGC TGG TTA CAG GCT ATG ATA TTT GCC Cys lle Arg Tyr Asn Phe Arg Gly Phe Arg Trp Leu Gln Ala Met Ile Phe Ala>

ATA GAG GAG ATA AAC AGC AGC CCA GCC CTT CTT CCC AAC TTG ACG CTG GGA TAC Ile Glu Glu Ile Asn Ser Ser Pro Ala Leu Leu Pro Asn Leu Thr Leu Gly Tyr>

AGG ATA TTT GAC ACT TGC AAC ACC GTT TCT AAG GCC TTG GAA GCC ACC CTG AGT Arg Ile Phe Asp Thr Cys Asn Thr Val Ser Lys Ala Leu Glu Ala Thr Leu Ser>

TTT GTT GCT CAA AAC AAA ATT GAT TCT TTG AAC CTT GAT GAG TTC TGC AAC TGC Phe Val Ala Gln Asn Lys Ile Asp Scr Leu Asn Leu Asp Glu Phe Cys Asn Cys>

TCA GAG CAC ATT CCC TCT ACG ATT GCT GTG GTG GGA GCA ACT GGC TCA GGC GTC Ser Glu His Ile Pro Ser Thr Ile Ala Val Val Gly Ala Thr Gly Ser Gly Val>

TCC ACG GCA GTG GCA AAT CTG CTG GGG CTC TTC TAC ATT CCC CAG GTC AGT TAT Ser Thr Ala Val Ala Asn Leu Leu Gly Leu Phe Tyr Ile Pro Gln Val Ser Tyr>

GCC TCC TCC AGC AGA CTC CTC AGC AAC AAG AAT CAA TTC AAG TCT TTC CTC CGA Ala Ser Ser Arg Leu Leu Ser Asn Lys Asn Gln Phe Lys Ser Phe Leu Arg>

ACC ATC CCC AAT GAT GAG CAC CAG GCC ACT GCC ATG GCA GAC ATC ATC GAG TAT Thr Ile Pro Ann Amp Glu Him Gln Ala Thr Ala Met Ala Amp Ile Ile Glu Tyr>

TTC CGC TGG AAC TGG GTG GGC ACA ATT GCA GCT GAT GAC GAC TAT GGG CGG CCG Phe Arg Trp Asn Trp Val Gly Thr Ile Ala Ala Asp Asp Tyr Gly Arg Pro>

GGG ATT GAG AAA TTC CGA GAG GAA GCT GAG GAA AGG GAT ATC TGC ATC GAC TTC Gly lle Glu Lys Phe Arg Glu Glu Ala Glu Glu Arg Asp Ile Cys Ile Asp Phe>

AGT GAA CTC ATC TCC CAG TAC TCT GAT GAG GAA GAG ATC CAG CAT GTG GTA GAG Ser Glu Leu Ile Ser Gln Tyr Ser Asp Glu Glu Glu Ile Gln His Val Val Glu>

GTG ATT CAA AAT TCC ACG GCC AAA GTC ATC GTG GTT TTC TCC AGT GGC CCA GAT Val Ile Gln Asn Ser Thr Ala Lys Val Ile Val Val Phe Ser Ser Gly Pro Asp>

CTT GAG CCC CTC ATC AAG GAG ATT GTC CGG CGC AAT ATC ACG GGC AAG ATC TGG Leu Glu Pro Leu Ile Lys Glu Ile Val Arg Arg Asn Ile Thr Gly Lys Ile Trp>

CTG GCC AGC GAG GCC TGG GCC AGC TCC TCC CTG ATC GCC ATG CCT CAG TAC TTC Leu Ala Ser Glu Ala Trp Ala Ser Ser Ser Leu Ile Ala Met Pro Gln Tyr Phe>

CAC GTG GTT GGC GGC ACC ATT GGA TTC GCT CTG AAG GCT GGG CAG ATC CCA GGC His Val Val Gly Gly Thr Ile Gly Phe Ala Leu Lys Ala Gly Gln Ile Pro Gly>

TTC CGG GAA TTC CTG AAG AAG GTC CAT CCC AGG AAG TCT GTC CAC AAT GGT TTT Phe Arg Glu Phe Leu Lys Lys Val His Pro Arg Lys Ser Val His Asn Gly Phe>.

GCC AAG GAG TTT TGG GAA GAA ACA TTT AAC TGC CAC CTC CAA GAA GGT GCA AAA Ala Lys Glu Phe Trp Glu Glu Thr Phe Asn Cys His Leu Gln Glu Gly Ala Lys>

GGA CCT TTA CCT GTG GAC ACC TTT CTG AGA GGT CAC GAA GAA AGT GGC GAC AGG Gly Pro Leu Pro Val Asp Thr Phe Leu Arg Gly His Glu Glu Ser Gly Asp Arg>

TTT AGC AAC AGC TCG ACA GCC TTC CGA CCC CTC TGT ACA GGG GAT GAG AAC ATC Phe Ser Asn Ser Ser Thr Ala Phe Arg Pro Leu Cys Thr Gly Asp Glu Asn Ile>

AGC AGT GTC GAG ACC CCT TAC ATA GAT TAC ACG CAT TTA CGG ATA TCC TAC AAT Ser Ser Val Glu Thr Pro Tyr Ile Asp Tyr Thr His Leu Arg Ile Ser Tyr Asn>

GTG TAC TTA GCA GTC TAC TCC ATT GCC CAC GCC TTG CAA GAT ATA TAT ACC TGC Val Tyr Leu Ala Val Tyr Ser Ile Ala His Ala Leu Gln Asp Ile Tyr Thr Cys>

TTA CCT GGG AGA GGG CTC TTC ACC AAT GGC TCC TGT GCA GAC ATC AAG AAA GTT Leu Pro Gly Arg Gly Leu Phe Thr Asn Gly Ser Cys Ala Asp Ile Lys Lys Val>

GAG GCG TGG CAG GTC CTG AAG CAC CTA CGG CAT CTA AAC TTT ACA AAC AAT ATG Glu Ala Trp Gln Val Leu Lys His Leu Arg His Leu Asn Phe Thr Asn Asn Met>

GGG GAG CAG GTG ACC TTT GAT GAG TGT GGT GAC CTG GTG GGG AAC TAT TCC ATC Gly Glu Gln Val Thr Phe Asp Glu Cys Gly Asp Leu Val Gly Asn Tyr Ser Ile>

ATC AAC TGG CAC CTC TCC CCA GAG GAT GGC TCC ATC GTG TTT AAG GAA GTC GGG Ile Asn Trp His Leu Ser Pro Glu Asp Gly Ser Ile Val Phe Lys Glu Val Gly>

TAT TAC AAC GTC TAT GCC AAG AAG GGA GAA AGA CTC TTC ATC AAC GAG GAG AAA Tyr Tyr Asn Val Tyr Ala Lys Lys Gly Glu Arg Leu Phe Ile Asn Glu Glu Lys>

ATC CTG TGG AGT GGG TTC TCC AGG GAG GTG CCC TTC TCC AAC TGC AGC CGA GAC Ile Leu Trp Ser Gly Phe Ser Arg Glu Val Pro Phe Ser Asn Cys Ser Arg Asp>

TGC CTG GCA GGG ACC AGG AAA GGG ATC ATT GAG GGG GAG CCC ACC TGC TGC TTT Cys Leu Ala Gly Thr Arg Lys Gly Ile Ile Glu Gly Glu Pro Thr Cys Cys Phe>

GAG TGT GTG GAG TGT CCT GAT GGG GAG TAT AGT GAT GAG ACA GAT GCC AGT GCC Glu Cys Val Glu Cys Pro Asp Gly Glu Tyr Ser Asp Glu Thr Asp Ala Ser Ala>

1753

TGT AAC AAG TGC CCA GAT GAC TTC TGG TCC AAT GAG AAC CAC ACC TCC TGC ATT Cys Asn Lys Cys Pro Asp Asp Phe Trp Ser Asn Glu Asn His Thr Ser Cys Ile>

GCC AAG GAG ATC GAG TTT CTG TCG TCG ACG GAG CCC TTT GGG ATC GCA CTC ACC Ala Lys Glu Ile Glu Phe Leu Ser Trp Thr Glu Pro Phe Gly Ile Ala Leu Thr>

CTC TTT GCC GTG CTG GGC ATT TTC CTG ACA GCC TTT GTG CTG GGT GTG TTT ATC Leu Phe Ala Val Leu Gly Ile Phe Leu Thr Ala Phe Val Leu Gly Val Pho Ile>

AAG TTC CGC AAC ACA CCC ATT GTC AAG GCC ACC AAC CGA GAG CTC TCC TAC CTC Lys Phe Arg Asn Thr Pro Ile Val Lys Ala Thr Asn Arg Glu Leu Ser Tyr Leu>

CTC CTC TTC TCC CTG CTC TGC TGC TTC TCC AGC TCC CTG TTC TTC ATC GGG GAG Leu Phe Ser Leu Leu Cys Cys Phe Ser Ser Leu Phe Phe Ile Gly Glu>

CCC CAG GAC TGG ACG TGC CGC CTG CGC CAG CCG GCC TTT GGC ATC AGC TTC GTG Pro Gln Asp Trp Thr Cys Arg Leu Arg Gln Pro Ala Phe Gly Ile Ser Phe Val>

CTC TGC ATC TCA TGC ATC CTG GTG AAA ACC AAC CGT GTC CTG GTG TTT GAG Leu Cys Ile Ser Cys Ile Leu Val Lys Thr Asn Arg Val Leu Leu Val Phe Glu>

GCC AAG ATC CCC ACC AGC TTC CAC CGC AAG TGG TGG GGG CTC AAC CTG CAG TTC Ala Lys Ile Pro Thr Ser Phe His Arg Lys Trp Trp Gly Leu Asn Leu Gln Phe>

CTG CTG GTT TTC CTC TGC ACC TTC ATG CAG ATT GTC ATC TGT GTG ATC TGG CTC Leu Leu Val Phe Leu Cys Thr Phe Met Gln Ile Val Ile Cys Val Ile Trp Leu>

TAC ACC GCG CCC CCC TCA AGC TAC CGC AAC CAG GAG CTG GAG GAT GAG ATC ATC Tyr Thr Ala Pro Pro Ser Ser Tyr Arg Asn Gln Glu Leu Glu Asp Glu Ilo Ile>

TTC ATC ACG TGC CAC GAG GGC TCC CTC ATG GCC CTG GGC TTC CTG ATC GGC TAC Phe Ile Thr Cys His Glu Gly Ser Leu Met Ala Leu Gly Phe Leu Ile Gly Tyr>

ACC TGC CTG CTG GCT GCC ATC TGC TTC TTT GCC TTC AAG TCC CGG AAG CTG Thr Cys Leu Ala Ala Ile Cys Phe Pho Pho Ala Pho Lys Ser Arg Lys Leu>

CCG GAG AAC TTC AAT GAA GCC AAG TTC ATC ACC TTC AGC ATG CTC ATC TTC Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Thr Phe Ser Met Leu Ile Phe Phe>

ATC GTC TGG ATC TCC TTC ATT CCA GCC TAT GCC AGC ACC TAT GGC AAG TTT GTC Ile Val Trp Ile Ser Phe Ile Pro Ala Tyr Ala Ser Thr Tyr Gly Lys Phe Val>

TCT GCC GTA GAG GTG ATT GCC ATC CTG GCA GCC AGC TTT GGC TTG CTG GCG TGC Ser Ala Val Glu Val Ile Ala Ilc Leu Ala Ala Ser Phe Gly Leu Leu Ala Cys>

ATC TTC TTC AAC AAG ATC TAC ATC ATT CTC TTC AAG CCA TCC CGC AAC ACC ATC Ile Phe Phe Asn Lys Ile Tyr Ilc Ile Leu Phe Lys Pro Ser Arg Asn Thr Ile>

GAG GAG GTG CGT TGC AGC ACC GCA GCT CAC GCT TTC AAG GTG GCT GCC CGG GCC Glu Glu Val Arg Cyn Sor Thr Ala Ala Hin Ala Pho Lyn Val Ala Ala Arg Ala>

ACG CTG CGC CGC AGC AAC GTC TCC CGC AAG CGG TCC AGC AGC CTT GGA GGC TCC Thr Leu Arg Arg Scr Asn Val Ser Arg Lys Arg Ser Scr Scr Lou Gly Gly Scr>

ACG GGA TCC ACC CCC TCC TCC TCC ATC AGC AGC AAG AGC AAC AGC GAA GAC CCA Thr Gly Ser Thr Pro Ser Ser Ser Ilo Sor Ser Lys Sor Asn Ser Glu Asp Pro>

GAG CAG CAG CAG CCC CTG ACC CTC CCA CAG CAG CAA CGA TCT CAG CAG Glu Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Gln>

CCC AGA TGC AAG CAG AAG GTC ATC TTT GGC AGC GGC ACG GTC ACC TTC TCA CTG Pro Arg Cyn Lyn Gln Lyn Vol Ilo Pho Gly Sor Gly Thr Vol Thr Pho Ser Lou>

AGC TTT GAT GAG CCT CAG AAG AAC GCC ATG GCC CAC GGG AAT TCT ACG CAC CAG Ser Phe Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln>


AAC TCC CTG GAG GCC CAG AAA AGC AGC GAT ACG CTG ACC CGA CAC CAG CCA TTA Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln Pro Leu>

CTC CCG CTG CAG TGC GGG GAA ACG GAC TTA GAT CTG ACC GTC CAG GAA ACA GGT Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly>

CTG CAA GGA CCT GTG GGT GGA GAC CAG CGG CCA GAG GTG GAG GAC CCT GAA GAG Leu Gln Gly Pro Val Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu>

TTG TCC CCA GCA CTT GTA GTG TCC AGT TCA CAG AGC TTT GTC ATC AGT GGT GGA Leu Ser Pro Ala Leu Val Val Ser Ser Ser Gln Ser Phe Val Ile Ser Gly Gly>

GGC AGC ACT GTT ACA GAA AAC GTA GTG AAT TCA Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser>



120

180

240

300

360

420

480

540

600

660

720

780

840

900

960

1020

1080 1140

1200

1260

1320

1380

1440 1500

1

SEQUENCE LISTING

```
<110> NPS PHARMACEUTICALS, INC.
      <120> NOVEL GABA<sub>B</sub> RECEPTOR
      <130> 241/143-PCT
      <140> TO BE ASSIGNED
      <141> 199-04-02
      <150> US 60/080.676
      <151> 1998-04-03
      <160> 9
      <170> FastSEQ for Windows Version 3.0
      <210> 1
      <211> 2823
      <212> DNA
      <213> Human
      <400> 1
atggettece egeggagete egggeagece gggeegenge egeegeegee acegeegee
gegegeetge tactgetact getgetgeeg etgetgetge etetggegee eggggeetgg
ggctgggcgc ggggcgcccc ccggccgccg cccagcagcc cgccgctctc catcatgggc
ctcatgccgc tcaccaagga ggtggccaag ggcagcatcg ggcgcggtgt gctccccgcc
gtggaactgg ccatcgagca gatccgcaac gagtcactcc tgcgccccta cttcctcgac
ctgcggctct atgacacgga gtgcgacaac gcaaaagggt tgaaagcctt ctacgatgca
ataaaatacg ggccgaacca cttgatggtg tttggaggcg tctgtccatc cgtcacatcc
atcattgcag agtccctcca aggctggaat ctggtgcagc tttcttttgc tgcaaccacg
cctgttctag ccgataagaa aaaataccct tatttctttc ggaccgtccc atcagacaat
geggtgaate cagecattet gaagttgete aageactace agtggaageg egtgggcaeg
ctgacgcaag acgttcagag gttctctgag gtgcggaatg acctgactgg agttctgtat
ggcgaggaca ttgagatttc agacaccgag agcttctcca acgatccctg taccagtgtc
aaaaagctga aggggaatga tgtgcggatc atccttggcc agtttgacca gaatatggca
gcaaaagtgt tetgttgtgc atacgaggag aacatgtatg gtagtaaata teagtggate
attecggget ggtacgagec ttettggtgg gageaggtge acaeggaage caacteatee
cgctgcctcc ggaagaatct gcttgctgcc atggagggct acattggcgt ggatttcgag
cccctgagct ccaagcagat caagaccatc tcaggaaaga ctccacagca gtatgagaga
gagtacaaca acaagcggtc aggcgtgggg cccagcaagt tccacgggta cgcctacgat
ggcatctggg tcatcgccaa gacactgcag agggccatgg agacactgca tgccagcagc
```

eggeaceage ggatecagga etteaactae aeggaceaea egetgggeag gateateete

aatgccatga acgagaccaa cttcttcggg gtcacgggtc aagttgtatt ccggaatggg

gagagaatgg ggaccattaa atttactcaa tttcaagaca gcagggaggt gaaggtggga

gagtacaacg ctgtggccga cacactggag atcatcaatg acaccatcag gttccaagga

tecgaaccae caaaagacaa gaccateate etggageage tgeggaagat etecetacet

ctctacagca tectetetge ceteaceate etegggatga teatggecag tgettttete

ttcttcaaca	tcaagaaccg	gaatcagaag	ctcataaaga	tgtcgagtcc	atacatgaac	1560
aaccttatca	tccttggagg	gatgctctcc	tatgcttcca	tatttctctt	tggccttgat	1620
			acactttgca			1680
			atgtttgcaa			1740
			atcatcaagg			1800
			atcctgatct			1860
			gagccggacc			1920
			acccatatga			1980
			ggttgtttct			2040
			tacatcggga			2100
atcatgtgca	tcatcggggc	cgctgtctcc	ttcctgaccc	gggaccagcc	caatgtgcag	2160
			tgcagcacca			2220
gtgccgaagc	tcatcaccct	gagaacaaac	ccagatgcag	caacgcagaa	caggcgattc	2280
			tctaaaacgt			2340
			ctacagtcag			2400
			gaggtcacca			2460
			taccaagagc			2520
ggaaacttca	ctgagagcac	agatggagga	aaggccattt	taaaaaatca	cctcgatcaa	2580
			ccctctcgaa			2640
gatataaact	ctccagaaca	catccagcgt	cggctgtccc	tccagctccc	catcctccac	2700
cacgcctacc	tcccatccat	cggaggcgtg	gacgccagct	gtgtcagccc	ctgcgtcagc	2760
			ccaccctcct			2820
ctg						2823

<210> 2

<211> 3464

<212> DNA

<213> Human

<400> 2

atgttgctgc	tgctgctact	ggcgccactc	ttectcegee	ccccgggcgc	gggcggggcg	6.0
cagaccccca	acgccacctc	agaaggttgc	cagatcatac	acccgccctg	ggaagggggc	120
atcaggtacc	ggggcctgac	tcgggaccag	gtgaaggcta	tcaacttcct	gccagtggac	180
tatgagattg	agtatgtgtg	ccggggggag	cgcgaggtgg	tggggcccaa	ggtccgcaag	240
		gacagatatg				300
tccaagtctt	atttgaccct	ggaaaatggg	aaggttttcc	tgacgggtgg	ggacctccca	360
gctctggacg	gagcccgggt	ggatttccgg	tgtgaccccg	acttccatct	ggtgggcagc	420
tcccggagca	tctgtagtca	gggccagtgg	agcaccccca	agccccactg	ccaggtgaat	480
		gcgcgcagtg				540
ggctggccag	ggggccaggc	ctgccagccc	gcggtggaga	tggcgctgga	ggacgtgaat	600
		ggactatgag				660
		gtacctatat				720
atccttatgc	ctggctgcag	ctctgtctcc	acgctggtgg	ctgaggctgc	taggatgtgg	780
aacctcattg	tgctttccta	tggctccagc	tcaccagccc	tgtcaaaccg	gcagcgtttc	840
		cccatcagcc				900
tttgaaaagt	ggggctggaa	gaagattgct	accatccagc	agaccactga	ggtcttcact	960
		ggaacgagtg				1020
		agctgtgccc				1080
		tgagactgaa				1140
gagcgtctct	ttgggaagaa	gtacgtctgg	ttcctcattg	ggtggtatgc	tgacaattgg	1200
		tatcaactgc				1260
ggccacatca	caactgagat	tgtcatgctg	aatcctgcca	atacccgcag	catttccaac	1320
atgacatccc	aggaatttgt	ggagaaacta	accaagcgac	tgaaaagaca	ccctgaggag	1380
		accgctggcc				1440
		aggcggccgt				1500

PCT/US99/07352

aacaaccaga	ccattaccga	ccaaatctac	cgggcaatga	actcttcgtc	ctttgagggt	1560
		tgatgccagc				1620
		caagaagatt				1680
tcctggtcca	aaacagataa	atggattgga	gggtccccc	cagctgacca	gaccctggtc	1740
atcaagacat	teegetteet	gtcacagaaa	ctctttatct	ccgtctcagt	tctctccagc	1800
ctgggcattg	tcctagctgt	tgtctgtctg	tcctttaaca	tctacaactc	acatgtccgt	1860
tatatccaga	actcacagcc	caacctgaac	aacctgactg	ctgtgggctg	ctcactggct	1920
ttagctgctg	tcttccccct	ggggctcgat	ggttaccaca	ttgggaggaa	ccagtttcct	1980
ttcgtctgcc	aggcccgcct	ctggctcctg	ggcctgggct	ttagtctggg	ctacggttcc	2040
atgttcacca	agatttggtg	ggtccacacg	gtcttcacaa	agaaggaaga	aaagaaggag	2100
tggaggaaga	ctctggaacc	ctggaagctg	tatgccacag	tgggcctgct	ggtgggcatg	2160
gatgtcctca	ctctcgccat	ctggcagatc	gtggaccctc	tgcaccggac	cattgagaca	2220
tttgccaagg	aggaacctaa	ggaagatatt	gacgtctcta	ttctgcccca	gctggagcat	2280
tgcagctcca	ggaagatgaa	tacatggctt	ggcattttct	atggttacaa	ggggctgctg	2340
ctgctgctgg	gaatcttcct	tgcttatgag	accaagagtg	tgtccactga	gaagatcaat	2400
gatcaccggg	ctgtgggcat	ggctatctac	aatgtggcag	tcctgtgcct	catcactgct	2460
cctgtcacca	tgattctgtc	cagccagcag	gatgcagcct	ttgcctttgc	ctctcttgcc	2520
atagttttct	cctcctatat	cactcttgtt	gtgctctttg	tgcccaagat	gcgcaggctg	2580
atcacccgag	gggaatggca	gtcggaggcg	caggacacca	tgaagacagg	gtcatcgacc	2640
aacaacaacg	aggaggagaa	gtcccggctg	ttggagaagg	agaaccgtga	actggaaaag	2700
atcattgctg	agaaagagga	gcgtgtctct	gaactgcgcc	atcagctcca	gtctcggcag	2760
cagctccgct	cccggcgcca	cccaccgaca	ccccagaac	cctctggggg	cctgcccagg	2820
ggaccccctg	agccccccga	ccggcttagc	tgtgatggga	gtcgagtgca	tttgctttat	2880
aagtgagggt	agggtgaggg	aggacaggcc	agtaggggga	gggaaaggga	gaggggaagg	2940
gcaggggact	caggaagcag	ggggtcccca	tccccagctg	ggaagaacat	gctatccaat	3000
ctcatctctt	gtaaatacat	gtccccctgt	gagttctggg	ctgatttggg	tctctcatac	3060
ctctgggaaa	cagacctttt	tctctcttac	tgcttcatgt	aattttgtat	cacctcttca	3120
		ttgaagctgc				3180
		ccatgcaaca				3240
		ctgttcctgt				3300
		cttttctcca	_			3360
	_	tggctcccc			gagctcattc	3420
ntttcgccaa	ggntcacatg	ctcccttgcc	tetggeteeg	tgca		3464

<210> 3

<211> 2887

<212> DNA

<213> Human

<400> 3

atggggcccg	gggccccttt	tgcccgggtg	gggtggccac	tgccgcttct	ggttgtgatg	60
gcggcagggg	tggctccggt	gtgggcctcc	cactccccc	atctcccgcg	gcctcactcg	120
cgggtccccc	cgcacccctc	ctcagaacgg	cgcgcagtgt	acatcggggc	actgtttccc	180
atgagcgggg	gctggccagg	gggccaggcc	tgccagcccg	cggtggagat	ggcgctggag	240
gacgtgaata	gccgcaggga	catcctgccg	gactatgagc	tcaagctcat	ccaccacgac	300
agcaagtgtg	atccaggcca	agccaccaag	tacctatatg	agctgctcta	caacgaccct	360
atcaagatca	tccttatgcc	tggctgcagc	tctgtctcca	cgctggtggc	tgaggctgct	420
aggatgtgga	acctcattgt	gctttcctat	ggctccagct	caccagccct	gtcaaaccgg	480
cagcgtttcc	ccactttctt	ccgaacgcac	ccatcagcca	cactccacaa	ccctacccgc	540
gtgaaactct	ttgaaaagtg	gggctggaag	aagattgcta	ccatccagca	gaccactgag	600
gtcttcactt	cgactctgga	cgacctggag	gaacgagtga	aggaggctgg	aattgagatt	660
actttccgcc	agagtttctt	ctcagatcca	gctgtgcccg	tcaaaaacct	gaagcgccag	720
gatgcccgaa	tcatcgtggg	acttttctat	gagactgaag	cccggaaagt	tttttgtgag	780
gtgtacaagg	agcgtctctt	tgggaagaag	tacgtctggt	tcctcattgg	gtggtatgct	840
gacaattggt	tcaagatcta	cgacccttct	atcaactgca	cagtggatga	gatgactgag	900

gcggtggagg	gccacatcac	aactgagatt	gtcatgctga	atcctgccaa	tacccgcagc	960
atttccaaca	tgacatccca	ggaatttgtg	gagaaactaa	ccaagcgact	gaaaagacac	1020
cctgaggaga	caggaggctt	ccaggaggca	ccgctggcct	atgatgccat	ctgggccttg	1080
gcactggccc	tgaacaagac	atctggagga	ggcggccgtt	ctggtgtgcg	cctggaggac	1140
ttcaactaca	acaaccagac	cattaccgac	caaatctacc	gggcaatgaa	ctcttcgtcc	1200
tttgagggtg	tctctggcca	tgtggtgttt	gatgccagcg	gctctcggat	ggcatggacg	1260
cttatcgagc	agcttcaggg	tggcagctac	aagaagattg	gctactatga	cagcaccaag	1320
gatgatcttt	cctggtccaa	aacagataaa	tggattggag	ggtcccccc	agctgaccag	1380
accctggtca	tcaagacatt	ccgcttcctg	tcacagaaac	tctttatctc	cgtctcagtt	1440
ctctccagcc	tgggcattgt	cctagctgtt	gtctgtctgt	cctttaacat	ctacaactca	1500
catgtccgtt	atatccagaa	ctcacagccc	aacctgaaca	acctgactgc	tgtgggctgc	1560
tcactggctt	tagctgctgt	cttccccctg	gggctcgatg	gttaccacat	tgggaggaac	1620
cagtttcctt	tcgtctgcca	ggcccgcctc	tggctcctgg	gcctgggctt	tagtctgggc	1680
tacggttcca	tgttcaccaa	gatttggtgg	gtccacacgg	tcttcacaaa	gaaggaagaa	1740
aagaaggagt	ggaggaagac	tctggaaccc	tggaagctgt	atgccacagt	gggcctgctg	1800
gtgggcatgg	atgtcctcac	tctcgccatc	tggcagatcg	tggaccctct	gcaccggacc	1860
attgagacat	ttgccaagga	ggaacctaag	gaagatattg	acgtctctat	tctgccccag	1920
ctggagcatt	gcagctccag	gaagatgaat	acatggcttg	gcattttcta	tggttacaag	1980
gggctgctgc	tgctgctggg	aatcttcctt	gcttatgaga	ccaagagtgt	gtccactgag	2040
aagatcaatg	atcaccgggc	tgtgggcatg	gctatctaca	atgtggcagt.	cctgtgcctc	2100
atcactgctc	ctgtcaccat	gattctgtcc	agccagcagg	atgcagcctt	tgcctttgcc	2160
tctcttgcca	tagttttctc	ctcctatatc	actcttgttg	tgctctttgt	gcccaagatg	2220
cgcaggctga	tcacccgagg	ggaatggcag	tcggaggcgc	aggacaccat	gaagacaggg	2280
tcatcgacca	acaacaacga	ggaggagaag	tcccggctgt	tggagaagga	gaaccgtgaa	2340
ctggaaaaga	tcattgctga	gaaagaggag	cgtgtctctg	aactgcgcca	tcaactccag	2400
				ccccagaacc		2460
ctgcccaggg	gaccccctga	gcccccgac	cggcttagct	gtgatgggag	tcgagtgcat	2520
				gtaggggag		2580
				ccccagctgg		2640
				agttctgggc		2700
				gcttcatgta		2760
				cactgctcac		2820
	tcactgcatc	tttctcttcc	catgcaacac	cctcttctag	ttaccacggc	2880
aacccct						2887

```
<210> 4
<211> 943
<212> PRT
<213> Human
```

<400> 4

Met Ala Ser Pro Arg Ser Ser Gly Gln Pro Gly Pro Xaa Pro Pro Pro 1 5 10 15

Pro Pro Pro Pro Ala Arg Leu Leu Leu Leu Leu Leu Leu Pro Leu Leu Leu 20 25 30

Leu Pro Leu Ala Pro Gly Ala Trp Gly Trp Ala Arg Gly Ala Pro Arg 35 40 45

Pro Pro Pro Ser Ser Pro Pro Leu Ser Ile Met Gly Leu Met Pro Leu 50 55 60

Thr Lys Glu Val Ala Lys Gly Ser Ile Gly Arg Gly Val Leu Pro Ala Val Glu Leu Ala Ile Glu Gln Ile Arg Asn Glu Ser Leu Leu Arg Pro Tyr Phe Leu Asp Leu Arg Leu Tyr Asp Thr Glu Cys Asp Asn Ala Lys Gly Leu Lys Ala Phe Tyr Asp Ala Ile Lys Tyr Gly Pro Asn His Leu Met Val Phe Gly Gly Val Cys Pro Ser Val Thr Ser Ile Ile Ala Glu 135 Ser Leu Gln Gly Trp Asn Leu Val Gln Leu Ser Phe Ala Ala Thr Thr 150 Pro Val Leu Ala Asp Lys Lys Lys Tyr Pro Tyr Phe Phe Arg Thr Val 170 Pro Ser Asp Asn Ala Val Asn Pro Ala Ile Leu Lys Leu Leu Lys His Tyr Gln Trp Lys Arg Val Gly Thr Leu Thr Gln Asp Val Gln Arg Phe 200 Ser Glu Val Arg Asn Asp Leu Thr Gly Val Leu Tyr Gly Glu Asp Ile 210 Glu Ile Ser Asp Thr Glu Ser Phe Ser Asn Asp Pro Cys Thr Ser Val 230 Lys Lys Leu Lys Gly Asn Asp Val Arg Ile Ile Leu Gly Gln Phe Asp Gln Asn Met Ala Ala Lys Val Phe Cys Cys Ala Tyr Glu Glu Asn Met Tyr Gly Ser Lys Tyr Gln Trp Ile Ile Pro Gly Trp Tyr Glu Pro Ser Trp Trp Glu Gln Val His Thr Glu Ala Asn Ser Ser Arg Cys Leu Arg 295 Lys Asn Leu Leu Ala Ala Met Glu Gly Tyr Ile Gly Val Asp Phe Glu Pro Leu Ser Ser Lys Gln Ile Lys Thr Ile Ser Gly Lys Thr Pro Gln 330 Gln Tyr Glu Arg Glu Tyr Asn Asn Lys Arg Ser Gly Val Gly Pro Ser Lys Phe His Gly Tyr Ala Tyr Asp Gly Ile Trp Val Ile Ala Lys Thr 355 360 365

Leu Gln Arg Ala Met Glu Thr Leu His Ala Ser Ser Arg His Gln Arg 375

Ile Gln Asp Phe Asn Tyr Thr Asp His Thr Leu Gly Arg Ile Ile Leu 390 395

Asn Ala Met Asn Glu Thr Asn Phe Phe Gly Val Thr Gly Gln Val Val 405 410

Phe Arg Asn Gly Glu Arg Met Gly Thr Ile Lys Phe Thr Gln Phe Gln 425

Asp Ser Arg Glu Val Lys Val Gly Glu Tyr Asn Ala Val Ala Asp Thr

Leu Glu Ile Ile Asn Asp Thr Ile Arg Phe Gln Gly Ser Glu Pro Pro 455

Lys Asp Lys Thr Ile Ile Leu Glu Gln Leu Arg Lys Ile Ser Leu Pro 470 475

Leu Tyr Ser Ile Leu Ser Ala Leu Thr Ile Leu Gly Met Ile Met Ala 485 490

Ser Ala Phe Leu Phe Phe Asn Ile Lys Asn Arg Asn Gln Lys Leu Ile 505

Lys Met Ser Ser Pro Tyr Met Asn Asn Leu Ile Ile Leu Gly Gly Met 520

Leu Ser Tyr Ala Ser Ile Phe Leu Phe Gly Leu Asp Gly Ser Phe Val 535

Ser Glu Lys Thr Phe Glu Thr Leu Cys Thr Val Arg Thr Trp Ile Leu 550 555

Thr Val Gly Tyr Thr Thr Ala Phe Gly Ala Met Phe Ala Lys Thr Trp 565 570

Arg Val His Ala Ile Phe Lys Asn Val Lys Met Lys Lys Lys Ile Ile 585

Lys Asp Gln Lys Leu Leu Val Ile Val Gly Met Leu Leu Ile Asp 600

Leu Cys Ile Leu Ile Cys Trp Gln Ala Val Asp Pro Leu Arg Arg Thr 610

Val Glu Lys Tyr Ser Met Glu Pro Asp Pro Ala Gly Arg Asp Ile Ser 630 635

Ile Arg Pro Leu Leu Glu His Cys Glu Asn Thr His Met Thr Ile Trp 645 650

Leu Gly Ile Val Tyr Ala Tyr Lys Gly Leu Leu Met Leu Phe Gly Cys 660 665

Phe Leu Ala Trp Glu Thr Arg Asn Val Ser Ile Pro Ala Leu Asn Asp 675 680 685

Ser Lys Tyr Ile Gly Met Ser Val Tyr Asn Val Gly Ile Met Cys Ile 690 695 700

Ile Gly Ala Ala Val Ser Phe Leu Thr Arg Asp Gln Pro Asn Val Gln 705 710 715 720

Phe Cys Ile Val Ala Leu Val Ile Ile Phe Cys Ser Thr Ile Thr Leu
725 730 735

Cys Leu Val Phe Val Pro Lys Leu Ile Thr Leu Arg Thr Asn Pro Asp 740 745 750

Ala Ala Thr Gln Asn Arg Arg Phe Gln Phe Thr Gln Asn Gln Lys Lys
755 760 765

Glu Asp Ser Lys Thr Ser Thr Ser Val Thr Ser Val Asn Gln Ala Ser 770 775 780

Thr Ser Arg Leu Glu Gly Leu Gln Ser Glu Asn His Arg Leu Arg Met 785 790 795 800

Lys Ile Thr Glu Leu Asp Lys Asp Leu Glu Glu Val Thr Met Gln Leu 805 810 815

Gln Asp Thr Pro Glu Lys Thr Thr Tyr Ile Lys Gln Asn His Tyr Gln 820 825 830

Glu Leu Asn Asp Ile Leu Asn Leu Gly Asn Phe Thr Glu Ser Thr Asp 835 840 845

Gly Gly Lys Ala Ile Leu Lys Asn His Leu Asp Gln Asn Pro Gln Leu 850 855 860

Gln Trp Asn Thr Thr Glu Pro Ser Arg Thr Cys Lys Asp Pro Ile Glu 865 870 875 880

Asp Ile Asn Ser Pro Glu His Ile Gln Arg Arg Leu Ser Leu Gln Leu 885 890 895

Pro Ile Leu His His Ala Tyr Leu Pro Ser Ile Gly Gly Val Asp Ala 900 905 910

Ser Cys Val Ser Pro Cys Val Ser Pro Thr Ala Ser Pro Arg His Arg 915 920 925

His Val Pro Pro Ser Phe Arg Val Met Val Ser Gly Leu Ser Asp 930 935 940

<210> 5

<211> 960

<212> PRT

<213> Rat

<400> 5

Met 1	Leu	Leu	Leu	Leu 5	Leu	Val	Pro	Leu	Phe 10	Leu	Arg	Pro	Leu	Gly 15	Ala
Gly	Gly	Ala	Gln 20	Thr	Pro	Asn	Ala	Thr 25	Ser	Glu	Gly	Cys	Gln 30	Ile	Ile
His	Pro	Pro 35	Trp	Glu	Gly	Gly	Ile 40	Arg	Tyr	Arg	Gly	Leu 45	Thr	Arg	Asp
Gln	Val 50	Lys	Ala	Ile	Asn	Phe 55	Leu	Pro	Val	Asp	Tyr 60	Glu	Ile	Glu	Tyr
Val 65	Cys	Arg	Gly	Glu	Arg 70	Glu	Val	Val	Gly	Pro 75	Lys	Val	Arg	Lys	Суs 80
Leu	Ala	Asn	Gly	Ser 85	Trp	Thr	Asp	Met	Asp 90	Thr	Pro	Ser	Arg	Cys 95	Val
Arg	Ile	Суз	Ser 100	Lys	Ser	Tyr	Leu	Thr 105	Leu	Glu	Asn	Gly	Lys 110	Val	Phe
Leu	Thr	Gly 115	Gly	Asp	Leu	Pro	Ala 120	Leu	Asp	Gly	Ala	Arg 125	Val	Glu	Phe
Arg	Cys 130	Asp	Pro	Asp	Phe	His 135	Leu	Val	Gly	Ser	Ser 140	Arg	Ser	Val	Суя
Ser 145	Gln	Gly	Gln	Trp	Ser 150	Thr	Pro	Lys	Pro	His 155	Сув	Gln	Val	Asn	Arg
Thr	Pro	His	Ser	Glu 165	Arg	Arg	Ala	Val	Tyr 170	Ile	Gly	Ala	Leu	Phe 175	Pro
Met	Ser	Gly	Gly 180	Trp	Pro	Gly	Gly	Gln 185	Ala	Cys	Gln	Pro	Ala 190	Val	Glu
Met	Ala	Leu 195	Glu	Asp	Val	Asn	Ser 200	Arg	Arg	Asp	Ile	Leu 205	Pro	Asp	Tyr
Glu	Leu 210	Lys	Leu	Ile	His	His 215	Asp	Ser	Lys	Cys	Asp 220	Pro	Gly	Gln	Ala
Thr 225	Lys	Tyr	Leu	Tyr	Glu 230	Leu	Leu	Tyr	Asn	Asp 235	Pro	Ile	Lys	Ile	11e 240
Leu	Met	Pro	Gly	Cys 245	Ser	Ser	Val	Ser	Thr 250	Leu	Val	Ala	Glu	Ala 255	Ala
Arg	Met	Trp	Asn 260	Leu	Ile	Val	Leu	Ser 265	Tyr	Gly	Ser	Ser	Ser 270	Pro	Ala
Leu	Ser	Asn 275	Arg	Gln	Arg	Phe	Pro 280	Thr	Phe	Phe	Arg	Thr 285	His	Pro	Ser
Ala	Thr 290	Leu	His	Asn	Pro	Thr 295	Arg	Val	Lys	Leu	Phe 300	Glu	Lys	Trp	Gly

Trp Lys Lys Ile Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser 305 310 315 Thr Leu Asp Asp Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu Ile 330 325 Thr Phe Arg Gln Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys Asn Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu Thr Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe Gly 375 380 Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp Phe 390 Lys Thr Tyr Asp Pro Ser Ile Asn Cys Thr Val Glu Glu Met Thr Glu 405 410 Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro Ala 425 Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu Lys 435 440 Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe Gln 455 Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala Leu 470 475 465 Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu Asp Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala Met Asn Ser Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp Ala Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly Gly 535 Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu Ser Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp Gln 565 570 Ile Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe Ile 585 Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val Cys 600

Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn Ser 615 Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala Leu 630 Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg Ser 645 650 Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu Gly 665 Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val His 680 Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp 710 715 Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg Thr 725 730 Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val Ser 745 Ile Leu Pro Gln Leu Glu His Cys Ser Ser Lys Lys Met Asn Thr Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys Leu 810 Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr Leu 840 Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly Glu 850 Trp Gln Ser Glu Thr Gln Asp Thr Met Lys Thr Gly Ser Ser Thr Asn 870 875 Asn Asn Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg Glu 885 Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu Arg 900 905

His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro Pro 915 920 925

Thr Pro Pro Asp Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro 930 935 940

Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys 945 950 955 960

<210> 6

<211> 844

<212> PRT

<213> Rat

<400> 6

Met Gly Pro Gly Gly Pro Cys Thr Pro Val Gly Trp Pro Leu Pro Leu

1 10 15

Leu Leu Val Met Ala Ala Gly Val Ala Pro Val Trp Ala Ser His Ser 20 25 30

Pro His Leu Pro Arg Pro His Pro Arg Val Pro Pro His Pro Ser Ser 35 40 45

Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly 50 55 60

Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu 65 70 75 80

Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu 85 90 95

Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu 100 105 110

Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly 115 120 125

Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala Arg Met Trp Asn 130 135 140

Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala Leu Ser Asn Arg 145 150 155 160

Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser Ala Thr Leu His

Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly Trp Lys Lys Ile 180 185 190

Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser Thr Leu Asp Asp 195 200 205

Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu Ile Thr Phe Arg Gln 215 Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys Asn Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu Thr Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe Gly Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp Phe Lys Thr Tyr Asp 280 Pro Ser Ile Asn Cys Thr Val Glu Glu Met Thr Glu Ala Val Glu Gly 290 295 His Ile Thr Thr Glu Ile Val Met Leu Asn Pro Ala Asn Thr Arg Ser 310 315 Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu Lys Leu Thr Lys Arg 325 330 Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe Gln Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala Leu Asn Lys Thr Ser Gly Gly Gly Arg Ser Gly Val Arg Leu Glu Asp Phe Asn Tyr Asn 375 Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala Met Asn Ser Ser Ser 390 395 Phe Glu Gly Val Ser Gly His Val Val Phe Asp Ala Ser Gly Ser Arg 410 Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly Gly Ser Tyr Lys Lys 420 Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu Ser Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp Gln Ile Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe Ile Ser Val Ser Val 470 475 Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val Cys Leu Ser Phe Asn 485 Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn Ser Gln Pro Asn Leu 500 505

Asn	Asn	Leu 515	Thr	Ala	Val	Gly	Cys 520	Ser	Leu	Ala	Leu	Ala 525	Ala	Val	Phe
Pro	Leu 530	Gly	Leu	Asp	Gly	Tyr 535	His	Ile	Gly	Arg	Ser 540	Gln	Phe	Pro	Phe
Val 545	Cys	Gln	Ala	Arg	Leu 550	Trp	Leu	Leu	Gly	Leu 555	Gly	Phe	Ser	Leu	Gly 560
Tyr	Gly	Ser	Met	Phe 565	Thr	Lys	Ile	Trp	Trp 570	Val	His	Thr	Val	Phe 575	Thr
Lys	Lys	Glu	Glu 580	Lys	Lys	Glu	Trp	Arg 585	Lys	Thr	Leu	Glu	Pro 590	Trp	Lys
Leu	Tyr	Ala 595	Thr	Val	Gly	Leu	Leu 600	Val	Gly	Met	Asp	Val 605	Leu	Thr	Leu
Ala	Ile 610	Trp	Gln	Ile	Val	Asp 615	Pro	Leu	His	Arg	Thr 620	Ile	Glu	Thr	Phe
Ala 625	Lys	Glu	Glu	Pro	Lys 630	Glu	Asp	Ile	Asp	Val 635	Ser	Ile	Leu	Pro	Gln 640
Leu	Glu	His	Cys	Ser 645	Ser	Lys	Lys	Met	Asn 650	Thr	Trp	Leu	Gly	11e 655	Phe
Tyr	Gly	Tyr	Lys 660	Gly	Leu	Leu	Leu	Leu 665	Leu	Gly	Ile	Phe	Leu 670	Ala	Tyr
Glu	Thr	Lys 675	Ser	Val	Ser	Thr	Glu 680	Lys	Ile	Asn	Asp	His 685	Arg	Ala	Val
Gly	Met 690	Ala	Ile	Tyr	Asn	Val 695	Ala	Val	Leu	Cys	Leu 700	Ile	Thr	Ala	Pro
Val 705	Thr	Met	Ile	Leu	Ser 710	Ser	Gln	Gln	Asp	Ala 715	Ala	Phe	Ala	Phe	Ala 720
				725					730					Leu 735	
Val	Pro	Lys	Met 740	Arg	Arg	Leu	Ile	Thr 745	Arg	Gly	Glu	Trp	Gln 750	Ser	Glu
Thr	Gln	Asp 755	Thr	Met	Lys	Thr	Gly 760	Ser	Ser	Thr	Asn	Asn 765	Asn	Glu	Glu
Glu	Lys 770	Ser	Arg	Leu	Leu	Glu 775	Lys	Glu	Asn	Arg	Glu 780	Leu	Glu	Lys	Ile
Ile 785	Ala	Glu	Lys	Glu	Glu 790	Arg	Val	Ser	Glu	Leu 795	Arg	His	Gln	Leu	Gln 800
Ser	Arg	Gln	Gln	Leu 805	Arg	Ser	Arg	Arg	His 810	Pro	Pro	Thr	Pro	Pro 815	Asp

14

Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro Pro Asp Arg Leu 820 825 830

Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys 835 840

<210> 7

<211> 961

<212> PRT

<213> Human

<400> 7

Met Leu Leu Leu Leu Leu Ala Pro Leu Phe Leu Arg Pro Pro Gly
1 5 10 15

Ala Gly Gly Ala Gln Thr Pro Asn Ala Thr Ser Glu Gly Cys Gln Ile
20 25 30

Ile His Pro Pro Trp Glu Gly Gly Ile Arg Tyr Arg Gly Leu Thr Arg
35 40 45

Asp Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu 50 55 60

Tyr Val Cys Arg Gly Glu Arg Glu Val Val Gly Pro Lys Val Arg Lys 65 70 75 80

Cys Leu Ala Asn Gly Ser Trp Thr Asp Met Asp Thr Pro Ser Arg Cys , 85 90 95

Val Arg Ile Cys Ser Lys Ser Tyr Leu Thr Leu Glu Asn Gly Lys Val
100 105 110

. Phe Leu Thr Gly Gly Asp Leu Pro Ala Leu Asp Gly Ala Arg Val Asp 115 120 125

Phe Arg Cys Asp Pro Asp Phe His Leu Val Gly Ser Ser Arg Ser Ile 130 135 140

Cys Ser Gln Gly Gln Trp Ser Thr Pro Lys Pro His Cys Gln Val Asn 145 150 155 160

Arg Thr Pro His Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe 165 170 175

Pro Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val 180 185 190

Glu Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp 195 200 205

Tyr Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln 210 215 220

Ala 225	Thr	Lys	Tyr	Leu	Tyr 230	Glu	Leu	Leu	Tyr	Asn 235	Asp	Pro	Ile	Lys	11e
Ile	Leu	Met	Pro	Gly 245	Cys	Ser	Ser	Val	Ser 250	Thr	Leu	Val	Ala	Glu 255	Ala
Ala	Arg	Met	Trp 260	Asn	Leu	Ile	Val	Leu 265	Ser	Tyr	Gly	Ser	Ser 270	Ser	Pro
Ala	Leu	Ser 275	Asn	Arg	Gln	Arg	Phe 280	Pro	Thr	Phe	Phe	Arg 285	Thr	His	Pro
Ser	Ala 290	Thr	Leu	His	Asn	Pro 295	Thr	Arg	Val	Lys	Leu 300	Phe	Glu	Lys	Trp
Gly 305	Trp	Lys	Lys	Ile	Ala 310	Thr	Ile	Gln	Gln	Thr 315	Thr	Glu	Val	Phe	Thr 320
Ser	Thr	Leu	Asp	Asp 325	Leu	Glu	Glu	Arg	Val 330	Lys	Glu	Ala	Gly	Ile 335	Glu
Ile	Thr	Phe	Arg 340	Gln	Ser	Phe	Phe	Ser 345	Asp	Pro	Ala	Val	Pro 350	Val	Lys
Asn	Leu	Lys 355	Arg	Gln	Asp	Ala	Arg 360	Ile	Ile	Val	Gly	Leu 365	Phe	Tyr	Glu
Thr	Glu 370	Ala	Arg	Lys	Val	Phe 375	Cys	Glu	Val	Tyr	Lys 380	Glu	Arg	Leu	Phe
Gly 385	Lys	Lys	Tyr	Val	Trp 390	Phe	Leu	Ile	Gly	Trp 395	Tyr	Ala	Asp	Asn	Trp 400
Phe	Lys	Ile	Tyr	Asp 405	Pro	Ser	Ile	Asn	Cys 410	Thr	Val	Asp	Glu	Met 415	Thr
Glu	Ala	Val	Glu 420	Gly	His	Ile	Thr	Thr 425	Glu	Ile	Val	Met	Leu 430	Asn	Pro
Ala	Asn	Thr 435	Arg	Ser	Ile	Ser	Asn 440	Met	Thr	Ser	Gln	Glu 445	Phe	Val	Glu
Lys	Leu 450	Thr	Lys	Arg	Leu	Lys 455	Arg	His	Pro	Glu	Glu 460	Thr	Gly	Gly	Phe
Gln 465	Glu	Ala	Pro	Leu	Ala 470	Tyr	Asp	Ala		Trp 475	Ala	Leu	Ala	Leu	Ala 480
Leu	Asn	Lys	Thr	Ser 485	Gly	Gly	Gly	Gly	Arg 490	Ser	Gly	Val	Arg	Leu 495	Glu
Asp	Phe	Asn	Tyr 500	Asn	Asn	Gln	Thr	Ile 505	Thr	Asp	Gln	Ile	Tyr 510	Arg	Ala
Met	Asn	Ser 515	Ser	Ser	Phe	Glu	Gly 520	Val	Ser	Gly	His	Val 525	Val	Phe	Asp

Ala Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly 530 540

Gly Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu 545 550 555

Ser Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp 565 570 575

Gln Thr Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe 580 585 590

Ile Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val 595 600 605

Cys Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn 610 620

Ser Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala 625 630 635 640

Leu Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg
645 650 655

Asn Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu 660 665 670

Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val 675 680 685

His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr 690 695 700

Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met
705 710 715 720

Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg
725 730 735

Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val 740 745 750

Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Arg Lys Met Asn Thr 755 760 765

Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly
770 775 780

Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn
785 790 795 800

Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys 805 810 815

Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala 820 825 830 Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr 835 840 845

Leu Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly 850 860

Glu Trp Gln Ser Glu Ala Gln Asp Thr Met Lys Thr Gly Ser Ser Thr 865 870 875 880

Asn Asn Asn Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg 885 890 895

Glu Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu 900 905 910

Arg His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro 915 920 925

Pro Thr Pro Pro Glu Pro Ser Gly Gly Leu Pro Arg Gly Pro Pro Glu 930 935 940

Pro Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr 945 950 955 960 Lys

<210> 8

<211> 844

<212> PRT

<213> Human

<400> 8

Met Gly Pro Gly Ala Pro Phe Ala Arg Val Gly Trp Pro Leu Pro Leu

1 5 10 15

Leu Val Val Met Ala Ala Gly Val Ala Pro Val Trp Ala Ser His Ser 20 25 30

Pro His Leu Pro Arg Pro His Ser Arg Val Pro Pro His Pro Ser Ser 35 40 45

Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly 50 55 60

Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu 65 70 75 80

Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu 85 90 95

Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu 100 105 110

Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly
115 120 125

Cys	Ser 130	Ser	Val	Ser	Thr	Leu 135	Val	Ala	Glu	Ala	Ala 140	Arg	Met	Trp	Asn
Leu 145	Ile	Val	Leu	Ser	Tyr 150	Gly	Ser	Ser	Ser	Pro 155	Ala	Leu	Ser	Asn	Arg 160
Gln	Arg	Phe	Pro	Thr 165	Phe	Phe	Arg	Thr	His 170	Pro	Ser	Ala	Thr	Leu 175	His
Asn	Pro	Thr	Arg 180	Val	Lys	Leu	Phe	Glu 185	Lys	Trp	Gly	Trp	Lys 190	Lys	Ile
Ala	Thr	Ile 195	Gln	Gln	Thr	Thr	Glu 200	Val	Phe	Thr	Ser	Thr 205	Leu	Asp	Asp
Leu	Glu 210	Glu	Arg	Val	Lys	Glu 215	Ala	Gly	Ile	Glu	Ile 220	Thr	Phe	Arg	Gln
Ser 225	Phe	Phe	Ser	Asp	Pro 230	Ala	Val	Pro	Val	Lys 235	Asn	Leu	Lys	Arg	Gln 240
Asp	Ala	Arg	Ile	Ile 245	Val	Gly	Leu	Phe	Tyr 250	Glu	Thr	Glu	Ala	Arg 255	Lys
Val	Phe	Cys	Glu 260	Val	Tyr	Lys	Glu	Arg 265	Leu	Phe	Gly	Lys	Lys 270	Tyr	Val
Trp	Phe	Leu 275	Ile	Gly	Trp	Tyr	Ala 280	Asp	Asn	Trp	Phe	Lys 285	Ile	Tyr	Asp
Pro	Ser 290	Ile	Asn	Cys	Thr	Val 295	Asp	Glu	Met	Thr	Glu 300	Ala	Val	Glu	Gly
His 305	Ile	Thr	Thr	Glu	Ile 310	Val	Met	Leu	Asn	Pro 315	Ala	Asn	Thr	Arg	Ser 320
Ile	Ser	Asn	Met	Thr 325	Ser	Gln	Glu	Phe	Val 330	Glu	Lys	Leu	Thr	Lys 335	Arg
Leu	ГЛЗ	Arg	His 340	Pro	Glu	Glu	Thr	Gly 345	Gly	Phe	Gln	Glu	Ala 350	Pro	Leu
Ala	Tyr	Asp 355	Ala	Ile	Trp	Ala	Leu 360	Ala	Leu	Ala	Leu	Asn 365	ГÀЗ	Thr	Ser
Gly	Gly 370	Gly	Gly	Arg	Ser	Gly 375	Val	Arg	Leu	Glu	Asp 380	Phe	Asn	Tyr	Asn
Asn 385	Gln	Thr	Ile	Thr	Asp 390	Gln	Ile	Tyr	Arg	Ala 395	Met	Asn	Ser	Ser	Ser 400
Phe	Glu	Gly	Val	Ser 405	Gly	His	Val	Val	Phe 410	Asp	Ala	Ser	Gly	Ser 415	Arg
Met	Ala	Trp	Thr	Leu	Ile	Glu	Gln	Leu 425	Gln	Gly	Gly	Ser	Tyr 430	Lys	Lys

Ile	Gly	Tyr 435	Tyr	Asp	Ser	Thr	Lys 440	Asp	Asp	Leu	Ser	Trp 445	Ser	Lys	Thr
Asp	Lys 450	Trp	Ile	Gly	Gly	Ser 455	Pro	Pro	Ala	Asp	Gln 460	Thr	Leu	Val	Ile
Lys 465	Thr	Phe	Arg	Phe	Leu 470	Ser	Gln	Lys	Leu	Phe 475	Ile	Ser	Val	Ser	Val 480
Leu	Ser	Ser	Leu	Gly 485	Ile	Val	Leu	Ala	Val 490	Val	Cys	Leu	Ser	Phe 495	Asn
Ile	Tyr	Asn	Ser 500	His	Val	Arg	Tyr	Ile 505	Gln	Asn	Ser	Gln	Pro 510	Asn	Leu
Asn	Asn	Leu 515	Thr	Ala	Val	Gly	Cys 520	Ser	Leu	Ala	Leu	Ala 525	Ala	Val	Phe
Pro	Leu 530	Gly	Leu	Asp	Gly	Tyr 535	His	Ile	Gly	Arg	Asn 540	Gln	Phe	Pro	Phe
Val 545	Cys	Gln	Ala	Arg	Leu 550	Trp	Leu	Leu	Gly	Leu 555	Gly	Phe	Ser	Leu	Gly 560
Tyr	Gly	Ser	Met	Phe 565	Thr	Lys	Ile	Trp	Trp 570	Val	His	Thr	Val	Phe 575	Thr
ГЛЗ	Lys	Glu	Glu 580	Lys	Lys	Glu	Trp	Arg 585	Lys	Thr	Leu	Glu	Pro 590	Trp	Lys
Leu	Tyr	Ala 595	Thr	Val	Gly	Leu	Leu 600	Val	Gly	Met	Asp	Val 605	Leu	Thr	Leu
Ala	Ile 610	Trp	Gln	Ile	Val	Asp 615	Pro	Leu	His	Arg	Thr 620	Ile	Glu	Thr	Phe
Ala 625	Lys	Glu	Glu	Pro	Lys 630	Glu	Asp	Ile	Asp	Val 635	Ser	Ile	Leu	Pro	Gln 640
Leu	Glu	His	Cys	Ser 645	Ser	Arg	Lys	Met	Asn 650	Thr	Trp	Leu	Gly	Ile 655	Phe
Tyr	Gly	Tyr	Lys 660	Gly	Leu	Leu	Leu	Leu 665	Leu	Gly	Ile	Phe	Leu 670	Ala	Tyr
Glu	Thr	Lys 675	Ser	Val	Ser	Thr	Glu 680	Lys	Ile	Asn	Asp	His 685	Arg	Ala	Val
Gly	Met 690	Ala	Ile	Tyr	Asn	Val 695	Ala	Val	Leu	Cys	Leu 700	Ile	Thr	Ala	Pro
Val 705	Thr	Met	Ile	Leu	Ser 710	Ser	Gln	Gln	Asp	Ala 715	Ala	Phe	Ala	Phe	Ala 720
Ser	Leu	Ala	Ile	Val	Phe	Ser	Ser	Tyr	Ile	Thr	Leu	Val	Val	Leu 735	Phe

WO 99/51636 PCT/US99/07352

Val	Pro	Lys	Met 740	Arg	Arg	Leu	Ile	Thr 745	Arg	Gly	Glu	Trp	Gln 750	Ser	Glu	
Ala	Gln	Asp 755	Thr	Met	Lys	Thr	Gly 760	Ser	Ser	Thr	Asn	Asn 765	Asn	Glu	Glu	
Glu	Lys 770	Ser	Arg	Leu	Leu	Glu 775	Lys	Glu	Asn	Arg	Glu 780	Leu	Glu	Lys	Ile	
Ile 785	Ala	Glu	Lys	Glu	Glu 790	Arg	Val	Ser	Glu	Leu 795	Arg	His	Gln	Leu	Gln 800	
Ser	Arg	Gln	Gln	Leu 805	Arg	Ser	Arg	Arg	His 810	Pro	Pro	Thr	Pro	Pro 815	Glu	
Pro	Ser	Gly	Gly 820	Leu	Pro	Arg	Gly	Pro 825	Pro	Glu	Pro	Pro	Asp 830	Arg	Leu	
Ser	Cys	Asp 835	Gly	Ser	Arg	Val	His 840	Leu	Leu	Tyr	Lys					
	<2 <2	210> 211> 212>	3554 DNA													
	<,	213>	numa	411												
	<2	220> 221> 222>		(3	3234))										
	<2 <2	221>	(1)	(3	3234))										
atg Met 1	<i <i <i< td=""><td>221> 222></td><td>(1) 9 tat</td><td>agc</td><td>tgc</td><td>tgc</td><td>tgg Trp</td><td>gtc Val</td><td>ctc Leu 10</td><td>ttg Leu</td><td>gca Ala</td><td>ctc Leu</td><td>acc Thr</td><td>tgg Trp 15</td><td>cac His</td><td>48</td></i<></i </i 	221> 222>	(1) 9 tat	agc	tgc	tgc	tgg Trp	gtc Val	ctc Leu 10	ttg Leu	gca Ala	ctc Leu	acc Thr	tgg Trp 15	cac His	48
Met 1 acc	<pre> <2 <2 <2 gca Ala tct</pre>	221> 222> 400> ttt	(1) 9 tat Tyr	agc Ser 5	tgc Cys cca	tgc Cys gac	Trp	Val cga	Leu 10 gcc	Leu	Ala aag	Leu aag	Thr 999	Trp 15 gac	His	4 8 96
Met 1 acc Thr	gca Ala tct Ser	221> 222> 400> ttt Phe	(1) 9 tat Tyr tac Tyr 20	agc Ser 5 ggg Gly	tgc Cys cca Pro	tgc Cys gac Asp	Trp cag Gln att	val cga Arg 25 cat	Leu 10 gcc Ala ttt	caa Gln gga	Ala aag Lys gta	Leu aag Lys gca	Thr ggg Gly 30 gct	Trp 15 gac Asp	Att Ile gat	
Met 1 acc Thr atc Ile	gca Ala tct ser ctt Leu	221> 222> 400> ttt Phe gcc Ala ggg Gly 35 ctc Leu	(1) 9 tat Tyr tac Tyr 20 ggg Gly aaa	agc Ser 5 ggg Gly ctc Leu	tgc Cys cca Pro ttt Phe	tgc Cys gac Asp cct Pro	cag Gln att Ile 40	cga Arg 25 cat His	Leu 10 gcc Ala ttt Phe	caa Gln gga Gly	aag Lys gta Val	aag Lys gca Ala 45	Thr ggg Gly 30 gct Ala	Trp 15 gac Asp aaa Lys tat	Att Ile gat Asp	96
Met 1 acc Thr atc Ile caa Gln	gca Ala tct Ser ctt Leu gat Asp 50 cgt	221> 222> 400> ttt Phe gcc Ala ggg Gly 35 ctc Leu	(1) 9 tat Tyr tac Tyr 20 ggg Gly aaa Lys	agc Ser 5 ggg Gly ctc Leu tca Ser	tgc Cys cca Pro ttt Phe agg Arg	tgc Cys gac Asp cct Pro ccg Pro 55	cag Gln att Ile 40 gag Glu	cga Arg 25 cat His tct Ser	Leu 10 gcc Ala ttt Phe gtg Val atg	caa Gln gga Gly gaa Glu ata	aag Lys gta Val tgt Cys 60	aag Lys gca Ala 45 atc Ile	Thr ggg Gly 30 gct Ala agg Arg	Trp 15 gac Asp aaa Lys tat Tyr	att Ile gat Asp aat Asn	96 144

	ttt Phe															336
_	ttt Phe	-	_					_		_						384
	aac Asn 130															432
	ggc															480
	att Ile															528
_	aat Asn			_												576
Gln	gcc Ala	Thr 195	Āla	Met	Ala	Asp	Ile 200	Ile	Glu	Tyr	Phe	Arg 205	Trp	Asn	Trp	624
Val	ggc Gly 210	Thr	Ile	Ala	Ala	Asp 215	Asp	Asp	Tyr	Gly	Arg 220	Pro	Gly	Ile	Glu	672
	ttc Phe															720
	ctc Leu															768
	gtg Val															816
	cca Pro															864
	ggc Gly 290															912
atc Ile 305	gcc Ala	atg Met	cct Pro	cag Gln	tac Tyr 310	ttc Phe	cac His	gtg Val	gtt Val	ggc Gly 315	ggc Gly	acc Thr	att Ile	gga Gly	ttc Phe 320	960

								ggc Gly								1008
gtc Val	cat His	ccc Pro	agg Arg 340	aag Lys	tct Ser	gtc Val	cac His	aat Asn 345	ggt Gly	ttt Phe	gcc Ala	aag Lys	gag Glu 350	ttt Phe	tgg Trp	1056
								caa Gln								1104
								cac His								1152
								ccc Pro								1200
								ata Ile								1248
								tac Tyr 425								1296
								aga Arg								1344
								gcg Ala								1392
								atg Met		_		-				1440
gag Glu	tgt Cys	ggt Gly	gac Asp	ctg Leu 485	gtg Val	Gly aaa	aac Asn	tat Tyr	tcc Ser 490	atc Ile	atc Ile	aac Asn	tgg Trp	cac His 495	ctc Leu	1488
								ttt Phe 505								1536
								ctc Leu								1584
								gtg Val								1632

gac Asp 545	tgc Cys	ctg Leu	gca Ala	ggg ggg	acc Thr 550	agg Arg	aaa Lys	Gly ggg	atc Ile	att Ile 555	gag Glu	Gly ggg	gag Glu	ccc Pro	acc Thr 560	1680
tgc Cys	tgc Cys	ttt Phe	gag Glu	tgt Cys 565	gtg Val	gag Glu	tgt Cys	cct Pro	gat Asp 570	gly ggg	gag Glu	tat Tyr	agt Ser	gat Asp 575	gag Glu	1728
aca Thr	gat Asp	gcc Ala	agt Ser 580	gcc Ala	tgt Cys	aac Asn	aag Lys	tgc Cys 585	cca Pro	gat Asp	gac Asp	ttc Phe	tgg Trp 590	tcc Ser	aat Asn	1776
gag Glu	aac Asn	cac His 595	acc Thr	tcc Ser	tgc Cys	att Ile	gcc Ala 600	aag Lys	gag Glu	atc Ile	gag Glu	ttt Phe 605	ctg Leu	tcg Ser	tgg Trp	1824
acg Thr	gag Glu 610	ccc Pro	ttt Phe	Gly ggg	atc Ile	gca Ala 615	ctc Leu	acc Thr	ctc Leu	ttt Phe	gcc Ala 620	gtg Val	ctg Leu	ggc	att Ile	1872
ttc Phe 625	ctg Leu	aca Thr	gcc Ala	ttt Phe	gtg Val 630	ctg Leu	ggt Gly	gtg Val	ttt Phe	atc Ile 635	aag Lys	ttc Phe	cgc Arg	aac Asn	aca Thr 640	1920
ccc Pro	att Ile	gtc Val	aag Lys	gcc Ala 645	acc Thr	aac Asn	cga Arg	gag Glu	ctc Leu 650	tcc Ser	tac Tyr	ctc Leu	ctc Leu	ctc Leu 655	ttc Phe	1968
tcc Ser	ctg Leu	ctc Leu	tgc Cys 660	tgc Cys	ttc Phe	tcc Ser	agc Ser	tcc Ser 665	ctg Leu	ttc Phe	ttc Phe	atc Ile	ggg Gly 670	gag Glu	ccc Pro	2016
cag Gln	gac Asp	tgg Trp 675	acg Thr	tgc Cys	cgc Arg	ctg Leu	cgc Arg 680	cag Gln	ccg Pro	gcc Ala	ttt Phe	ggc Gly 685	atc Ile	agc Ser	ttc Phe	2064
gtg Val	ctc Leu 690	tgc Cys	atc Ile	tca Ser	tgc Cys	atc Ile 695	ctg Leu	gtg Val	aaa Lys	acc Thr	aac Asn 700	cgt Arg	gtc Val	ctc Leu	ctg Leu	2112
gtg Val 705	ttt Phe	gag Glu	gcc Ala	aag Lys	atc Ile 710	ccc Pro	acc Thr	agc Ser	ttc Phe	cac His 715	cgc Arg	aag Lys	tgg Trp	tgg Trp	ggg Gly 720	2160
ctc Leu	aac Asn	ctg Leu	cag Gln	ttc Phe 725	ctg Leu	ctg Leu	gtt Val	ttc Phe	ctc Leu 730	tgc Cys	acc Thr	ttc Phe	atg Met	cag Gln 735	att Ile	2208
gtc Val	atc Ile	tgt Cys	gtg Val 740	atc Ile	tgg Trp	ctc Leu	tac Tyr	acc Thr 745	gcg Ala	ccc Pro	ccc Pro	tca Ser	agc Ser 750	tac Tyr	cgc Arg	2256

	ctc Leu 770														2352
	atc Ile														2400
	aat Asn														2448
_	tgg Trp						_		_	_			_		2496
	tct Ser														2544
_	gcg Ala 850	_					_						_		2592
	c gc A rg														2640
	aag Lys		_	_		_	_	_	_	_	-	_		_	2688
	cgg Arg														2736
	atc Ile	_	_	_	_		_	_	_			_		-	2784
	cag Gln 930	_	_	_	_	_	_	_			_		_	_	2832
	cag Gln														2880
	tgc Cys														2928
	agc Ser														2976

PCT/US99/07352

			Asn					Gln		agc Ser			Thr			3024
		Gln					Leu			gly ggg		Thr			gat Asp	3072
	Thr					Gly				cct Pro 103	Val				cag Gln 1040	3120
cgg Arg	cca Pro	gag Glu	gtg Val	gag Glu 1049	Asp	cct Pro	gaa Glu	gag Glu	ttg Leu 1050	Ser	cca Pro	gca Ala	ctt Leu	gta Val 105		3168
				Ser					Gly	gga Gly				Val		3216
_	aac Asn	_														3234

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: C07K 14/47, 14/705, C12N 15/12, C07K 16/28, C12N 5/06, A01K 67/027

(11) International Publication Number:

WO 99/51636

(43) International Publication Date:

14 October 1999 (14.10.99)

(21) International Application Number:

PCT/US99/07352

A3

(22) International Filing Date:

2 April 1999 (02.04.99)

(30) Priority Data:

60/080,676

3 April 1998 (03.04.98)

US

(71) Applicant (for all designated States except US): NPS PHAR-MACEUTICALS, INC. [US/US]; Suite 240, 420 Chipeta Way, Salt Lake City, UT 84108 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): GARRETT, James, E. [US/US]; 1584 E. 3159 South, Salt Lake City, UT 84105 (US). SIMIN, Rachel, T. [US/US]; 1520 E. Redondo Avenue, Salt Lake City, UT 84105 (US). BUSBY, James, G. [US/US]; 3256 East Del Verde Avenue, Salt Lake City, UT 84109 (US). STORMANN, Thomas, M. [US/US]; 1327 East Harrison, Salt Lake City, UT 84105 (US).

(74) Agents: WARBURG, Richard, J. et al.; Lyon & Lyon LLP, Suite 4700, 633 West Fifth Street, Los Angeles, CA 90071-2066 (US). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report:

18 November 1999 (18.11.99)

(54) Title: GABA B RECEPTOR

(57) Abstract

The present invention features a novel GABA_B receptor subtype ("GABA_BR2"). The cDNA sequence encoding GABA_BR2 is shown in Figures (1a-1n) as SEQ. ID. NO: 1. The GABA_BR2 amino acid sequence is provided in Figures (2a-2f) as SEQ. ID NO: 4.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	00000 0000 10 1000000,		•				
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑÜ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
		HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BG	Bulgaria Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BJ BR	Brazil	IL.	Israel	MR	Mauritania	UG	Uganda
		IS	Iceland	MW	Malawi	US	United States of America
BY	Belarus	IT	Italy	MX	Mexico	UZ	Uzbekistan
CA	Canada	JP	Japan	NE	Niger	VN	Viet Nam
CF	Central African Republic	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CG	Congo	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
СН	Switzerland	KP	Democratic People's	NZ	New Zealand		
CI	Côte d'Ivoire	KP	Republic of Korea	PL	Poland		
CM	Cameroon	7/10	•	PT	Portugal		
CN	China	KR	Republic of Korea	RO	Romania		
CU	Cuba	KZ	Kazakstan	RU	Russian Federation		
CZ	Czech Republic	LC	Saint Lucia	SD	Sudan		
DE	Germany	LI	Liechtenstein				
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

viional Application No PCT/US 99/07352

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C07K14/47 C07K14/705 A01K67/027 C12N15/12 C07K16/28 C12N5/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 6 C12N C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 97 46675 A (NOVARTIS AG) 11 December 1997 (1997-12-11) cited in the application abstract page 6, paragraph 2 -page 7, paragraph 1 page 16, paragraph 2 -page 21, paragraph 2; examples 1-10	1-33
X	KAUPMANN K ET AL: "EXPRESSION CLONING OF GABAB RECEPTORS UNCOVERS SIMILARITY TO METABOTROPIC GLUTAMATE RECEPTORS" NATURE, vol. 386, no. 6622, 20 March 1997 (1997-03-20), pages 239-246, XP002032306 ISSN: 0028-0836 cited in the application the whole document	1-24, 26-29

	-/
X Further documents are listed in the continuation of box C.	χ Patent family members are listed in annex.
*Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search 23 September 1999	Date of mailing of the international search report 08/10/1999
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Authorized officer Mateo Rosell, A.M.

Intr tional Application No
PC [/US 99/07352

CICamble	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °		Relevant to claim No.
P, X	JONES, K.A. ET AL.,: "GABAB receptors function as heteromeric assembly of the subunits GABABR1 and GABABR2" NATURE, vol. 396, 17 December 1998 (1998-12-17), pages 674-679, XP002116148 cited in the application page 677, right-hand column, paragraph 2 -page 678, left-hand column, paragraph 1; figures 1A,2	1-4, 15-17, 24,25, 28-32
Ρ,Χ	WHITE J.H. ET AL.,: "Heterodimerization is required for the formation of a functional GABAB receptor." NATURE, vol. 396, 17 December 1998 (1998-12-17), page 679-682 XP002116149 abstract; figures 1,4 page 681, left-hand column, last paragraph -page 682, right-hand column, paragraph 1	1-4, 15-17, 28-32
P, X	KAUPMANN K. ET AL.,: "GABAB-receptor subtypes assemble into functional heteromeric complexes" NATURE, vol. 396, 17 December 1998 (1998-12-17), pages 683-687, XP002105268 abstract; figures 1,2	1-4, 15-17, 24,25, 28-32
Ъ,Х	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,10 October 1998 (1998-10-10), XP002114719 HINXTON, GB AC= AF056085. Homo sapiens GABA-B receptor mRNA, complete cds. from nt 458 abstract	1-4, 15-17
Ρ,Χ	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,21 December 1998 (1998-12-21), XP002116150 HINXTON, GB AC= AF074483. Homo sapiens GABA-B receptor 2 mRNA, complete cds. abstract	5-9, 18-23
Ρ,Χ	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES, 4 January 1999 (1999-01-04), XP002116151 HINXTON, GB AC = AF069755. Homo sapiens orphan G protein-coupled receptor HG20 (HG20) mRNA, complete cds.	1-4, 15-17

Intr Nonal Application No PC I/US 99/07352

	MENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
tegory ° Citation of	document, with indication, where appropriate, of the relevant passages	nelevani io ciam ivo.
KENN SYNA fig abst page	9 20751 A (BOROWSKY BETH ;JONES ETH A (US); LAZ THOMAS M (US); PTIC P) 29 April 1999 (1999-04-29) la-e ract 6-19 91, line 1 -page 123, line 6	1-24, 26-33
;SMI 25 A see abst page	937 777 A (SMITHKLINE BEECHAM PLC THKLINE BEECHAM CORP (US)) sugust 1999 (1999-08-25) SEQ.ID.N.1 and 3. ract 3, line 10-25 6, line 44 -page 11, line 11	1-24, 26-32

information on patent family members

Intr tional Application No PCT/US 99/07352

Patent document cited in search report		Publication date		latent family member(s)	Publication date		
WO 9746675	A	11-12-1997	AU CA EP	2028497 A 2254862 A 0907731 A	05-01-1998 11-12-1997 14-04-1999		
WO 9920751	Α	29-04-1999	AU	1101099 A	10-05-1999		
EP 0937777	Α	25-08-1999	WO WO	9942580 A 9942603 A	26-08-1999 26-08-1999		



WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: C07K 14/47, 14/705, C12N 15/12, C07K 16/28, C12N 5/06, A01K 67/027 (11) International Publication Number:

WO 99/51636

(43) International Publication Date:

14 October 1999 (14.10.99)

(21) International Application Number:

PCT/US99/07352

A3

(22) International Filing Date:

2 April 1999 (02.04.99)

(30) Priority Data:

60/080,676

3 April 1998 (03.04.98)

US

(71) Applicant (for all designated States except US): NPS PHAR-MACEUTICALS, INC. [US/US]; Suite 240, 420 Chipeta Way, Salt Lake City, UT 84108 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): GARRETT, James, E. [US/US]; 1584 E. 3159 South, Salt Lake City, UT 84105 (US). SIMIN, Rachel, T. [US/US]; 1520 E. Redondo Avenue, Salt Lake City, UT 84105 (US). BUSBY, James, G. [US/US]; 3256 East Del Verde Avenue, Salt Lake City, UT 84109 (US). STORMANN, Thomas, M. [US/US]; 1327 East Harrison, Salt Lake City, UT 84105 (US).
- (74) Agents: WARBURG, Richard, J. et al.; Lyon & Lyon LLP, Suite 4700, 633 West Fifth Street, Los Angeles, CA 90071-2066 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES. FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 18 November 1999 (18.11.99)

(54) Title: GABA B RECEPTOR

(57) Abstract

The present invention features a novel GABAB receptor subtype ("GABABR2"). The cDNA sequence encoding GABABR2 is shown in Figures (1a-In) as SEQ. ID. NO: 1. The GABABR2 amino acid sequence is provided in Figures (2a-2f) as SEQ. ID NO: 4.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	•	_	-				
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia .	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad .
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
B.J	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	ΥŲ	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KР	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

WO 99/51636 PCT/US99/07352

GABAB RECEPTOR

5

10

15

30

35

40

RELATED APPLICATIONS

The present application claims priority to Garrett et al. U.S. Serial No. 60/080,676, filed April 3, 1998, which is hereby incorporated by reference herein in its entirety including the drawings.

FIELD OF THE INVENTION

The present invention relates to a GABA $_{B}$ receptor, nucleic acid encoding a GABA $_{B}$ receptor, and uses of a GABA $_{B}$ receptor and nucleic acid encoding a GABA $_{B}$ receptor.

BACKGROUND

The references cited herein are not admitted to be prior art to the claimed invention.

GABA_B receptors are metabotropic receptors coupled to guanine-nucleotide-binding proteins (G-proteins). GABA_B receptors modulate synaptic transmission by inhibiting presynaptic transmitter release and by increasing K⁺ conductance responsible for long-lasting inhibitory postsynaptic potentials. (Kaupmann et al., Nature 386:239-246, 1997, hereby incorporated by reference herein.)

GABA_B receptors are found in the mammalian brain, in locations outside of the brain, and in lower species. Outside of the brain, GABA_B receptors have been identified on axon terminals and ganglion cell bodies of the autonomic nervous system, on fallopian tube and uterine intestinal smooth muscle cells, in the kidney cortex, urinary bladder muscle and on testicular interstitial cells. (See, Bowery, Annu. Rev. Pharmacol. Toxicol. 33:109-147, 1993, hereby incorporated by reference herein.)

 ${\sf GABA_B}$ receptors have been targeted to achieve therapeutic effects. Kerr and Ong, DDT 1:371-380, 1996, describe different compounds indicated to be ${\sf GABA_B}$ receptor agonists and ${\sf GABA_B}$ receptor antagonists. Kerr and Ong also review therapeutic implications of affecting GABA receptor activity including,

15

20

25

30

35

spasticity and motor control, analgesia, epilepsy, cognitive effects, psychiatric disorders, alcohol dependence and withdrawal, feeding behavior, cardiovascular and respiratory functions, and peripheral functions.

Bittiger et al., Tips 4:391-394, 1993, review therapeutic applications of GABA_B receptor antagonists. Potential therapeutic applications noted by Bittiger et al. include cognitive processes, epilepsy, and depression.

Kaupmann et al., Nature 386:239-246, 1997, indicate that they cloned GABA_B receptors. Two GABA_B receptor proteins were indicated to be cloned from rat brain: GABA_BRla and GABA_BRlb. GABA_BRla differs from GABA_BRlb in that the N-terminal 147 residues are replaced by 18 amino acids. GABA_BRla and GABA_BRlb appear to be splice variants. The cloned GABA_B receptors were indicated to negatively couple to adenylyl cyclases and show sequence similarity to the metabotropic receptors for L-glutamate (mGluR).

Kaupmann et al., Nature 386:239-246, 1997, indicate that bestfit sequence alignments with GABA_B and different mGluR subtypes indicates 18-23% amino acid sequence identity and 43-48% related residues. (Devereux et al., Nucleic Acids Res. 12:387-395, 1984, was referenced for carrying out bestfit sequence alignments.) No significant sequence similarity was found with GABA_A or GABA_C receptors, or with other G-protein-coupled receptors which were not mGluR.

Kaupmann et al., International Application Number PCT/EP97/01370, International Publication Number WO 97/46675, indicate that they have obtained rat GABA $_{\rm B}$ clones, GABA $_{\rm B}$ Rla and GABA $_{\rm B}$ Rlb; and human GABA $_{\rm B}$ clones, GABA $_{\rm B}$ Rla/b (representing a partial receptor clone) and GABA $_{\rm B}$ Rlb (representing a fulllength receptor clone). Amino acid sequence information, and encoding cDNA sequence information, is provided for the different human GABA $_{\rm B}$ clones.

SUMMARY OF THE INVENTION

The present invention features a novel GABA $_{\rm B}$ receptor subtype ("GABA $_{\rm B}$ R2"). The cDNA sequence encoding GABA $_{\rm B}$ R2 is shown in Figures 1a-1n as SEQ. ID. NO. 1. The GABA $_{\rm B}$ R2 amino acid sequence is provided in Figures 2a-2f as SEQ. ID. NO. 4.

15

20

25

30

35

Thus, a first aspect of the present invention describes a purified nucleic acid containing at least 18 contiguous nucleotides of SEQ. ID. NO. 1 which provides the nucleic acid encoding GABABR2. Preferably, the nucleic acid contains at least 27 contiguous nucleic acids, more preferably at least 45 contiguous nucleic acids, or most preferably the entire nucleic acid sequence provided in SEQ. ID. NO. 1. Advantages of longer-length nucleic acid include producing longer-length protein fragments having the sequence of GABABR2 which can be used, for example, to produce antibodies; and increased nucleic acid probe specificity under higher stringent hybridization assay conditions.

By "purified" in reference to nucleic acid is meant the nucleic acid is present in a form (i.e., its association with other molecules) other than found in nature. For example, a purified receptor nucleic acid is separated from one or more nucleic acids which are present on the same chromosome. Preferably, the purified nucleic acid has been separated from at least 90% of the other nucleic acids present on the same chromosome. More preferably, the nucleic acid has been substantially purified such that it represents at least 75%, more preferably at least 85%, and most preferably at least 95% of the total nucleic acids present.

Another example of purified nucleic acid is recombinant nucleic acid. Preferably, recombinant nucleic acid contains nucleic acid encoding $GABA_BR2$ or $GABA_BR2$ fragments cloned in a vector. The vector contains the necessary elements for introducing heterologous nucleic acid into cells for either expression or replication.

Preferably, the vector is an expression vector containing elements needed for expressing a cloned nucleic acid sequence to produce a polypeptide. The expression vector contains a promoter region directing the initiation of RNA transcription, and DNA sequences which when transcribed into RNA signal protein synthesis initiation.

Recombinant nucleic acid may contain nucleic acid encoding for $GABA_BR2$, a $GABA_BR2$ fragment, or a $GABA_BR2$ derivative, under the control of genomic $GABA_BR2$ nucleic acid regulatory elements, or under the control of exogenous regulatory elements including

10

15

20

25

30

35

an exogenous promoter. By "exogenous" is meant a promoter that is not normally coupled in vivo transcriptionally to the coding sequence for $GABA_BR2$.

Another aspect of the present invention features a purified nucleic acid encoding at least 6 contiguous amino acids of the $GABA_BR2$ amino acid sequence which is provided as SEQ. ID. NO. 4. Due to the degeneracy of the genetic code, different combinations of nucleotides encode for the same polypeptide. Thus, numerous $GABA_BR2$ and $GABA_BR2$ fragments having the same amino acid sequences can be encoded for by different nucleic acid sequences. In preferred embodiments, the nucleic acid encodes at least 12, at least 18, at least 54 contiguous amino acids, or the entire amino acid sequence provided in SEQ. ID. NO. 4.

Another aspect of the present invention features a recombinant cell. The recombinant cell, which can be a tissue cell, is made up of a recombinant nucleic acid encoding GABA $_{\rm B}$ R2, a functional GABA $_{\rm B}$ R2 derivative, or a fragment thereof, and a cell able to express the nucleic acid. Recombinant cells have various uses including acting as biological factories to produce large amounts of polypeptides encoded for by the recombinant nucleic acid, as tools for screening for compounds which modulate GABA $_{\rm B}$ R activity, and as research tools to study the effects of GABA $_{\rm B}$ R activity.

Another aspect of the present invention features a purified nucleic acid comprising a nucleic acid sequence region substantially complementary to a sequence region of the SEQ. ID. NO. 1 or the perfect complement of SEQ. ID. NO. 1. Such nucleic acid can be used, for example, to specifically detect the presence of nucleic acid encoding for GABABR2 or a close relative thereof.

Substantially complementary nucleic acid regions contain at least 18 nucleotides in a stretch of 20 contiguous nucleotides which are complementary. Complementary nucleic acid form Watson-Crick A-T, G-C, and A-U, hydrogen bonds. More preferably, the nucleic acid comprises a nucleotide sequence of 20 contiguous nucleotides which has at least 19 bases, most preferably 20 bases, complementary to the nucleic acid sequence provided in SEQ. ID. NO. 1 or the perfect complement of SEQ. ID. NO. 1.

Another aspect of the present invention features a purified

15

20

25

30

35

polypeptide having at least 6 contiguous amino acids of the $GABA_BR2$ amino acid sequence. By "purified" in reference to a polypeptide is meant that the polypeptide is in a form (i.e., its association with other molecules) distinct from naturally occurring polypeptides. Preferably, the polypeptide has been substantially purified to represent at least 75%, more preferably 85%, most preferably 95% of the total protein present in a preparation. In preferred embodiments, the purified polypeptide has at least 12 contiguous, at least 18 contiguous, at least 54 contiguous, or the entire amino acid sequence of SEQ. ID. NO. 4.

Another aspect of the present invention features a GABABR2binding agent comprising a molecule which binds to a polypeptide consisting of the amino acid sequence of SEQ. ID. NO. 4. binding agent is preferably a purified antibody. Other examples of binding agents include organic compounds which bind to GABABR2.

By "purified" in reference to a binding agent, such as an antibody, is meant that the binding agent is in a form (i.e., its association with other molecules) distinct from a naturally occurring binding agent, if the binding agent is found in nature. Preferably, the binding agent is an antibody provided as a purified preparation representing at least 1%, more preferably at least 50%, more preferably at least 85%, most preferably at least 95% of the total protein in the preparation.

Another aspect of the present invention describes a method of making a $GABA_BR2$ or a fragment thereof. The method is carried out by incubating recombinant cells containing nucleic acid encoding $GABA_BR2$ or a fragment thereof under conditions where the nucleic acid is expressed.

Another aspect of the present invention describes a method of selecting for compounds able to modulate $\mbox{GABA}_{B}\mbox{R}$ activity. The method comprises the steps of (a) contacting a recombinant cell functionally expressing $GABA_BR2$ with a first test compound; and (b) measuring the ability of said test compound to affect $\mbox{GABA}_B\mbox{R}$ activity. Compounds modulating $GABA_BR$ activity either evoke a $\label{eq:GABABR} GABA_BR \ \text{activity, potentiate } GABA_BR \ \text{activity, or inhibit a } GABA_BR$ activity. Cells functionally expressing GABABR2 also express GABABRIa and/or GABABRIb.

Preferably, the ability of a plurality of different test compounds to affect GABABR activity are tested. In preferred

embodiments at least 5, at least 10, at least 50 different compounds, and at least 100 different compounds are tested over a span of one week.

Other aspects of the present invention describe coexpression systems and the use of such systems to measure the activity at, or screen compounds active at, GABABR1a, GABABR1b, or GABABR2, preferably GABABR2. The coexpression systems comprise at least one of GABABR1a and GABABR1b, GABABR2, and Gqo5.

Other aspects of the present invention describe coexpression systems and the use of such systems to measure the activity at, or screen compounds active at, GABABR1a, GABABR1b, or GABABR2. The coexpression systems comprise at least one of GABABR1a or GABABR1b, coexpressed with GABABR2 and Gqo5. The presence of Gqo5 provides for signal transduction swapping allowing for receptor activity to be measured by mobilization of intracellular calcium mediated by the activation of phospholipase C.

10

15

20

. 25

30

35

Assays using the coexpression systems described above can be used to screen chemical libraries for compounds that modulate GABAB receptors. For example, in different embodiments, a library of compounds containing 10 or more compounds is screened at once; and 10 or more compounds are individually tested over the course of eight hours.

Preferably, the coexpression system is present in an isolated cell. An "isolated cell" includes tissue cells and refers to a cell present in a different environment (including a different concentration), than it is normally found in nature.

In other aspects, the invention describes transgenic nonhuman mammals containing a transgene encoding $GABA_BR2$, a $GABA_BR2$ fragment, or a derivative thereof; or a gene affecting the expression of $GABA_BR2$; and methods of creating a transgenic nonhuman mammal containing a transgene encoding an $GABA_BR2$, a $GABA_BR2$ fragment, or a derivative thereof.

Various examples are described herein. These examples are not intended in any way to limit the claimed invention.

Other features and advantages of the invention will be apparent from the following drawing, the description of the invention, the examples, and the claims.

WO 99/51636

5

10

15

20

25

. 30

35

BRIEF DESCRIPTION OF DRAWINGS

Figures 1a-1n illustrate the nucleic acid sequences encoding for the human GABA $_B$ R2 designated SEQ. ID. NO. 1, human GABA $_B$ R1a designated SEQ. ID. NO. 2, and human GABA $_B$ R1b designated SEQ. ID. NO. 3.

Figures 2a-2f illustrate the amino acid sequences of the human GABA_BR2 (SEQ. ID. NO. 4); the rat GABA_bR1a (SEQ. ID. NO. 5); the rat GABA_bR1b protein (SEQ. ID. NO. 6); the human GABA_bR1a (SEQ. ID. NO. 7); and the human GABA_bR1a (SEQ. ID. NO. 8).

Figures 3a-3d provides the human calcium receptor nucleic acid sequence and the encoded for amino acid sequence.

Figure 4 illustrates functional expression of ${\tt GABA_BR2}$ in ${\tt Xenopus}$ oocytes.

DETAILED DESCRIPTION OF THE INVENTION

The present invention features $GABA_BR2$. $GABA_BR2$ is closely related to $GABA_BR1a$ and $GABA_BR1b$. Nucleic acid encoding for human $GABA_BR2$ has a sequence similarity of about 50% with nucleic acid encoding rat $GABA_BR1a$ and rat $GABA_BR1b$. Human $GABA_BR2$ has a sequence identity of about 40% with rat $GABA_BR1a$ and $GABA_BR1b$ amino acid sequence.

Nucleic acid encoding GABA_BR2 was cloned by first identifying a human nucleic acid sequence approximately 38% identical to the nucleic acid sequence of rat GABA_BR1. Exact match polymerase chain reaction (PCR) primers were designed based on sequences from the identified sequence and used to amplify human GABA_BR2 nucleic acid from a human cerebral cortex cDNA library. A PCR product encoding human GABA_BR2 was isolated and cloned.

Northern blot analysis revealed that an approximately 6.3 Kb human $GABA_BR2$ transcript was abundantly expressed in the human brain. Expression was not detected in the heart, placenta, lung, liver, skeletal muscle, kidney or pancreas under conditions where $GABA_BR2$ transcript was identified in the human brain. Within the human brain $GABA_BR2$ is broadly expressed at variable levels.

Compounds modulating $GABA_BR$ activity can be obtained, for example, by screening a group, or library, of compounds to identify those compounds having the desired activity and then synthesizing such compounds. Thus, included in the present

invention is a method of making a $GABA_BR$ active compound by first screening for a compound having desired properties and then chemically synthesizing that compound.

5 Nucleic Acid Encoding GABABR2

. 10

15

20

25

30

35

Nucleic acids encoding GABABR2 have a variety of different uses including one or more of the following: (1) producing receptor proteins which can be used, for example, for structure determination, to assay a molecule's activity on a receptor, and to obtain $GABA_BR2$ modulatory agents; (2) being sequenced to determine a receptor's nucleotide sequence which can be used, for example, as a basis for comparison with other receptors to determine conserved regions, determine unique nucleotide sequences for normal and altered receptors, and to determine nucleotide sequences to be used as target sites for antisense nucleic acids, ribozymes, hybridization detection probes, or PCR amplification primers; (3) as hybridization detection probes to detect the presence of a native receptor and/or a related receptor in a sample; (4) as PCR primers to generate particular nucleic acid sequence regions, for example, to generate regions to be probed by hybridization detection probes; and (5) to provide an extracellular domain, transmembrane domain, or extracellular domain for use in the construction of a chimeric receptor.

Hybridization probes and primers based on the $GABA_BR2$ sequence information provided herein can be used, for example, to obtain nucleic acid from different sources or to identify the presence of $GABA_BR2$ nucleic acid in a sample. Nucleic acid encoding proteins related to human $GABA_BR2$ can be obtained from human and nonhuman sources. Such related nucleic acids are useful for identifying important $GABA_BR2$ structural motifs and may also provide new therapeutic target sites.

Primer hybridization specificity to target nucleic acid can be adjusted by varying the hybridization conditions. When annealing at higher stringency conditions of 50-60°C, sequences which are greater than about 75% complementarity to the primer will be amplified. By employing lower stringency conditions, annealing at 35-37°C, sequences which are greater than about 40-50% complementarity to the primer will be amplified.

15

20

25

30

35

Hybridization assay probes can be designed to detect the presence of a particular nucleic acid target sequence perfectly complementary to the probe and target sequences of lesser complementarity by varying the hybridization conditions and probe design. Factors affecting probe design, such as length, G and C content, possible self-complementarity, and wash conditions, are well known in the art. (See, for example, Sambrook et al., Molecular Cloning, Cold Spring Harbor Laboratory Press (1989).) Sambrook et al., Molecular Cloning, also discusses the design and use of degenerative probes based on polypeptide sequence information.

Preferably, the nucleic acid probes targeted to $GABA_BR2$ nucleic acid distinguish $GABA_BR2$ nucleic acid from $GABA_Bla$ and $GABA_Blb$ nucleic acid. Such probes are readily designed by comparing the nucleic acid sequences of target $GABA_BR2$, and nontarget $GABA_Bla$ and $GABA_Blb$, to obtain probes having proper probe:target and probe:non-target T_m characteristics. Preferably, the probe:target duplex T_m is at least about 5°C greater than the probe:non-target T_m .

Probes specific for a target contain a target complementary region and may also contain target non-complementary regions. The target non-complementary regions, if present, are designed not to affect the specificity of the probe. An example of a target non-complementary region is a nucleic acid sequence used as a capture sequence in a sandwich assay, where the capture sequence does not hybridize to target or non-target nucleic acids. (See, Stabinsky, U.S. Patent No. 4,739,044, and Ranki et al., U.S. Patent No. 4,563,419, both of which are incorporated by reference herein.)

The probes can be used under conditions of proper stringency conditions where target and non-target nucleic acid are distinguished. As the stringency conditions are increased, the complementarity of two nucleic acids required to form a stable duplex is also increased.

As a general guideline, high stringency conditions (e.g., hybridization at 50-65°C, 5X SSPC, 50% formamide, wash at 50-65°C, 0.5X SSPC) can be used to obtain hybridization between nucleic acid sequences having regions which are greater than about 90% complementary. Low stringency conditions (e.g., hybridization at

 $35-37^{\circ}$ C, 5x SSPC, 40-45% formamide, wash at 42° C 1X SSPC) can be used so that sequences having regions greater than 35-45% complementarity will hybridize to the probe.

If desired, nucleic acid probes may be labeled with a detectable label using techniques well known in the art. Examples of detectable labels include radiolabels, enzymes, fluorescent molecules, and chemiluminescent molecules.

Any tissue can be used as a source for genomic DNA. However, with respect to RNA, the most preferred source is tissues which express elevated levels of $GABA_BR2$ or related proteins.

Specific nucleic acids can also be produced enzymatically using a host transformed with a plasmid encoding for the desired nucleic acid. Additionally, standard techniques for chemically synthesizing nucleic acids include solid phase phosphoramidite chemical synthesis.

GABA_BR2 polypeptides

10

15

20

25

30

35

GABA_BR2 polypeptides made up of $GABA_BR2$, $GABA_BR2$ fragments, and derivatives thereof have different uses including, being used to produce antibodies to determine the presence of the protein, and being used to screen for compounds able to bind to the protein. $GABA_BR2$ polypeptides are preferably produced using recombinant nucleic acid techniques.

Polypeptides can also be synthesized using solid phase techniques. Solid-phase synthesis is commenced from the carboxyterminal end of the peptide using an α-amino protected amino acid. BOC protective groups can be used for all amino groups even though other protective groups are suitable. For example, BOC-lys-OH can be esterified to chloromethylated polystyrene resin supports. The polystyrene resin support is preferably a copolymer of styrene with about 0.5 to 2% divinylbenzene as a cross-linking agent which causes the polystyrene polymer to be completely insoluble in certain organic solvents. See Stewart et al., Solid-Phase Peptide Synthesis (1969), W.H. Freeman Co., San Francisco; and Merrifield, J. Am. Chem. Soc. 85:2149-2154, 1963. These and other methods of peptide synthesis are also exemplified by U.S. Patent Nos. 3,862,925; 3,842,067; 3,972,859; and 4,105,602.

GABA_BR2 derivatives, and nucleic acid encoding for GABA_BR2 derivatives can be produced using techniques well known in the art based upon the present disclosure. GABA_BR2 derivatives have a sequence similarity of at least 70%, more preferably at least 90%, even more preferably at least 95% sequence similarity to the amino acid sequence provided in SEQ. ID. NO. 4. Sequence similarity is preferably determined using BLASTN (Altschul et al., J. Mol. Biol. 215:403-410, 1990.)

Examples of specific types of derivatives include amino acid alterations such as deletions, substitutions, additions, and amino acid modifications. A "deletion" refers to the absence of one or more amino acid residue(s) in the related polypeptide. An "addition" refers to the presence of one or more amino acid residue(s) in the related polypeptide. Additions and deletions to a polypeptide may be at the amino terminus, the carboxy terminus, and/or internal. Amino acid "modification" refers to the alteration of a naturally occurring amino acid to produce a non-naturally occurring amino acid. A "substitution" refers to the replacement of one or more amino acid residue(s) by another amino acid residue(s) in the polypeptide. Derivatives can contain different combinations of alterations including more than one alteration and different types of alterations.

10

15

20

25

30

35

While the effect of an amino acid change varies depending upon factors such as phosphorylation, glycosylation, intra-chain linkages, tertiary structure, and the role of the amino acid in the active site or a possible allosteric site, it is generally preferred that the substituted amino acid is from the same group as the amino acid being replaced. To some extent the following groups contain amino acids which are interchangeable: the basic amino acids lysine, arginine, and histidine; the acidic amino acids aspartic and glutamic acids; the neutral polar amino acids serine, threonine, cysteine, glutamine, asparagine and, to a lesser extent, methionine; the nonpolar aliphatic amino acids glycine, alanine, valine, isoleucine, and leucine (however, because of size, glycine and alanine are more closely related and valine, isoleucine and leucine are more closely related); and the aromatic amino acids phenylalanine, tryptophan, and tyrosine. In addition, although classified in different categories, alanine, glycine, and serine seem to be interchangeable to some extent,

15

20

25

30

35

and cysteine additionally fits into this group, or may be classified with the polar neutral amino acids.

While proline is a nonpolar neutral amino acid, its replacement represents difficulties because of its effects on conformation. Thus, substitutions by or for proline are not preferred, except when the same or similar conformational results can be obtained. The conformation conferring properties of proline residues may be obtained if one or more of these is substituted by hydroxyproline (Hyp).

Examples of modified amino acids include the following: altered neutral nonpolar amino acids such as ω -amino acids of the formula $H_2N(CH_2)_nCOOH$ where n is 2-6, sarcosine (Sar), t-butylalanine (t-BuAla), t-butylglycine (t-BuGly), N-methyl isoleucine (N-MeIle), and norleucine (Nleu); altered neutral aromatic amino acids such as phenylglycine; altered polar, but neutral amino acids such as citrulline (Cit) and methionine sulfoxide (MSO); altered neutral and nonpolar amino acids such as cyclohexyl alanine (Cha); altered acidic amino acids such as cysteic acid (Cya); and altered basic amino acids such as ornithine (Orn).

Preferred derivatives have one or more amino acid alteration(s) which do not significantly affect the receptor activity of the related receptor protein. In regions of the GABABR2 not necessary for receptor activity amino acids may be deleted, added or substituted with less risk of affecting activity. In regions required for receptor activity, amino acid alterations are less preferred as there is a greater risk of affecting receptor activity. Such alterations should be conservative alterations. For example, one or more amino acid residues within the sequence can be substituted by another amino acid of a similar polarity which acts as a functional equivalent.

Conserved regions tend to be more important for protein activity than non-conserved regions. Standard procedures can be used to determine the conserved and non-conserved regions important of receptor activity using in vitro mutagenesis techniques or deletion analyses and measuring receptor activity as described by the present disclosure.

Derivatives can be produced using standard chemical techniques and recombinant nucleic acid techniques.

PCT/US99/07352 WO 99/51636 13

Modifications to a specific polypeptide may be deliberate, as through site-directed mutagenesis and amino acid substitution during solid-phase synthesis, or may be accidental such as through mutations in hosts which produce the polypeptide.

Polypeptides including derivatives can be obtained using standard techniques such as those described by Sambrook et al., Molecular Cloning, Cold Spring Harbor Laboratory Press (1989). For example, Chapter 15 of Sambrook describes procedures for sitedirected mutagenesis of cloned DNA.

10

15

20

25

35

GABABR2 Antibodies

Antibodies binding GABABR2 have various uses such as being used as therapeutic agents to modulate GABABR activity; as diagnostic tools for determining $GABA_BR2$ number; as research tools for studying receptor synthesis, structure, and function; and as a tool by purifying GABABR2.

GABA_BR2, and GABA_BR2 fragments retaining antigenic determinants, can be used to generate antibodies recognizing GABABR2. Preferably, polypeptide fragments used to generate antibodies are at least six amino acid in length. Both polyclonal and monoclonal antibodies can be generated.

Antibodies can be produced using standard techniques such as those described by Harlow and Lane in Antibodies, a Laboratory Manual, Cold Spring Harbor Laboratory, 1988. Sources of immunogens for antibody production include purified GABABR2, GABABR2 fragments, and whole cells expressing GABABR2. present invention also includes hybridoma cells secreting monoclonal antibodies to GABABR2.

30 Recombinant Cells

Nucleic acid expressing a functional GABABR2 can be used to create transfected cells lines functionally expressing $GABA_BR2$. Such cell lines have a variety of uses such as being used for high-throughput screening for compounds modulating $GABA_{B}R$ activity; being used to assay binding to GABABR2; and as factories to produce large amounts of $GABA_BR2$, or $GABA_BR2$ fragments.

A variety of cell lines can couple exogenously expressed receptors to endogenous functional responses. Cell lines such as NIH-3T3, HeLa, NG115, CHO, HEK 293 and COS7 which are expected to lack $\mbox{GABA}_{\mbox{\tiny B}}\mbox{R2}$ can be tested to confirm that they lack an endogenous $\mbox{GABA}_{\mbox{\tiny B}}\mbox{R2}$.

Production of stable transfectants can be accomplished by transfection of an appropriate cell line with an expression vector, such as the eukaryotic pMSG vectors. Expression vectors containing a promoter region, such as the mouse mammary tumor virus promoter (MMTV), drive high-level transcription of cDNAs in a variety of mammalian cells. In addition, these vectors contain genes for selecting cells stably expressing cDNA of interest. The selectable marker in the pMSG vectors encodes an enzyme, xanthine-guanine phosphoribosyl transferase (XGPRT), conferring resistance to a metabolic inhibitor that is added to the culture

The most effective method for transfection of eukaryotic cell lines with plasmid DNA varies with the given cell type. The $GABA_BR2$ expression construct will be introduced into cultured cells by the appropriate technique, such as Ca^{2+} phosphate precipitation, DEAE-dextran transfection, lipofection or electroporation. Expression of the $GABA_BR2$ cDNA in cell lines can be assessed by solution hybridization and Northern blot analysis.

Assaying For Compounds Modulating GABABR Activity

to kill nontransfected cells.

10

15

20

25

30

35

The ability of compounds to modulate GABA $_BR$ activity can be assayed by measuring alterations of cellular processes affected by GABA $_BR$ activity. Generally, a GABA $_BR$ 2 agonist is present when measuring antagonist activity. However, protein fusions can be created, for example, where an agonist extracellular binding domain of GABA $_BR$ 2 is swapped with the agonist binding domain of a different receptor allowing for the measurement of antagonist activity using an agonist of the different receptor; or where the intracellular domain of GABA $_BR$ 2 is swapped with the intracellular domain of a different receptor allowing for the measuring of GABA $_BR$ activity by measuring intracellular effects caused by the different receptor.

Chimeric proteins are preferably produced using recombinant nucleic acid techniques to provide an appropriate nucleic acid encoding for the chimeric protein. Preferably, portions of $GABA_BR2 \ are \ swapped \ with \ portions \ of \ the \ calcium \ receptor. \ The GABA_BR2 \ extracellular \ domain \ is \ made \ up \ of \ approximately \ amino$

acids 1-422 Of SEQ. ID. NO. 4, the GABA_BR2 transmembrane domain is made up of approximately amino acids 423-686 Of SEQ. ID. NO. 4, and the GABA_BR2 intracellular domain is made up of approximately amino acids 687-883 Of SEQ. ID. NO. 4. The human calcium receptor amino acid and encoding nucleic acid is provided in Figure 3. The calcium receptor extracellular domain is made up of approximately amino acids 1-612, the calcium receptor transmembrane domain is made up of approximately amino acids 613-862, and the calcium receptor intracellular domain is made up of approximately amino acids 863-1078. Calcium receptor activity can be measured using techniques well known in the art such as those described by Brown et al., U.S. Patent No. 5,688,938, hereby incorporated by reference herein.

15 Binding Assays

10

20

25

30

35

The present invention also includes using $GABA_BR2$ and fragments thereof in binding assays. Binding assays can be carried out using techniques well known in the art. Binding assays preferably employ radiolabeled binding agents.

An example of a binding assay is carried out by first attaching $GABA_BR2$, or a fragment thereof, to a solid-phase support to create an affinity matrix. The affinity matrix is then contacted with potential $GABA_BR2$ binding agents. A large library of compounds may be used to determine those compounds binding to the affinity matrix. Bound compounds can be eluted from the column.

Transgenic Animals

The present invention also concerns the construction and use of transgenic animals, and transformed cells, encoding GABA_BR2. Transgenic nonhuman mammals are particularly useful as an *in vivo* test system for studying the effects of introducing GABA_BR2; regulating the expression of GABA_BR2 (e.g., through the introduction of additional genes, antisense nucleic acids, or ribozymes); and studying the effect of compounds which mimic or block the effect of GABA_BR2.

Experimental model systems for studying the physiological role of the ${\sf GABA_BR2}$ can be created having varying degrees of

receptor expression. For example, nucleic acid encoding a receptor may be inserted into cells naturally expressing the receptor such that the gene is expressed at much higher levels. Alternatively, a recombinant gene may be used to inactivate the endogenous gene by homologous recombination and, thereby, create an GABA_RR2 deficient cell, tissue, or animal.

Inactivation of a gene can be caused, for example, by using a recombinant gene engineered to contain an insertional mutation (e.g., the neo gene). The recombinant gene is inserted into the genome of a recipient cell, tissue or animal, and inactivates transcription of the receptor. Such a construct may be introduced into a cell, such as an embryonic stem cell, by techniques such as transfection, transduction, and injection. Stem cells lacking an intact receptor sequence may generate transgenic animals deficient in the receptor.

10

15

20

25

30

35

Preferred test models are transgenic animals. A transgenic animal has cells containing DNA which has been artificially inserted into a cell and inserted into the genome of the animal which develops from that cell. Preferred transgenic animals are primates, mice, rats, cows, pigs, horses, goats, sheep, dogs and cats.

A variety of methods are available for producing transgenic animals. For example, DNA can be injected into the pronucleus of a fertilized egg before fusion of the male and female pronuclei, or injected into the nucleus of an embryonic cell (e.g., the nucleus of a two-cell embryo) following the initiation of cell division (Brinster et al., Proc. Nat. Acad. Sci. USA 82: 4438-4442, 1985). By way of another example, embryos can be infected with viruses, especially retroviruses, modified to carry GABABR2 nucleotide sequences.

Pluripotent stem cells derived from the inner cell mass of the embryo and stabilized in culture can be manipulated in culture to incorporate nucleotide sequences of the invention. A transgenic animal can be produced from such stem cells through implantation into a blastocyst that is implanted into a foster mother and allowed to come to term. Animals suitable for transgenic experiments can be obtained from standard commercial sources such as Charles River (Wilmington, MA), Taconic (Germantown, NY), and Harlan Sprague Dawley (Indianapolis, IN).

Methods for the culturing of embryonic stem (ES) cells and the subsequent production of transgenic animals by the introduction of DNA into ES cells using methods such as electroporation, calcium phosphate/DNA precipitation and direct injection are well known to those of ordinary skill in the art. See, for example, Teratocarcinomas and Embryonic Stem Cells, A Practical Approach, E.J. Robertson, ed., IRL Press (1987).

5

10

15

20

25

30

35

Procedures for embryo manipulations are well known in the art. Procedures for manipulating rodent embryo and for microinjecting DNA into the pronucleus of the zygote are well known in the art. Microinjection procedures for fish, amphibian eggs and birds are well known in the art and are described, for example, in Houdebine and Chourrout, Experientia 47: 897-905, 1991. Procedures for introducing DNA into tissues of animals are well known in the art and are described, for example, in U.S. Patent No. 4,945,050.

Transfection and isolation of desired clones can be carried out using standard techniques (e.g., E.J. Robertson, supra). For example, random gene integration can be carried out by cotransfecting nucleic acid with a gene encoding antibiotic resistance. Alternatively, for example, the gene encoding antibiotic resistance is physically linked to a nucleic acid sequence encoding GABA_BR2.

DNA molecules introduced into ES cells can also be integrated into the chromosome through the process of homologous recombination. (E.g., Capecchi, Science 244: 1288-1292, 1989.) Methods for positive selection of the recombination event (e.g., neomycin resistance) and dual positive-negative selection (e.g., neomycin resistance and gancyclovir resistance) and the subsequent identification of the desired clones by PCR have been described in references such as Capecchi, supra and Joyner et al., Nature 338:153-156, 1989, which is hereby incorporated by reference herein.

The final phase of the procedure is to inject targeted ES cells into blastocysts and to transfer the blastocysts into pseudopregnant females. The resulting chimeric animals are bred and the offspring are analyzed by Southern blotting to identify individuals carrying the transgene.

An example describing the preparation of a transgenic mouse

is as follows. Female mice are induced to superovulate and placed with males. The mated females are sacrificed by CO_2 asphyxiation or cervical dislocation and embryos are recovered from excised oviducts. Surrounding cumulus cells are removed. Pronuclear embryos are then washed and stored until the time of injection.

PCT/US99/07352

Randomly cycling adult female mice paired with vasectomized males serve as recipients for implanted embryos. Recipient females are mated at the same time as donor females and embryos are transferred surgically to recipient females.

Procedures for generating transgenic rats are similar to that of mice. (E.g., Hammer et al., Cell 63:1099-1112, 1990.) Procedures for producing transgenic non-rodent mammals and other animals are well known in art. (E.g., Houdebine and Chourrout, supra; Pursel et al., Science 244:1281-1288, 1989; and Simms et al., Bio/Technology 6:179-183, 1988.)

Therapeutic Modulation

10

15

20

25

30

35

Different types of diseases and disorders can be treated using compounds modulating $GABA_BR$ activity. Additionally, such compounds can be used prophylactically. Compounds modulating $GABA_BR$ activity can be administered to patients who would benefit from such treatment. Patients are mammals, preferably humans.

Modulating GABA_BR activity can be carried to achieve useful therapeutic effects such as preventing or treating one or more of the following: spasticity and motor control disorders using GABA_BR agonists; pain, using GABA_BR antagonists; cognitive disorders using GABA_BR antagonists; neurological disorders such as Alzheimer's disease and Huntington's disease; psychiatric disorders, such as depression using GABA_BR agonists; alcohol dependence and withdrawal using GABA_BR antagonists; feeding behavior; cardiovascular and respiratory disorders with antagonists exerting an excitatory effect and agonists depressing inspiratory neurons; and peripheral function disorders.

Modulators of GABA_BR activity can be administered to a patient using standard techniques. Techniques and formulations generally may be found in Remington's Pharmaceutical Sciences, $18^{\rm th}$ ed., Mack Publishing Co., Easton, PA, 1990 (hereby incorporated by reference herein).

Suitable dosage forms, in part, depend upon the use or the route of entry, for example, oral, transdermal, transmucosal, or by injection (parenteral). Such dosage forms should allow the therapeutic agent to reach a target cell whether the target cell is present in a multicellular host or in culture. For example, pharmacological compounds or compositions injected into the blood stream should be soluble. Other factors are well known in the art, and include considerations such as toxicity and dosage forms which retard the therapeutic agent from exerting its effect.

Therapeutic compounds can be formulated as pharmaceutically acceptable salts and complexes thereof. Pharmaceutically acceptable salts are non-toxic salts in the amounts and concentrations at which they are administered. The preparation of such salts can facilitate the pharmacological use by altering the physical characteristics of the compound without preventing it from exerting its physiological effect. Useful alterations in physical properties include lowering the melting point to facilitate transmucosal administration and increasing the solubility to facilitate administering higher concentrations of the drug.

10

15

20

25

30

35

The pharmaceutically acceptable salt of a compound may be present as a complex. Examples of complexes include an 8-chlorotheophylline complex (analogous to, e.g., dimenhydrinate:diphenhydramine 8-chlorotheophylline (1:1) complex; Dramamine) and various cyclodextrin inclusion complexes.

Pharmaceutically acceptable salts include acid addition salts such as those containing sulfate, hydrochloride, fumarate, maleate, phosphate, sulfamate, acetate, citrate, lactate, tartrate, methanesulfonate, ethanesulfonate, benzenesulfonate, ptoluenesulfonate, cyclohexylsulfamate and quinate.

Pharmaceutically acceptable salts can be obtained from acids such as hydrochloric acid, maleic acid, sulfuric acid, phosphoric acid, sulfamic acid, acetic acid, citric acid, lactic acid, tartaric acid, malonic acid, methanesulfonic acid, ethanesulfonic acid, benzenesulfonic acid, p-toluenesulfonic acid, cyclohexylsulfamic acid, fumaric acid, and quinic acid. Pharmaceutically acceptable salts also include basic addition salts such as those containing benzathine, chloroprocaine, choline, diethanolamine, ethylenediamine, meglumine, procaine,

aluminum, calcium, lithium, magnesium, potassium, sodium, ammonium, alkylamine, and zinc, when acidic functional groups, such as carboxylic acid or phenol are present. For example, see Remington's Pharmaceutical Sciences, 18th ed., Mack Publishing Co., Easton, PA, p. 1445, 1990. Such salts can be prepared using the appropriate corresponding bases.

Carriers or excipients can also be used to facilitate administration of therapeutic agents. Examples of carriers include calcium carbonate, calcium phosphate, various sugars such as lactose, glucose, or sucrose, or types of starch, cellulose derivatives, gelatin, vegetable oils, polyethylene glycols and physiologically compatible solvents. Examples of physiologically compatible solvents include sterile solutions of water for injection (WFI), saline solution and dextrose.

10

15

20

25

30

35

GABA_BR modulating compounds can be administered by different routes including intravenous, intraperitoneal, subcutaneous, intramuscular, oral, topical (transdermal), or transmucosal administration. For systemic administration, oral administration is preferred. For oral administration, for example, the compounds can be formulated into conventional oral dosage forms such as capsules, tablets, and liquid preparations such as syrups, elixirs, and concentrated drops.

Alternatively, injection (parenteral administration) may be used, e.g., intramuscular, intravenous, intraperitoneal, and subcutaneous. For injection, compounds are formulated in liquid solutions, preferably, in physiologically compatible buffers or solutions, such as saline solution, Hank's solution, or Ringer's solution. In addition, the compounds may be formulated in solid form and redissolved or suspended immediately prior to use. Lyophilized forms can also be produced.

Systemic administration can be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are well known in the art, and include, for example, for transmucosal administration, bile salts and fusidic acid derivatives. In addition, detergents may be used to facilitate permeation. Transmucosal administration, for example, may be through nasal sprays, rectal suppositories, or vaginal suppositories.

For topical administration, compounds can be formulated into ointments, salves, gels, or creams, as is well known in the art.

The amounts of various GABA_BR modulating compounds to be administered can be determined by standard procedures taking into account factors such as the compound IC_{50} , EC_{50} , the biological half-life of the compound, the age, size and weight of the patient, and the disease or disorder associated with the patient. The importance of these and other factors to be considered are well known to those of ordinary skill in the art. Generally, the amount is expected to preferably be between about 0.01 and 50 mg/kg of the animal to be treated.

EXAMPLES

The example provided below illustrates different aspects and embodiments of the present invention. The example is not intended to limit the claimed invention.

Functional expression of GABA,R2

10

20

25

30

35

Xenopus oocytes were co-injected with in vitro transcribed RNA (7 ng) encoding GABA_BR1a, GABA_BR2 and chimeric Gqo5. Chimeric Gqo5 is described in Nature 363:274-276, 1993. Coexpression of the different proteins was employed because GABA_BR functions as a heterodimer of the subunits GABA_BR1 or GABA_BR2 (Jones et al. Nature 396:674-679, 1998). Following a 72 hour incubation, the oocytes were voltage clamped using standard electrophysiological techniques (Hille, B., Ionic Channels of Excitable membranes, pp. 30-33, Sinauer Associates, Inc., Sunderland, MA, 1992). Activation of the receptor heterodimers was detected by increases in the calcium-activated chloride current.

Application of the GABA_B receptor agonist baclofen caused dose-dependent, reversible, oscillatory increases in the calcium-activated chloride current as shown in Figure 4, with an EC₅₀ of approximately 1 μ M. These responses were completely blocked by the competitive GABA_B receptor antagonist SCH 50911 (100 μ M). Occytes expressing GABA_B receptor heterodimers with the inwardly rectifying potassium channels (GIRKS; Kir3.1/3.2/3.4) were used as the positive control (Jones et al., Nature 396:674-679, 1998.) Thus, the use of the chimeric G-Protein Gqo5 promotes signal transduction through mobilization of intracellular calcium.

Other embodiments are within the following claims. Thus, while several embodiments have been shown and described, various modifications may be made, without departing from the spirit and scope of the present invention.

PCT/US99/07352

Claims

- A purified nucleic acid comprising at least 18
 contiguous nucleotides of a nucleic acid sequence provided in SEQ
 ID NO: 1.
 - 2. The purified nucleic acid of claim 1, comprising at least 27 contiguous nucleotides of the nucleic acid sequence provided in SEQ ID NO: 1.

10

- 3. The purified nucleic acid of claim 2, comprising at least 45 contiguous nucleotides of the nucleic acid sequence provided in SEQ ID NO: 1.
- 15 4. The purified nucleic acid of claim 3, comprising the nucleic acid sequence provided in SEQ ID NO: 1.
- A purified nucleic acid comprising a nucleic acid sequence encoding at least 6 contiguous amino acids of an amino acid sequence provided in SEQ. ID. NO: 4.
 - 6. The purified nucleic acid of claim 5, wherein said nucleic acid encodes at least 12 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.

- 7. The purified nucleic acid of claim 6, wherein said nucleic acid encodes at least 18 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.
- 30 8. The purified nucleic acid of claim 7, wherein said nucleic acid encodes at least 54 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.
- 9. The purified nucleic acid of claim 8, wherein said

 35 nucleic acid encodes the amino acid sequence provided in SEQ. ID.

 NO: 4.
 - 10. The purified nucleic acid of any of claims 1-9, wherein said nucleic acid is substantially purified.

11. The purified nucleic acid of any of claims 1-9, wherein said nucleic acid is recombinant nucleic acid which is part of an expression vector.

5

20

- 12. The purified nucleic acid of any of claims 1-9, wherein said nucleic acid is transcriptionally coupled to an exogenous promoter.
- 10 13. A recombinant cell comprising the expression vector of claim 11.
- 14. A recombinant cell made by a process comprising the step of introducing the nucleic acid of any one of claims 1-12 into a cell.
 - 15. A purified nucleic acid comprising a nucleotide sequence of 20 contiguous nucleotides of which at least 18 nucleotides are complementary to the nucleic acid sequence provided in SEQ ID NO: 1 or the perfect complement of SEQ ID NO: 1.
 - 16. The nucleic acid of claim 15, wherein said purified nucleic acid comprises a nucleotide sequence of 20 contiguous nucleotides which has at least 19 bases complementary to the nucleic acid sequence provided in SEQ ID NO: 1 or the perfect complement of SEQ ID NO: 1.
- 17. The nucleic acid of claim 16, wherein said purified nucleic acid comprises a nucleotide sequence of 20 contiguous nucleotides which is complementary to the nucleic acid sequence provided in SEQ ID NO: 1 or the perfect complement of SEQ ID NO: 1.
- 35 18. A purified polypeptide comprising at least 6 contiguous amino acids of an amino acid sequence provided in SEQ. ID. NO: 4.
 - 19. The purified polypeptide of claim 18, comprising at least 12 contiguous amino acids of the amino acid sequence

WO 99/51636 25

provided in SEQ. ID. NO: 4.

- 20. The purified polypeptide of claim 19, comprising at least 18 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.
 - 21. The purified polypeptide of claim 20, comprising at least 54 contiguous amino acids of the amino acid sequence provided in SEQ. ID. NO: 4.

10

- 22. The purified polypeptide of claim 21, consisting of the amino acid sequence provided in SEQ. ID. NO: 4.
- 23. The polypeptide of any one of claims 18-22, wherein said polypeptide is substantially purified.
 - 24. A purified $GABA_BR2$ -binding agent comprising a molecule which binds to a polypeptide consisting of the amino acid sequence of SEQ. ID. NO: 4.

- 25. The binding agent of claim 24, wherein said binding agent is an antibody.
- 26. A method of making a GABA_BR2 or fragment thereof comprising the step of incubating the recombinant cells of claim 13 under conditions wherein the nucleic acid encoding for the GABA_BR2 is expressed.
- 27. The method of claim 26, further comprising the step of 30 purifying said GABA_BR2 or fragment thereof.
 - $28\,.\,$ A method of selecting for a compound modulating $GABA_BR$ activity comprising the steps of
- a) contacting a recombinant cell functionally expressing $GABA_BR2$ with a first test compound; and
 - b) measuring the ability of said test compound to affect \mbox{GABA}_BR activity to select for said compound modulating \mbox{GABA}_BR activity.

- 29. The method of claim 28, wherein the ability of a plurality of different test compounds to affect $GABA_BR$ activity are tested to select for said compound modulating $GABA_BR$ activity.
 - 30. A coexpression system comprising
 - a) a cell;

5

15

- b) at least one of $GABA_BR1a$ and $GABA_BR1b$, which is present in said cell;
 - c) $GABA_BR2$, which is present in said cell; and
- d) Gqo5, which is present in said cell.
 - 31. A method of screening for one or more compounds active at $GABA_BR1a$, $GABA_BR1b$, or $GABA_BR2$ comprising the steps of contacting the coexpression system of claim 30 with at least one of said compounds and measuring the ability of said compounds to effect the mobilization of intracellular calcium.
- 32. The method of claim 31, wherein 10 or more compounds are individually tested for their ability to effect the mobilization of intracellular calcium over the course of 8 hours.
 - 33. A transgenic nonhuman mammal comprising a nonhuman mammal and a recombinant nucleic acid encoding a polypeptide comprising 6 contiguous amino acids of an amino acid sequence provided in SEQ. ID. NO: 4.

ClustalW Formatted Alignments

SEQ. SEQ. SEQ.	ID.	Ν	0.	2		_		~	~	T			7			~	C T G	G	\sim	Т	G	C	- 1	P	\ (٠	1	U	U	L	u	·	
SEQ. SEQ. SEQ.	ID	۸.	10.	2	_			_	~		T	T	_	•		т	G C G	\sim	ദ	C	- C	: С	: (. (_ (٠	U	U	U	C	U		
SEQ. SEQ. SEQ.	ID). 1	VO.	. 2		_	_	_	_	_			. /	7	\sim	C	C C G	Δ	ദ	A	. (. (. (١	U '	C	Α	A			, (_
SEQ SEQ SEQ	. IC). I	VO	. 2			_	_	_			-	~		٨	C	G	٦	י י	י כ	. (_ (Ξ.	A	G	A	- 1	·	. 8	١.	1 /	١ ٦	_
SEC SEC). IL). i	NC	. 2	•		_	_	_			٠,	~	\sim	ጥ			•	. /		١.	G	G	G	G	G	·		١.	Ţι		Α.	U
SEC SEC	2. 11	D.	NC). 2	2	_	_				~ /	٦.	~	\mathbf{c}	0			•	r	ጉ .	Δ.	C	Т	C	G	u	į	, ,	۹. ۱	Ļ	C	M	U
SE(SE(2. 1	D.	N). ,	2		_	_	_			\sim	~	_	7	٠,	C (A)	T I	\sim	Δ	А	C	11	- 1	C	•	_	ı	u	L	C	n	T G T
SE SE														_	-	_		_		т			Δ								u		G G G
SE SE SE	Q.	ID	. N	О.	2	(. () (} (G	C		T	G	C													GGG

FIG. la.

SEQ. SEQ. SEQ.	ID.	٨	10.	2	•	~	~	C	Δ	Δ	G	G	T	C	C	: (g (С	Α	Α	G	T	G G A	С	C	T	G	G	iC	; (C,	A.
SEQ. SEQ. SEQ.	ID.	. ^	10.	2	4		~	C	C	\boldsymbol{c}	т	C	C	Т	٠ ر	3 (G ·	·A	С	Α	G	Α	A T G	Α	T	G	G	Α	•	Ξ.	A	С
SEQ. SEQ. SEQ.	ID	1	VO.	. 2	٠.		~	\mathbf{c}	C	Δ	G	C	C	C	: (2	Т	G	T	G	T	C	T C C	G	Α	Α	T	· C	: '	Γ	G	С
SEQ. SEQ.	. ID	. 1	VO.	. 2	•	~		_		Δ	c	т	Ċ	٠ ٦	r '	Т	Α	Т	T	T	G	Α	G C G	С	С	Т	C	• (3 ,	Ą	Α	Α
SEQ SEQ SEQ	. IC). I	NO	. 2	?		T	G	C	C		Δ	C	: (7	Т	T	T	Т	С	С	Ţ	A G G	Α	С	G		; (3	Ţ	G	G
SEQ SEQ	. IL). <i>i</i>	NC). 2	?	C	C		_		· 7	٠ ر	: 0	. (Α	G	C	T	C	Ί	, G	A G A	Α	С	C	; (;	A.	G	C	C
SEC SEC). IL	7.	NC). 2	2	_	_					. (2 /	Α .	Т	Т	т	$^{\circ}$	C	. G		. 7		T	C	i P	(٠	C	C	C	T G A
SEC SEC	- 4	_		_	_		_				~ /	~	•	т	~	т	C		ำ	$^{\circ}$. (. (. (: А	. (i (T	C	U	C	T G T
SEC SEC	_ ,	_		\sim	~	_	•		-	~		T	~	T	\boldsymbol{c}	71.	΄ Δ	. (•			١,	, ,	, ,	, ,	٠ ١	_	n	u		_	_
SE(SE(SE(_	_		_	_			_	~	•	_	C C	C A	G G	C	A) (C (• •	_		u	_	_	-		

SEQ. SEQ. SEQ.	ID.	٨	10.	2	•	т	G	A	A	Т	C	C	i	١.	A	С	G	С	C	Α	C	: A	(•	4 7 T (2	A	G	Α	Α	. C	: (3
SEQ. SEQ. SEQ.	ID.	۸.	10.	2	(c.	C	G	C	G	C	Α	. (3	Т	G	T	Α	С	Α	. 1	(. (3 (T (C)	3	G	С	Α	С	7	r (3
SEQ. SEQ. SEQ.	ID	. ^	VO.	2		т	т	т	C	C	C		٠.	Т	G	Α	G	C	G	G	• (} (j (3 (G '	T	G	G	С	С	. 7	١ (3
SEQ. SEQ. SEQ.	. ID). [VO	. 2	,	C	c	c	_		٠ ،	٠,	Δ ,	G	G	C	С	Т	G	iC	: (2 ,	ΑI	G	T C A	С	С	G	С	. (; (3	T
SEQ SEQ SEQ	. IC). [NC	. 2	?	C	C	. Δ			١,	Т	G	G	С	G	С	1	•	3 (3 .	Α	G	G	G A C	С	G	T	· C	; /	٩.	A	T
SEC SEC). IL). .	NC). 2	2	Δ	c	; '	•	•	G	C	Α	G	G	G	A	. (2 /	۸. ۱	T	С	C	T.	A G G	С	С	C	•	3 ,	Ą	С	T
SEC SEC	Ž. /L	D.	NC). 2	2	Λ	-	r	•	Δ	G	C	Т	C	Α	A	٠ (; (3	T	C	Α	T	С	T C G	Α	C	: (: /	١,	С	G	Α
SEC SEC	- I	$\overline{}$	A 1/	~	2	_	•		7	_	Δ	Δ	c	т		; 1	r (; ,	A	T	С	С	Α	G	G	C	C	: /	١.	A	G	С	A C T
SE(SE(\sim 1	\sim	A 1	$\overline{}$	0			_	_	A	Δ	C	т	Α .		. (•	T.	Α	Т	Α	Т	G	Α	G	C		Γ (3	С	T	C	A T G
SE SE	\sim		A /	\sim	2			\sim	٨	A	$\boldsymbol{\mathcal{C}}$	c	Δ					T G	A	T A	G	C	. А		, А	١.		_	A	ı	·	_	

SEQ. SEQ. SEQ.	ID.	٨	ĺO.	2	~			~	^	~	\sim	т	C	C	\mathbf{c}	Т	G	\mathbf{c}	Α	G	C	T	G C T	T	G	1	C	1	L	C	
SEQ. SEQ. SEQ.	ID.	۸.	VO.	2			_	~	\sim	т	C	C	т	G	G	\mathcal{C}	Т	G	Α	G	G	С	C T A	G	C	1	Α	Ü	Ü	Α	
SEQ. SEQ. SEQ.	ID	. /	VO.	. 2	•	r.	C	T	G	G	A	Α	C	C	T	С	Α	T	T	G	T	G	G C C	T	Ţ	1	C	C	Ţ	A	
SEQ. SEQ. SEQ.	ID	. 1	VO.	. 2		r	c	G	\mathbf{c}	Т	C	C	Α	G	С	Т	С	Α	C	C	Α	G	T C G	С	С	T	G	Ţ	С	Α	
SEQ SEQ SEQ	. ID). /	VO.	. 2		Δ	Δ	C	C	G	G	С	Α	G	С	G	T	T	T	С	С	С	c c c	Α	C	T	T	T	С	7	•
SEQ SEQ SEQ	. IC). I	NO	. 2		T	C	C	G	A	A	C	G	С	Α	С	С	C	Α	T	С	Α	G G T	С	C	Α	C	Α	C	7	
SEC SEC	. IL).	NC). 2	1	_	_	A	_	Δ	Α	C	C	C	Τ	. А	C	С	C	G	C	G	C T T	G	A	Α	A	. С	: Т	. (:
SEC SEC). IL).	NC). 2	?	T	т	• 7		: A	: A	. A	ιA	. (; 7	C	iG	iG	Ū	C	ı	Ú	C	Α	. A				, ,	,	•
SEC SEC	\ 11	_	AIC	`	•	T	- 7	• •		• 7	r 4	. (, (• /	\ 7	г (: С	: Α	. (i C	: А	U	A			. Р	` '	- 1		3 1	n
SE(SE(2. 1	D.	N). 2	2	c		. 7	٠ (•	г :	Г (2 /	A (1 7	C C	3 /	\ C	: 0	. C	G C	. С	; (i A	١ (3 A	١ (С

SEQ. SEQ. SEQ.	ID.	N	0.	2	C	т	G	G	Α	G	G	Α	Α	С	G	Α	G	Ť	G	Α	A	G G G	G	Α	G	G	С	T	G	
SEQ. SEQ. SEQ.	ID.	N	O.	2	G	Δ	A	T	Т	G	Α	G	Α	Т	T	Α	С	T	T	T	С	G C C	G	С	C	Α	G	Α	G	
SEQ. SEQ. SEQ.	ID.	N	10.	2	Т	Т	Т	Ċ	Т	Т	С	Т	С	Α	G	Α	T	С	С	Α	G	C C A	T	G	T	G	C	С	C	
SEQ. SEQ. SEQ.	. ID	۸.	10.	2	C	т	C	A	A	A	Α	Α	С	С	T	G	Α	Α	G	C	G	T C C	С	Α	G	G	Α	T	G	
SEQ. SEQ. SEQ.	. ID	. ۸	10.	2	C	C	С	G	Α	Α	Т	С	Α	T	С	Ģ	T	G	G	G	Α	T C A	T	T	T	T	C	T	Α	
SEQ SEQ SEQ	. ID	. ^	VO.	. 2	Т	G	A	G	A	С	Т	G	Α	Α	G	C	С	С	G	G	Α	G A G	Α	G	T	Т	T	· T	΄ 1	
SEQ SEQ SEQ	. IC). 1	VO	. 2	7	٠ ر	: 1		A	G	G	Т	G	Т	A	С	Α	A	G	G	Α	C G C	С	G	T	C	1	. C	7	Γ
SEC SEC). IL). <i>1</i>	VO	. 2	7	1	rc	C	; C	A	A	G	A	A	G	Ţ	' Α	C	G	T	C	A T G	G	G	I	. Т	. C	; C	: 7	Γ
SEC SEC) [[ר כ	NC	2	(. /	١ ٦	Γ 7	rc	3 (3 (; 7	1	; C	; 7	` A	. I	. C	; C	: 1	. G	A	. С	. A	L A	. 7		L C) ز	Ú
SEC SEC	וו ר	7	NC) 2	•	r ·	T (7	۱ ۱	١ (3 /	3 (; (T (r A			G (\ C	; c	: C	: 1	ו י	•	: 7	Γ /	Ι.	r	Ξ,	A

SEQ. SEQ. SEQ.	ID.	N) . 2	2		~	T	~	\sim	A	\sim	٨	C	т	G	G	Α	Т	G	Α	G	A.	1	U	A	C	1	T G A	A	
SEQ. SEQ. SEQ.	ID.	N	D. .	2	C	C	C	G	G	Т	G	G	Α	G	G	G	С	С	Α	С	Α	T	С	Α	С	Α	Α	C C T	1	
SEQ. SEQ. SEQ.	ID.	N	0.	2	C	Λ	C	Δ	т	Т	G	Т	C	Α	Т	G	С	T	G	Α	A	T	С	С	Ţ	G	С	A C T	Α	
SEQ. SEQ. SEQ.	ID.	N	0.	2	Δ	т	A	C	С	C	G	С	Α	G	С	Α	Т	T	T	C	С	Α	Α	С	Α	Т	G	A A G	C	
SEQ. SEQ. SEQ.	ID	. N	0.	2	Δ	т	C	C	С	Α	G	G	Α	Α	T	T	T	G	T	G	G	Α	G	Α	Α	Α	С	G T A	A	
SEQ. SEQ.	. ID	۱. ۸	10.	2			· ~	Δ	A	G	C	G	Α	C	Т	G	Α	A	Α	Α	G	Α	С	Α	C	С	С	C T	G	j
SEQ SEQ SEQ	. ID). N	10.	. 2		_		٠.۸	C	. Δ	C	A	G	G	Α	G	G	C	T	T	С	С	Α	·G	G	Α	G	A G T	C	:
SEQ SEQ SEQ	٠,٠	١ ٨	10	2				• (י י	· G			: C	: T	'Α	T	` G	·A	T	G	С	С	Α	·Τ	, С	ֹ ג	G	iC	j
SEC SEC	10	7 A	10	2	•	. /	~ (•	r 7	r <i>(</i>	. (: (` 4	. (` 7	. C	iC	iС	: С	: C	1	Ū	· A	ιA	Ĺ	. Р		, c	, ,	٠.
SEC SEC	15	~ *	10	1	,	~		r /	~ -	r /	2 (. /	. (3 7	G /		3 (G C		i (i C	: C		i l	. 1			ΙC	, (J
													F	-/	C	' .	/	T.												

SEQ. SEQ. SEQ.	ID.	NO.	. 2	T	Ť G C	Т	G	С	G	С	С	T	G	G	Α	G	G	Α	С	T	T	С	Α	Α	C	T	Α	С
SEQ. SEQ. SEQ.	ID.	NO	. 2	Α	C A A	С	Α	Α	С	С	A	G	Α	С	С	A	Т	T	Α	С	С	G	Α	C	С	Α	Α	Α
SEQ. SEQ. SEQ.	ID.	NO	. 2	T	A C G	T	Α	С	С	G	G	G	С	Α	Α	T	G	Α	Α	С	T	С	T	T	С	G	T	С
SEQ. SEQ. SEQ.	ID.	NC	. 2	С	A T G	Т	T	G	Α	G	G	G	Т	G	Т	С	T	С	T	G	G	C	С	Α	T	G	T	G
SEQ. SEQ. SEQ.	ID.	NC	. 2	G	A T C	G	T	T	T	G	Α	T	G	С	С	Α	G	С	G	G	C	T	C	T	С	G	G	Α
SEQ. SEQ. SEQ.	ID.	. NC). 2	Т	T G T	G	С	Α	T	G	G	Α	С	G	С	T	T	Α	T	С	G	A	G	С	Α	G	C	T
SEQ. SEQ. SEQ.	ID	. NC). 2	T	T C C	Α	G	G	G	T	G	G	С	Α	G	С	T	Α	С	A	Α	G	Α	Α	G	Α	T	T
SEQ. SEQ. SEQ.	. ID	. NC). 2	G	A G	Ċ	T	Α	С	T	A	T	G	A	С	A	G	С	Α	С	С	Α	Α	G	G	Α	T	G
SEQ SEQ SEQ	. ID	. NO	0.2	Α	T	C	T	Т	T	C	С	Т	G	G	T	С	С	Α	Α	Α	Α	С	Α	G	Α	T	Α	Α
SEQ SEQ SEQ	. ID	. NO	0. 2	A	T	. G	G	Α	T	Т	. G	G	Α	G	G	G	T	C	С	С	С	С	С	С	Α	G	C	T

FIG. 1g.

SEQ. SEQ. SEQ.	ID.	٨	10.	2	,	-	A	\sim	\sim	Δ	G	T A A	C	C	(•	Т	G	G	T	С	Α	. 7	•	2 4	A	Α	G	Α	С	A	٠.	Γ
SEQ. SEQ. SEQ.	ID.	. ^	VO.	2		T	\sim	\sim	C	C	Т	A T A	C	C		Γ	G	T	С	Α	C	A	, C	; ;	٩.	A	Α	С	T	С	7	•	Γ
SEQ. SEQ. SEQ.	ID.	٠.	VO.	2		T	A	т	\sim	т	C	C	G	: 7	•	2	T	С	Α	G	Т	. 1	. (•	r	C	T	C	C	Α	. (j (Ų.
SEQ. SEQ. SEQ.	, ID	. 1	VO.	. 2	,	_	т	C		C	_	G A A	ำ	r -	r (G	Т	C	C	Т	Α	. (5 (2	T	G	Т	Ţ	G	7	. (]	T
SEQ SEQ	. IC). [NO	. 2	?	_	~		7	٠,	: า		• (•	т	Т	Т	Α	Α	C	: /	١ ١	Τ·	С	T	Α	С	Α	. ₽	. (T	C
SEC SEC	. IL). ,	NC). 2	2				7	•	, ,	C (C)	٠.	C	G	Т	Т	΄ Α	. 7	Γ /	\ '	T	С	С	Α	G	Α	. A	. (]	T	С	Α
SEC SEC). IL).	NC). 2	2	~			. (٠ (~ (T A	Δ	A	C	\mathbf{C}	Т	٠ ر	i A	\ A	١ (С	Α	Α	С	С	7	` (; ;	۹ ۱	С	T	G
SEC SEC	- 4	_	. 10	•	^	_		-	٠,	r /	- 1	G (~	\sim	т	C	C	י י	٠ (7	Δ. 1	C	Т	G	G	C	1		Γ,	T	Α	G	С
SEC SEC	~ .	_		$\overline{}$	\sim	-	-	~ /	_	~	\sim	т	\sim	т	т.	- ('	. (٠ (: 1			1	u	u	u	•	, ,	_		_	v	~	
SE(SE(\sim .	$\overline{}$	8.77	$\overline{}$	$\boldsymbol{\alpha}$,	~ .	~	~	т	Α.	\sim	C	A T	C	, C	. (ľ	C	G A	(i	(J	Α	u	U	; <i>t</i>	٠,	٠.	_	C	\sim	U	

SEQ. SEQ. SEQ.	ID.	Λ	10.	2	т	т	_	-		rʻ	т .	Т	C	G	Т	C	7	Γ (G	С	С	Α	G	G G C	С	С	C	•) (C (С	T
SEQ. SEQ. SEQ.	ID	. 1	VO.	2	_	т	٠ ،	: (. (-	Τ.	C	C	T	G	C	(3 (С	С	T	G	G	C G A	С	T	1	•	Γ,	A	G	Ţ
SEQ. SEQ. SEQ.	. ID	. 1	VO.	2	_	7	r (: (•	G	C	Т	Α	C	G	(; '	T	T	C	С	Α	T	A G G	T	T	. (: 1	۹ (С	С	Α
SEQ SEQ SEQ	. IC). [NO.	. 2		_	- 4		т	т	Т	G	G	Т	· C	3 (3 '	G	T	C	С	Α	С	A A A	C	C	; (3 '	T	С	T	T
SEQ SEQ SEQ	. IL). ,	NO	. 2	_	. ,		_	Δ	Δ	Δ	G	Α	Α	. (3 (3	A	Α	G	Α	Α	Α	C A T	G	F	١,	4	G	G	Α	G
SEC SEC). IL).	NC	. 2	-	r /	٠.	c	Δ	C.	G	Α	Α		;	A I	С	T	С	Т	G	G	· A	G A C	C	: (2 (С	T	G	G	T A C
SEC SEC	Ž. <i>IL</i>	Э.	NC). 2	, ,		C	\sim	т	c	т	Δ	េា	. (7	C	C	Α	С	Α	G	ī	. C	C	(; (2	C	Ţ	G	C	C T T
SEC SEC	~ //		AIC	2		c	C	т	C	G	C	. (7	١.	T	G	G	Α	Т	, С	; 7	. (•	: 7	(2	A	С	T	С	T	CCT
SEC SEC	~ /	$\overline{}$	A 1/	~	•	C		\sim		т	• ~	• •	r (7. 1	\sim	\boldsymbol{c}	Α	- (1	· A	\ 1	i (. (j	1 (۱ ر	J	А	L	C	_		_
SE(SE	\sim		A 1/	\sim	2	T				•	• (7	G T	G T	A G	C T	G	A	١ ٦	r ·	г		ΑI	ن ف	A.	C	А	- 1	Ţ	- 1		, (

																•																	
SEQ. SEQ. SEQ.	ID.	۸,	10.	2	c	. ,	A	A	G	G	Α	Ġ	G	Α	Α	. C	: (C	T	A	Α	G	G G G	Α	Α	G	1	Α,	T.	A	Ţ	T	
SEQ. SEQ. SEQ.	ID	. 1	VO.	2	•	•	A	~	c	т	C	Т	C	Т	' Α		Г	T	С	T	G	C	G C C	C	С	Α	. (3 (С	T	G	G	
SEQ SEQ SEQ	. IL). [VO.	. 2		Δ	c	C	Δ	т	Т	G	С	Α	. (3 (C	T	C	C	Α	G	A G C	A	Α	. С	i	A.	T	G	Α	Α	
SEC SEC). IL). <i>i</i>	NO	. 2	•	т	٨	C	Δ	т	G	G	C	1	•	Г (G	G	С	Α	T	Ί	C	T	C	: 7	Γ.	Α	T	G	G	Ţ	
SEC SEC). IL) . ,	NO	. 2	•	т	A	C	Δ	Δ	G	G	G	. (3 (_	T	G	С	T	G	· C	C	G	· (Γ	G	С	T	G	C	j
SEC SEC	Ž. 1L	Э.	NC). 2	?	~		٨	т		т	· т	٠ ر	. (7 1	T	Т	G	C	Т	Ί	` A	G T	. G	1	١ (3	Α	С	С	Α	F	١.
SEC SEC	2 . <i>I</i> .	D.	NC	D. 2	2	_			: 7	• ~	: า	٠ ر	٠ ٦	г (- (C	Α	С	T	G	A	. (T A	ιA	. (37	Α.	Ţ	C	Α	A		1
SEC SEC	_			_	_	_			r /	٠.		~ (~ /	C.	C	C	\mathbf{c}	т	· (; 7	r (7 (4 7 G () C ()	; (Ξ.	A	Т	G	G	C	. 1	. 4	A.
SE(SE(_	_		$\overline{}$	\sim	~	•	•	n		~		Α.	т	<i>r</i> :	.1.	- 4 :				. .		1 1		_		u	- 1	v	, ,	- \	_	-
SE SE SE	_	-		$\overline{}$	_	_	•		~	_		~	т	<i>~</i> :	\boldsymbol{c}	-11	- (. (•	1	ι.	A	_	_	м			, ,	٦.	4	

FIG. Ij.

																						_	_			_			_	_	-
ID	٠.	VO.	2	_	7	٠,		T		\sim	Α	G	C	С	. A	١ (G	С	Α	G	G	Α	T	G	C	F	١ (3 (C	C	T
ID	. 1	VO.	2	т	٦	- (~ ·		\sim	т	т	Т	G	C	. (2	Т	C	Т	С	T	T	G	С	C	. /	١ '	T.	Α	G	T
. IC). 1	VO.	2	т	. ,	r	т	\sim	т	C	C	т	C	(•	Т	Α	T	Α	T	С	Α	C	Т	. С	•	Γ.	T	G	T	T
. IL). I	NO.	. 2	_	, ,	т	C	\sim	T	\sim	т	Т	' Т	٠ (3	T	G	С	С	C	Α	. A	G	Α	٠.	Γ(G	С	G	C	Α
). IL). .	NO	. 2	(-	c	~	т	G	Α	т	· C	: /	۱ (С	C	С	G	Α	G		; C	; (i A	١,	Ą	T	G	G	C	Α
Ì. II	D .	NC). 2	•	_	т	\sim	c	G	Δ	C	: (; (7	G	C	Α	G	G	A	. (: A	\ (•	-	A	T	G	Α	Α	G
Ž. //	D.	NC). 2		A	c	Α	C	C	C	: า	r (٠.	A	Т	C	G	Α	C	: C	: /	١ ٨	١ (A	Α	C	Α	Α	C	G
	_		•			_	_				. /		~	Λ	Δ	C	т	٠ ر	` (. (. (3 (G (_	Т	G	Т	Т	. G	G	Α
_		A 1/	~ <i>^</i>	1				_	. (3 /		~	Δ	Δ	"	- ('	•	Ì	ı	. 1 /	Α.,	Α,	L	1	u	v	n	ഹ			
\sim	-		\sim	\sim		~	~ /	٠.	٠,	~	T	\boldsymbol{c}	C A	C	C	. 7		3 4	T	G	Α.	u	м	u	u	м		, ,	٠ ١	J	ı
	100 1000 1000 1000 1000 1000 1000 1000	ID. N.	ID. NO. ID. NO	ID. NO. 2 ID. NO. 3 ID. NO	ID. NO. 2 C ID. NO. 3 C ID. NO. 1 C ID. NO. 2 T ID. NO. 3 T ID. NO	ID. NO. 2 C TO ID. NO. 3 C TO ID. NO. 1 C A ID. NO. 2 T TO ID. NO. 2 T TO ID. NO. 2 T TO ID. NO. 2 G TO ID. NO. 3 G TO ID. NO. 2 G TO ID. NO. 3 G TO ID. NO.	ID. NO. 2 C T C ID. NO. 3 C C ID. NO. 3 C C ID. NO. 1 C A ID. NO. 2 T T C ID. NO. 2 T T C ID. NO. 2 G T C ID. NO. 3 G G ID. NO.	ID. NO. 2 C T G ID. NO. 3 C C T G ID. NO. 3 C C T G ID. NO. 1 C A A ID. NO. 2 T T G ID. NO. 3 G T G ID. NO. 2 T T T ID. NO. 3 T T A ID. NO. 3 T T A ID. NO. 3 G G G ID. NO. 3 G C T ID. NO. 3 G G G ID. NO. 3	ID. NO. 2 CTGTGID. NO. 3 CCTGID. NO. 3 CCTGID. NO. 2 TTGCID. NO. 3 GTGA ID. NO. 1 TTCA ID. NO. 2 TTTC ID. NO. 2 TTTC ID. NO. 2 TTTC ID. NO. 3 GTGA ID. NO. 3 GTGA ID. NO. 1 TCAA ID. NO. 2 GTGC ID. NO. 3 GGAC ID. NO. 1 TCAA ID. NO. 2 GTGC ID. NO. 3 GGAC ID. NO. 1 TCAA ID. NO. 2 GTGC ID. NO. 3 GGAC ID. NO. 1 TCAA ID. NO. 2 GTCGAA ID. NO. 3 GGAC ID. NO. 1 TCCAA ID. NO. 2 GTCGAA ID. NO. 3 GCTGAA ID. NO. 3 CTGAA ID. N	ID. NO. 2 CTGTC ID. NO. 3 CCTGA ID. NO. 1 CAATG ID. NO. 2 TTGCC ID. NO. 3 GTGAT ID. NO. 1 TTCAC ID. NO. 2 TTTCT ID. NO. 2 TTTCT ID. NO. 3 GTGAC ID. NO. 3 GTCGGAC ID. NO. 3 GTCGGAC ID. NO. 3 GTTGAC ID. NO. 3 GTTGAC ID. NO. 3 GTTGAC ID. NO. 3 GTTGAC ID. NO. 3 TCATCAC ID. NO. 3 TCATCAC ID. NO. 3 CTGTCAC ID. NO.	ID. NO. 2 CTGTCC ID. NO. 3 CCTGAG ID. NO. 1 CAATGA ID. NO. 2 TTGCCT ID. NO. 3 GTGATG ID. NO. 1 TTCACT ID. NO. 2 TTTCTC ID. NO. 3 TTATAA ID. NO. 2 GTGCTC ID. NO. 3 GGACAG ID. NO. 1 TCAAAA ID. NO. 2 GTGCTC ID. NO. 3 GGACAG ID. NO. 1 TCAAAAA ID. NO. 2 GTGCTC ID. NO. 3 GGAAAAA ID. NO. 2 GTCGGAA ID. NO. 3 GGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ID. NO. 2 CTGTCCA ID. NO. 3 CCTGAGC ID. NO. 1 CAATGAC ID. NO. 2 TTGCCTT ID. NO. 3 GTGATGG ID. NO. 1 TTCACTGC ID. NO. 2 TTTCTCC ID. NO. 3 TTATAAG ID. NO. 2 GTGCTCT ID. NO. 3 GGACAGG ID. NO. 1 TCAAAAAT ID. NO. 2 GTGCTCT ID. NO. 3 GGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG	ID. NO.2 CTGTCCAG ID. NO.3 CCTGAGCC ID. NO.1 CAATGACA ID. NO.2 TTGCCTTT ID. NO.3 GTGATGGG ID. NO.1 TTCACTGA ID. NO.2 TTTCTCCT ID. NO.3 TTATAAGT ID. NO.3 GTGATGGG ID. NO.1 AGGCCATT ID. NO.3 GGACAGGC ID. NO.1 GGCTGATC ID. NO.3 GGACAGGC ID. NO.1 ACAACAGA ID. NO.2 GGCTGATC ID. NO.2 GGCTGATC ID. NO.3 GGGAGAGC ID. NO.1 ACAACAGA ID. NO.2 GTCGGAAGC ID. NO.3 AGGAAGCA ID. NO.1 ACAGGGTC ID. NO.3 GCTGGGACA ID. NO.1 TCCAGAAA ID. NO.2 ACAGGGTC ID. NO.3 GCTGGGACA ID. NO.1 TCCAGAAA ID. NO.2 ACAGGGTC ID. NO.1 TCCAGAACA ID. NO.2 ACAGGAACA ID. NO.1 TCCAGAAACA ID. NO.2 ACAGGAACA ID. NO.1 TCCAGAAACA ID. NO.2 AGGAAGGAACA ID. NO.1 TCCAGAAACA ID. NO.2 AGGAAGGAACA ID. NO.1 TCCCTCCAGAACA ID. NO.1 TCCCTCCAGAACA ID. NO.1 TCCCTCCAGAACA ID. NO.1 TCCCTCCAGAACA ID. NO.1 TCCCTTCCAGAACA ID. NO.1 TCCCTTCAGAACA ID. NO.1 TCCCTTCAGAACA ID. NO.1 TCCCTTCAGAACA ID. NO.1 TCCCTTCAGAACA ID. NO.1 TCCCTTTCAGAACA ID. NO.1 TCCCTTTCAGAACA ID. NO.1 TCCCTTCCAGAACA ID. NO.1 TCCCTTTTAGAACAACAACAACAACAACAACAACAACAACAACAACAA	ID. NO.2 CTGTCCAGC ID. NO.3 CCTGAGCCC ID. NO.1 CAATGACAT ID. NO.2 TTGCCTTTG ID. NO.3 GTGATGGGA ID. NO.2 TTTCTCCTC ID. NO.3 TTATAAGTG ID. NO.1 AGGCCATTT ID. NO.2 GTGCTCTTT ID. NO.2 GTGCTCTTT ID. NO.3 GGACAGGCC ID. NO.3 GGACAGGCC ID. NO.3 GGACAGGCC ID. NO.1 TCAAAAATCC ID. NO.2 GTGCTGATC ID. NO.3 GGAAGGCC ID. NO.3 GGAAGCAC ID. NO.3 GGAAGCAC ID. NO.3 AGGAAGCAC ID. NO.3 AGGAAGCAC ID. NO.1 AAGATCCT ID. NO.2 GTCGGAAGCC ID. NO.3 AGGAAGCAC ID. NO.3 AGGAAGCAC ID. NO.3 GCTGGGAACC ID. NO.3 GCTGGGAAGCAC ID. NO.3 GCTGGGAACC ID. NO.3 TCATCTCT ID. NO.2 AGGAAGCAC ID. NO.3 TCATCTCT ID. NO.2 GAAGGAACC ID. NO.3 CTGTGAGT ID. NO.3 CTGTCATA	ID. NO.2 CTGTCCAGCC ID. NO.3 CCTGAGCCC ID. NO.1 CAATGACATC ID. NO.2 TTGCCTTTGC ID. NO.3 GTGATGGGAC ID. NO.1 TTCACTGAGA ID. NO.2 TTTCTCCTCCTC ID. NO.3 TTATAAGTGA ID. NO.2 GTGCTCTTTC ID. NO.3 GGACAGGCC ID. NO.3 GGACAGGCC ID. NO.3 GGACAGGCC ID. NO.1 ACAACAGAG ID. NO.2 GGCTGATCA ID. NO.3 GGAAGGCC ID. NO.3 GGAAGGCC ID. NO.3 GGAAGGCC ID. NO.3 AGGAAGCAGCC ID. NO.1 ACAACAGAGCC ID. NO.2 GTCGGAGGCC ID. NO.3 AGGAAGCAGCC ID. NO.3 GCTGGGAAGCC ID. NO.3 GCTGGGAAGCC ID. NO.3 GCTGGGAAGACAC ID. NO.3 GCTGGGAAGACAC ID. NO.1 TCCCAGAACAC ID. NO.2 ACAGGGTCAC ID. NO.3 TCATCTCTT IC. ID. NO.2 AGGAAGAACAC ID. NO.3 TCATCTCTT IC. ID. NO.3 CTGTGAGTT IC. ID. NO.3 CTGTGAGTT IC. ID. NO.1 ACGCCTACCC ID. NO.2 ATCATTGCT ID. NO.3 CTCTCATACCC ID. NO.3 CTCTCATACCC ID. NO.3 CTCTCATACCC ID. NO.3 CTCTCATACCC ID. NO.3 CTCTCATACCCC ID. NO.3 CTCTCATACCCCC ID. NO.3 CTCTCATACCCCC ID. NO.3 CTCTCATACCCCCC ID. NO.3 CTCTCATACCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	ID. NO. 2 CTGTCCAGCCAGCCAGCCAGCCAGCCAGCCCAGCCCAGC	ID. NO. 2 CTGTCCAGCCAGCCAGID. NO. 3 CCTGAGCCAGID. NO. 3 CCTGAGCCCCCGGID. NO. 1 CAATGACATCCID. NO. 2 TTGCCTTTGCCGID. NO. 2 TTTCTCCTCCTCCTGAGAGAGID. NO. 2 TTTCTCCTCCTCCTGAGAGAGID. NO. 2 GTGCTCTTTGTAGAGAGAGAGAGAGAGAGAGAGAGAGAGA	ID. NO. 2 CTGTCCAGCCAG ID. NO. 3 CCTGAGCCCCC ID. NO. 1 CAATGACATCCT ID. NO. 2 TTGCCTTTGCCT ID. NO. 3 GTGATGGGAGTC ID. NO. 3 GTGATGGGAGTC ID. NO. 1 TTCACTGCTCCTA ID. NO. 2 TTTCTCCTCCTA ID. NO. 2 GTGCTCTTTGTG ID. NO. 3 GTGATGGGAGGC ID. NO. 3 GTGATGGGAGCCAGT ID. NO. 3 GTGATGAGGCCAGT ID. NO. 3 GGACAGGCCAGT ID. NO. 3 GGACAGGCCAGT ID. NO. 3 GGACAGGCCAGT ID. NO. 3 GGAGAGGCGCA ID. NO. 3 GGGAGAGGCGCA ID. NO. 3 GGGAGAGGCGCA ID. NO. 3 GGGAGAGGCGCA ID. NO. 3 GGGAGGGGAAACCCC ID. NO. 3 GGGAGGGGAAACCCC ID. NO. 3 GCTGGGAAGAACCCC ID. NO. 3 GCTGGGAAGAACCCC ID. NO. 3 GCTGGGAAGAACCCCC ID. NO. 3 GCTGGGAAGAACCCC ID. NO. 3 GCTGGGAAGAACCCCC ID. NO. 3 GCTGGGAAGAACCCCC ID. NO. 3 GCTGTGAGTTCTCTCCCCAGCTCCCCCCCCCCCCCCCCC	ID. NO. 2 CTGTCCAGCCAGC ID. NO. 3 CCTGAGCCCCCCG ID. NO. 1 CAATGACATCCTC ID. NO. 2 TTGCCTTTGCCTC ID. NO. 3 GTGATGGGAGTCG ID. NO. 3 GTGATGGGAGTCG ID. NO. 3 TTATAAGTGAGAGGGAGTCG ID. NO. 3 TTATAAGTGAGGGAGTCG ID. NO. 3 TTATAAGTGAGGGAGGG ID. NO. 1 AGGCCATTTGTGTGC ID. NO. 2 GTGCTCTTTGTGCCAGGAGGGGAGAAGTAGAGGGGAAGGGGAAAGTAGAGGGGAAAGTAGAGGGGAAGGGGAAAGTAGAGGGGAAAGAGGGGAAAGAGAGGGGAAAGAGAAGA	ID. NO. 2 CTGTCCAGCCAGCAGCA ID. NO. 3 CCTGAGCCCCCCGA ID. NO. 1 CAATGACATCCTCA ID. NO. 2 TTGCCTTTTGCCTCT ID. NO. 3 GTGATGGGAGTCGA ID. NO. 1 TTCACTGAGAGAGCAC ID. NO. 2 TTTCTCCTCCTATA ID. NO. 2 TTTCTCCTCCTATA ID. NO. 3 GTGCTCTTTGCCTATA ID. NO. 3 GTGCTCTTTGTGCC ID. NO. 3 GTGCTCTTTGTGCC ID. NO. 3 GGCCATTTTAAAA ID. NO. 2 GTGCTCTTTGTGCC ID. NO. 3 GGACAGGCCAGTAG ID. NO. 3 GGAGAGGCCCAGTAG ID. NO. 3 GGGAGAGGCCCTC ID. NO. 3 GGGAGAGGCGCAGG ID. NO. 3 GGGAGAGGCCCTC ID. NO. 3 GGGAAGGCCCTC ID. NO. 3 GGGAAGGCCCTC ID. NO. 3 GCTGGAGGCGCAGG ID. NO. 3 GCTGGAAGAACAATCGAA ID. NO. 1 CCAAACAGAGAACAATCGAA ID. NO. 2 ACAGGGTCATCGAA ID. NO. 3 GCTGGGAAGAACAATCGAA ID. NO. 3 CTGTGAGAAACCATCGAA ID. NO. 3 TCATCTCTTGTAAAA ID. NO. 1 TCCCTCCAGCTCCAGAAACAATCGAAAAAAAAAAAAAAA	ID. NO. 2 CTGTCCAGCCAGCAGCAG ID. NO. 3 CCTGAGCCCCCCGAC ID. NO. 1 CAATGACATCCTCAA ID. NO. 2 TTGCCTTTTGCCTCTC ID. NO. 3 GTGATGGGAGTCGAG ID. NO. 1 TTCACTGAGAGAGCACA ID. NO. 2 TTTCTCCTCCTATAT ID. NO. 3 TTATAAGTGAGGGTA ID. NO. 3 GTGCTCTTTGTGCCC ID. NO. 3 GTGCTCTTTGTGCCC ID. NO. 3 GTGCTCTTTGTGCCC ID. NO. 3 GTGCTCTTTGTGCCC ID. NO. 3 GGACAGGCCAGGAG ID. NO. 3 GGACAGGCCAGGAGGCCAGGAGGCCAGGAAGGCCCAGGAGG	ID. NO. 2 CTGTCCAGCCAGCAGCAGGACC ID. NO. 3 CCTGAGCCCCCCGACC ID. NO. 1 CAATGACATCCTCAAC ID. NO. 2 TTGCCTTTTGCCTCTCT ID. NO. 3 GTGATGGGAGTCGAGT ID. NO. 1 TTCACTGAGAGCCACAGAG ID. NO. 2 TTTCTCCTCCTATATATC ID. NO. 3 TTATAAAGTGAGGGTAG ID. NO. 1 AGGCCATTTTGTAGCCAAGAAAAA ID. NO. 2 GTGCTCTTTTGTAGCCAAGAAAAA ID. NO. 3 GGACAGGCCAGTAGGGAGAAGAAAAAAAAAAAAAAAAAA	ID. NO. 2 CTGTCCAGCCAGCAGGAGGAID. NO. 3 CCTGAGCCCCCCGAACCGID. NO. 3 CCTGAGCCCCCCGAACCGID. NO. 3 CCTGAGCCCCCCGAACCGID. NO. 2 TTGCCTTTTGCCTCTCTTID. NO. 3 GTGATGGGAGTCGAGTGAGAGTCGAGTG. ID. NO. 1 TTCACTGAGAGAGCACAGAAAAAAAAAAAAAAAAAAAAA	ID. NO. 2 CTGTCCAGCCAGCAGGAT ID. NO. 3 CCTGAGCCCCCCGACCGG ID. NO. 1 CAATGACATCCTCAACCT ID. NO. 2 TTGCCTTTTGCCTCTCTTG ID. NO. 3 GTGATGGGAGTCGAGTGC ID. NO. 1 TTCACTGAGAGAGCACAGAT ID. NO. 2 TTTCTCCTCCTCTATATCAC ID. NO. 3 TTATAAGTGAGGGTAAGGG ID. NO. 3 TTATAAGTGAGGGTAAGGG ID. NO. 3 GTGCTCTTTTGTGCCCAAGGGG ID. NO. 3 GGACAGGCCAGGAGAG ID. NO. 3 GGACAGGCCAGGAGGGG ID. NO. 3 GGACAGGCCAGGAAGGGGAAAGGAGAAAGAAGAAGAAGAA	ID. NO. 2 CTGTCCAGCCAGCAGCAGGATG ID. NO. 3 CCTGAGCCCCCCGACCGGC ID. NO. 1 CAATGACATCCTCAACCTG ID. NO. 2 TTGCCTTTGCCTCTCTTGC ID. NO. 3 GTGATGGGAGTCGAGTGCA ID. NO. 1 TTCACTGAGAGCCCCCCAGAGTGCA ID. NO. 2 TTTCTCCTCCTATATCCACT ID. NO. 3 TTATAAAGTGAGGGTAGGGT ID. NO. 3 GTGCTCTTTGCCCAAGCTAGAGA ID. NO. 3 GTGCTCTTTGTGCCCAAGAAAAAAATCA ID. NO. 3 GGCCATTTTAAAAAAAATCAA ID. NO. 3 GGGCCATTTTAAAAAAAATCAA ID. NO. 3 GGGAGGCCAGTACAGAA ID. NO. 3 GGGAGAGGCCAGGAGGGGAA ID. NO. 3 GGGAAGGCCCTCTCGAA ID. NO. 3 GGGAAGGCCCTCTCGAA ID. NO. 3 GGGAAGGCCCTCTCGAA ID. NO. 3 AGGAAGCCCTTCTCGAA ID. NO. 3 AGGAAGCCCTTCTCGAA ID. NO. 3 ACAAGAGAGCCCTCTCGAA ID. NO. 3 ACAAGAGAGCCCTCTCCAACACACACACACACACACACAC	ID. NO.2 CTGTCCAGCCAGCAGGATGCID. NO.3 CCTGAGCCCCCCGAACCGGCTACAGCAGATGCID. NO.1 CAATGACATCCTCAACCTGAID. NO.2 TTGCCTTTGCCTCTTTGCCTLTTTGCCID. NO.2 TTTCTCCTCCTATATCACTCACTCACTATATCACTCACT	ID. NO.2 CTGTCCAGCCAGCAGGATGCAGINNO.3 CCTGAGCCCCCCGACCGGACCGGCTAINNO.3 CCTGAGCCCCCCGAACCGGCTAINNO.3 CCTGAGCCCCCCGAACCGGCTAINNO.2 TTGCCTTTGCCTATTGCCTAINNO.3 GTGATGGAGAGCACAGATGCATAINNO.3 TTATAAGTGAAGGGTAGGGTAGGAGTAGGAGTAGGAGTAGAAAAAA	ID. NO.2 CTGTCCAGCCAGCAGCAGGATGCAGID. NO.3 CCTGAGCCCCCCGACCGGCTT. ID. NO.1 CAATGACATCCTCAACCTGGG. ID. NO.2 TTGCCTTTGCCTCTCTTTGCCATGCATID. NO.3 GTGATGGAGTCGAGTGCATT. ID. NO.1 TTCACTGAGAGTCGAGTGCATT. ID. NO.2 TTTCTCCTCCTATATCACCTGAGGAGGGAGAGAGTGGAGTGAACTGT. ID. NO.3 TTATAAGTGAGGGTAAGGGTAAGATGAGAGTGAGAGTGAAGATGAGGGAGAGAGAGAGAGAGAGAGAGGGGAAACAAGAGAGAGGGGAAACAAGAGAGAGGGGAAACAAGATGAGAGGGGAAACAAGAGAGAG	ID. NO. 2 CTGTCCAGCCAGCAGGATGCAGID. NO. 3 CCTGAGCCCCCCGACCGGCTTA ID. NO. 1 CAATGACATCCTCAACCTGGGAAID. NO. 2 TTGCCTTTTGCCTTCTTTGCATTID. NO. 3 GTGATGGAGAGCCTCTCTTTTGCATTTTT. ID. NO. 1 TTCACTGAGAGCCACAGATGGAGAGAGAGAGAGAGAGAAAAAAAA	ID. NO. 2 CTGTCCAGCCAGCAGGATGCAGCID. NO. 3 CCTGAGCCCCCCGACCGGCTTAG ID. NO. 1 CAATGACATCCTCAACCTGGGAA ID. NO. 2 TTGCCTTTTGCCTCTCTTGCCATA ID. NO. 3 GTGATGGGAGTCGAGTGCATTAG ID. NO. 1 TTCACTGAGAGCCACAGATGCATTAG ID. NO. 2 TTTCTCCTCCTCTATATCACTCTTG ID. NO. 3 TTATAAGTGAAGGGTAGGGTAGG ID. NO. 3 TTATAAGTGAGGGTAGGGTAGGG ID. NO. 3 GTGATGGGAGGGAAGAAAAAAATCACCTC ID. NO. 3 GTGCTCTTTGTGCCCAAGATGGGAGG ID. NO. 3 GGACAGGCCAGTAGGGGAATGGGAAGAAGAAGAAGAAGAAGAAGAAGAA	ID. NO. 2 CTGTCCAGCCAGCAGGATGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAG

SEQ. ID. NO.1 CGTGGACGCCAGCTGTGTCAGCCCC SEQ. ID. NO. 2 TCTCTGAACTGCGCCATCAGCTCCA SEQ. ID. NO. 3 TTTTTCTCTCTTACTGCTTCATGTA TGCGTCAGCCCACCGCCAGCCCCC SEQ. ID. NO.1 SEQ. ID. NO. 2 GTCTCGGCAGCAGCTCCGCTCCCGG SEQ. ID. NO. 3 ATTTTGTATCACCTCTTCACAATTT SEQ. ID. NO.1 GCCACAGACATGTGCCACCCTCCTT SEQ. ID. NO. 2 CGCCACCCACCGACACCCCCAGAAC SEQ. ID. NO. 3 AGTTCGTACCTGGCTTGAAGCTGCT SEQ. ID. NO.1 CCGAGTCATGGTCTCGGGCCTG SEQ. ID. NO. 2 CCTCTGGGGGCCTGCCCAGGGGACC SEQ. ID. NO. 3 CACTGCTCACACGCTGCCTCAG SEQ. ID. NO.1 SEQ. ID. NO. 2 CCCTGAGCCCCCGACCGGCTTAGC SEQ. ID. NO. 3 CAGCCTCACTGCATCTTTCTCTTCC SEQ. ID. NO.1 SEQ. ID. NO. 2 TGTGATGGGAGTCGAGTGCAT.TTGC SEQ. ID. NO. 3 CATGCAACACCCTCTTCTAGTTACC SEQ. ID. NO.1 SEQ. ID. NO. 2 TTTATAAGTGAGGGTAGGGTGAGGG SEQ. ID. NO. 3 ACGGCAACCCCT SEQ. ID. NO.1 SEQ. ID. NO. 2 AGGACAGGCCAGTAGGGGAAGGGAA SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 AGGGAGAGGGGAAGGGCAGGGACT SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 CAGGAAGCAGGGGGTCCCCATCCCC FIG. IL. SEQ. ID. NO. 3

SEQ. SEQ. SEQ.	ID.	NC). 2		A	G	С	Т	. (3	G	G	Α	Α	. (3	Α	A _,	С	A	-	Γ	G	С	Т	A	τ	c	: (3	A	Α	Т
SEQ. SEQ. SEQ.	ID.	NC). 2		С	Т	С	Α		r	С	Т	С	T	· ·	Т	G	Т	A	A	. #	4	T	A	С	Α	т	C	; .	Γ	С	С	С
SEQ. SEQ. SEQ.	ID.	NC). 2	2	С	С	Т	C	} '	r	G	Α	G	ז	Γ'	Т	С	Т	G	G	i (3	С	Т	G	Α	Т	-	Γ	Т	G	G	G
SEQ. SEQ. SEQ.	ID.	. NC). <i>i</i>	2	Т	С	Т		2	т	С	A	Т	٠,	Ą	С	С	т	C	T	. (G	G	G	Α	A	A	. (3	A	G	Α	С
SEQ SEQ SEQ	. ID	. NO). .	2	С	Т	. Л		Г	т	Т	С	7	Γ (С	т	С	Т	. 1	C A		С	Т	G	C	Т	т.	. (С	Α	Т	G	Т
SEC SEC	. ID	. N	Э.	2	A	. A	. 7	Γ,	Т	Т	Τ	· c	; 7	Γ.	A	Т	Ċ	Α	. (: C	3	т	С	Т	Т	C	: <i>p</i>		С	A	A	Т	τ
SEC SEC). ID). N	0.	2	T	: A	λ (3	т	Т	C	: C	} '	r	A	С	С	: 7	۲ (G (3	С	Т	т	G	Δ,	. #		G	С	Т	· c	; C
SEC SEC	D. IC). N	Ο.	2	7	Γ(c 4	A	С	Τ	• (; (2	Т	С	A		: <i>A</i>	A (C ·	G	C	Т	. G	C	: c	3 '	Т	С	С	7	: C	: A
SEC SEC	Q. <i>IL</i>	D. N	10	. 2	(G (С	A	G	c	C (C '	Т	C	A		3 7	Г	G	С	A	Т	· c	: 7	. 1	Γ '	Γ	С	Т	C	7	r ´	rc
SE(SE(Q. II	D. N	10	. 2		С	С	A	Т	•	5 (С	A	A			٠			c /				Γ ΄	Г	С	Т	Α	C	; -	r	Т	A C

SUBSTITUTE SHEET (RULE 26)

SEQ. ID. NO.1 SEQ. ID. NO. 2 CACGGCAACCCCTGCAGCTCCTG SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 CCTTTGTGCTCTGTTCCTGTCCAGC SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 AGGGGTCTCCCAACAAGTGCTCTTT SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 CCACCCCAAAGGGGCCTCTCCTTT SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 CTCCACTGTCATAATCTCTTTCCAT SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 CTTACTTGCCCTTCTATACTTCTC SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 A C A T G T G G C T C C C C C T G A A T T T T G C SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 TTCCTTTGGGGAGCTCATTCTTTCG SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 CCAAGGTCACATGCTCCCTTGCCTC SEQ. ID. NO. 3 SEQ. ID. NO.1 SEQ. ID. NO. 2 TGGCTCCGTGCA SEQ. ID. NO. 3 FIG. In.

SUBSTITUTE SHEET (RULE 26)

ClustalW Formatted Alignments

SEQ. SEQ. SEQ. SEQ. SEQ.	ID. ID. ID.	N N N	10. 10. 10.	5 6 7	M M	L G	P	C	, L	. L	, , , ,		P T	L P P	F V L	L G F	R W L	X P P R	L	. (3 4 P (P (A. L G	G L A	G L G	A V G	Q M A	A		, (ב פ	A V N	A A	
SEQ SEQ SEQ SEQ	. ID . ID . ID).	VO. VO. VO.	5 6 7	S	E V	3 C	3 (V <i>I</i>	C (Q S I	I H	I S	H P	P H H	P L	W P	R	P C	; C) 	I P G	R R I	Y V R	R P Y	G P R	H	F	· ·	c i c i	S R	Q E D	v R Q	
SEC SEC SEC SEC). IC). IC). IC). I). I). I	NO. NO. NO	. 5 . 6 . 7	K F		4 4 '	I ∃	N Y	F I	L G	P A	V L	D F	Y P	· E		L N S C E 1	3 (3 (Y Gʻ F.	V W Y	C P V	R G C	G G R	Q	A	. (. (E (V Q E	V P V	A V	V G	
SEC SEC SEC SEC	Q. IL Q. IL Q. IL).).).	NO NC NC). 5). 6). 7		K E l	V M	R A	K L	C E	L D	A V T	N N A	S	R	; V } F	V	E (C T I	D I I T :	M L D	D P M	T D D	P Y T	S E P	R L S	. (. I	: { }	V L C	R I V	I H R	H	0	
SE(SE(SE(SE(2. II 2. II 2. II	D. D. D.	NC NC NC). 5). 6). 7	5 5 7	K S	S K	Y C	L D	T P	L G	Q	N A	1 (Κ΄ Κ΄	V Y K	N F L V L	L Y F	T E L	G L T	L G	. Y		. I I I	י כ נ	A P P	I A	K L	I D	I C	I I	L A
SE SE SE SE	Q. 1 Q. 1	D. D. D.	NC NC NC). 8). (). (5 6 7	V M	E P	FG	R C	C S R	S) I	? I / :	S P	F T D	H L F	V H	C V A L A	EV	A G	S S	. P	2 N	7 N	v V S	N I	L C	I S	V Q	I			Y W
SE SE SE	a. a. a. a.	ID. ID. ID.	. NO . NO . NO	o. o. o.	5 6 7	TG	P S	S	S	H	(C	2 (1 (Q L C	V S Q S	И И V И	R R N R	T Q R Q	T P R T R	H F P F	F	HS	: 1 [] []	K I F E I	R : R :	A R R	T A	H V	P Y	S		A S	T A	L L

SEQ. ID. NO. 4 RTVPSDNAVNPAILKLLKHYQWKRV SEQ. ID. NO. 5 PMSGGWPGGQACQPAVEMALEDVNS SEQ. ID. NO. 6 HNPTRVKLFEKWGWKKIATIQQTTE SEQ. ID. NO. 7 FPMSGGWPGGQACQPAVEMALEDVN SEQ. ID. NO. 8 HNPTRVKLFEKWGWKKIATIQQTTE SEQ. ID. NO. 4 GTLTQDVQRFSEVRNDLTGVLYGED SEQ. ID. NO. 5 RRDILPDYELKLIHHDSKCDPGQAT SEQ. ID. NO. 6 V F T S T L D D L E E R V K E A G I E I T F R Q S SEQ. ID. NO. 7 SRRDILPDYELKLIHHDSKCDPGQA SEQ. ID. NO. 8 V F T S T L D D L E E R V K E A G I E I T F R Q S SEQ. ID. NO. 4 I E I S D T E S F S N D P C T S V K K L K G N D V SEQ. ID. NO. 5 KYLYELLYNDPIKIILMPGCSSVST SEQ. ID. NO. 6 FFSDPAVPVKNLKRQDARIIVGLFY SEQ. ID. NO. 7 TKYLYELLYNDPIKIILMPGCSSVS SEQ. ID. NO. 8 FFSDPAVPVKNLKRQDARIIVGLFY SEQ. ID. NO. 4 RIILGQFDQNMAAKVFCCAYEENMY SEQ. ID. NO. 5 LVAEAARMWNLIVLSYGSSSPALSN SEQ. ID. NO. 6 ETEARKVFCEVYKERLFGKKYVWFL SEQ. ID. NO. 7 TLVAEAARMWNLIVLSYGSSSPALS SEQ. ID. NO. 8 ETEARKVFCEVYKERLFGKKYVWFL SEQ. ID. NO. 4 G S K Y Q W I I P G W Y E P S W W E Q V H T E A N SEQ. ID. NO. 5 RQRFPTFFRTHPSATLHNPTRVKLF SEQ. ID. NO. 6 I G W Y A D N W F K T Y D P S I N C T V E E M T E SEQ. ID. NO. 7 NRQRFPTFFRTHPSATLHNPTRVKL SEQ. ID. NO. 8 I G W Y A D N W F K I Y D P S I N C T V D E M T E SEQ. ID. NO. 4 S S R C L R K N L L A A M E G Y I G V D F E P L S SEQ. ID. NO. 5 EKWGWKKIATIQQTTEVFTSTLDDL SEQ. ID. NO. 6 AVEGHITTEIVMLNPANTRSISNMT SEQ. ID. NO. 7 FEKWGWKKIATIQQTTEVFTSTLDD SEQ. ID. NO. 8 AVEGHITTEIVMLNPANTRSISNMT SEQ. ID. NO. 4 SKQIKTISGKTPQQYEREYNNKRSG SEQ. ID. NO. 5 EERVKEAGIEITFRQSFFSDPAVPV SEQ. ID. NO. 6 SQEFVEKLTKRLKRHPEETGGFQEA SEQ. ID. NO. 7 LEERVKEAGIEITFRQSFFSDPAVP SEQ. ID. NO. 8 SQEFVEKLTKRLKRHPEETGGFQEA

FIG. 2b.

SEQ. ID. NO. 4 VGPSKFHGYAYDGIWVIAKTLQRAM SEQ. ID. NO. 5 KNLKRQDARIIVGLFYETEARKVFC SEQ. ID. NO. 6 PLAYDAIWALALAKTSGGGGRSG SEQ. ID. NO. 7 VKNLKRQDARIIVGLFYETEARKVF SEQ. ID. NO. 8 PLAYDAIWALALALNKTSGGGGRSG SEQ. ID. NO. 4 ETLHAS SRHQRIQD FNYTDHTLGRI SEQ. ID. NO. 5 EVYKERLFGKKYVWFLIGWYADNWF SEQ. ID. NO. 6 VRLEDFNYNNQTITDQIYRAMNSSS SEQ. ID. NO. 7 CEVYKERLFGKKYVWFLIGWYADNW SEQ. ID. NO. 8 VRLEDFNYNNQTITDQIYRAMNSSS SEQ. ID. NO. 4 ILNAMNETNFFGVTGQVVFRNGERM SEQ. ID. NO. 5 KTYDPSINCTVEEMTEAVEGHITTE SEQ. ID. NO. 6 FEGVSGHVVFDASGSRMAWTLIEQL SEQ. ID. NO. 7 FKIYDPSINCTVDEMTEAVEGHITT SEQ. ID. NO. 8 FEGVSGHVVFDASGSRMAWTLIEQL SEQ. ID. NO. 4 GTIKFTQFQDSREVKVGEYNAVADT SEQ. ID. NO. 5 IVMLNPANTRSISNMTSQEFVEKLT SEQ. ID. NO. 6 QGGSYKKIGYYDSTKDDLSWSKTDK SEQ. ID. NO. 7 EIVMLNPANTRSISNMTSQEFVEKL SEQ. ID. NO. 8 QGGSYKKIGYYDSTKDDLSWSKTDK SEQ. ID. NO. 4 LEIINDTIRFQGSEPPKDKTIILEQ SEQ. ID. NO. 5 KRLKRHPEETGGFQEAPLAYDAIWA SEQ. ID. NO. 6 WIGGSPPADQILVIKTFRFLSQKLF SEQ. ID. NO. 7 TKRLKRHPEETGGFQEAPLAYDAIW SEQ. ID. NO. 8 WIGGSPPADQTLVIKTFRFLSQKLF SEQ. ID. NO. 4 LRKISLPLYSILSALTILGMIMASA SEQ. ID. NO. 5 LALALNKTSGGGGRSGVRLEDFNYN SEQ. ID. NO. 6 ISVSVLSSLGIVLAVVCLSFNIYNS SEQ. ID. NO. 7 ALALALNKTSGGGGRSGVRLEDFNY SEQ. ID. NO. 8 ISVSVLSSLGIVLAVVCLSFNIYNS SEQ. ID. NO. 4 FLFFNIKNRNQKLIKMSSPYMNNLI SEQ. ID. NO. 5 NQTITDQIYRAMNSSSFEGVSGHVV SEQ. ID. NO. 6 HVRYIQNSQPNLNNLTAVGCSLALA SEQ. ID. NO. 7 NNQTITDQIYRAMNSSSFEGVSGHV SEQ. ID. NO. 8 H V R Y I Q N S Q P N L N N L T A V G C S L A L A

FIG. 2c.

SEQ. ID. NO. 4 I LGGMLSYASIFLFGLDGSFVSEKT SEQ. ID. NO. 5 FDASGSRMAWTLIEQLQGGSYKKIG SEQ. ID. NO. 6 AVFPLGLDGYHIGRSQFPFVCQARL SEQ. ID. NO. 7 V F D A S G S R M A W T L I E Q L Q G G S Y K K I SEQ. ID. NO. 8 AVFPLGLDGYHIGRNQFPFVCQARL SEQ. ID. NO. 4 FETLCTVRTWILTVGYTTAFGAMFA SEQ. ID. NO. 5 YYDSTKDDLSWSKTDKWIGGSPPAD SEQ. ID. NO. 6 WLLGLGFSLGYGSMFTKIWWVHTVF SEQ. ID. NO. 7 GYYDSTKDDLSWSKTDKWIGGSPPA SEQ. ID. NO. 8 WLLGLGFSLGYGSMFTKIWWVHTVF SEQ. ID. NO. 4 KTWRVHAIFKNVKMKKKIIKDQKLL SEQ. ID. NO. 5 QILVIKTFRFLSQKLFISVSVLSSL SEQ. ID. NO. 6 TKKEEKKEWRKTLEPWKLYATVGLL SEQ. ID. NO. 7 DQTLVIKTFRFLSQKLFISVSVLSS SEQ. ID. NO. 8 TKKEEKKEWRKTLEPWKLYATVGLL SEQ. ID. NO. 4 VIVGGMLLIDLCILICWQAVDPLRR SEQ. ID. NO. 5 GIVLAVVCLS FNIYNSHVRYIQNSQ SEQ. ID. NO. 6 VGMDVLTLAIWQIVDPLHRTIETFA SEQ. ID. NO. 7 LGIVLAVVCLSFNIYNSHVRYIQNS SEQ. ID. NO. 8 VGMDVLTLAIWQIVDPLHRTIETFA SEQ. ID. NO. 4 TVEKYSMEPDPAGRDISIRPLLEHC SEQ. ID. NO. 5 PNLNNLTAVGCSLALAAVFPLGLDG SEQ. ID. NO. 6 KEEPKEDIDVSILPQLEHCSSKKMN SEQ. ID. NO. 7 QPNLNNLTAVGCSLALAAVFPLGLD SEQ. ID. NO. 8 KEEPKEDIDVSILPQLEHCSSRKMN SEQ. ID. NO. 4 ENTHMTIWLGIVYAYKGLLMLFGCF SEQ. ID. NO. 5 YHIGRSQFPFVCQARLWLLGLGFSL SEQ. ID. NO. 6 TWLGIFYGYKGLLLLGIFLAYETK SEQ. ID. NO. 7 GYHIGRNQFPFVCQARLWLLGLGFS SEQ. ID. NO. 8 TWLGIFYGYKGLLLLGIFLAYETK SEQ. ID. NO. 4 LAWETRNVSIPALNDSKYIGMSVYN SEQ. ID. NO. 5 GYGSMFTKIWWVHTVFTKKEEKKEW SEQ. ID. NO. 6 S V S T E K I N D H R A V G M A I Y N V A V L C L SEQ. ID. NO. 7 LGYGSMFTKIWWVHTVFTKKEEKKE SEQ. ID. NO. 8 S V S T E K I N D H R A V G M A I Y N V A V L C L

FIG. 2d.

SEQ. ID. NO. 4 VGIMCIIGAAVSFLTRDQPNVQFCI SEQ. ID. NO. 5 RKTLEPWKLYATVGLLVGMDVLTLA SEQ. ID. NO. 6 ITAPVTMILS SQQDAAFAFASLAIV SEQ. ID. NO. 7 WRKTLEPWKLYATVGLLVGMDVLTL SEQ. ID. NO. 8 I TAPVTMILS SQQDAAFAFASLAIV SEQ. ID. NO. 4 VALVIIFCSTITLCLVFVPKLITLR SEQ. ID. NO. 5 IWQIVDPLHRTIETFAKEEPKEDID SEQ. ID. NO. 6 FSSYITLVVLFVPKMRRLITRGEWQ SEQ. ID. NO. 7 AIWQIVDPLHRTIETFAKEEPKEDI SEQ. ID. NO. 8 FSSYITLVVLFVPKMRRLITRGEWQ SEQ. ID. NO. 4 TNPDAATQNRRFQFTQNQKKEDSKT SEQ. ID. NO. 5 VSILPQLEHCSSKKMNTWLGIFYGY SEQ. ID. NO. 6 SETQDTMKTGSSTNNNEEEKSRLLE SEQ. ID. NO. 7 DVSILPQLEHCSSRKMNTWLGIFYG SEQ. ID. NO. 8 SEAQDTMKTGSSTNNNEEEKSRLLE SEQ. ID. NO. 4 STSVTSVNQASTSRLEGLQSENHRL SEQ. ID. NO. 5 KGLLLLGIFLAYETKS V STEKIND SEQ. ID. NO. 6 KENRELEKIIAEKEERVSELRHQLQ SEQ. ID. NO. 7 YKGLLLLGIFLAYETKS V S T E K I N SEQ. ID. NO. 8 KENRELEKIIAEKEERVSELRHQLQ SEQ. ID. NO. 4 RMKITELDKDLEEVTMQLQDTPEKT SEQ. ID. NO. 5 HRAVGMAIYN VAVLCLITAPVTMIL SEQ. ID. NO. 6 SRQQLRSRRHPPTPPDPSGGLPRGP SEQ. ID. NO. 7 DHRAVGMAIYNVAVLCLITAPVTMI SEQ. ID. NO. 8 SRQQLRSRRHPPTPPEPSGGLPRGP SEQ. ID. NO. 4 TYIKQNHYQELNDILNLGNFTESTD SEQ. ID. NO. 5 SSQQDAAFAFASLAIVFSSYITLVV SEQ. ID. NO. 6 SEPPDRLSCDGSRVHLLYK SEQ. ID. NO.7 LSSQQDAAFAFASLAIVFSSYITLV SEQ. ID. NO. 8 PEPPDRLSCDGSRVHLLYK SEQ. ID. NO. 4 GGKAILKNHLDQNPQLQWNTTEPSR SEQ. ID. NO. 5 L F V P K M R R L I T R G E W Q S E T Q D T M K T SEQ. ID. NO. 6 SEQ. ID. NO. 7 VLFVPKMRRLITRGEWQSEAQDTMK SEQ. ID. NO. 8

FIG. 2e.

SEQ. ID. NO. 4 TCKDPIEDINSPEHIQRRLSLQLPI SEQ. ID. NO. 5 GSSTNNNEEEKSRLLEKENRELEKI SEQ. ID. NO. 6 SEQ. ID. NO. 7 TGSSTNNNEEEKSRLLEKENRELEK SEQ. ID. NO. 8 SEQ. ID. NO. 4 LHHAYLPSIGGVDASCVSPCVSPTA SEQ. ID. NO. 5 I A E K E E R V S E L R H Q L Q S R Q Q L R S R R SEQ. ID. NO. 6 SEQ. ID. NO. 7 IIAEKEERVSELRHQLQSRQQLRSR SEQ. ID. NO. 8 SEQ. ID. NO. 4 SPRHRHVPPSFRVMVSGL SEQ. ID. NO. 5 HPPTPPDPSGGLPRGPSEPPDRLSC SEQ. ID. NO. 6 SEQ. ID. NO. 7 RHPPTPPEPSGGLPRGPPEPPDRLS SEQ. ID. NO. 8 SEQ. ID. NO. 4 SEQ. ID. NO. 5 DGSRVHLLYK SEQ. ID. NO. 6 SEQ. ID. NO. 7 CDGSRVHLLYK SEQ. ID. NO. 8

FIG. 2f.

ATG GCA TTT TAT AGC Met Ala Phe Tyr Ser>

TGC TGC TGG GTC CTC TTG GCA CTC ACC TGG CAC ACC TCT GCC TAC GGG CCA GAC Cys Cys Trp Val Leu Leu Ala Leu Thr Trp His Thr Ser Ala Tyr Gly Pro Asp>

CAG CGA GCC CAA AAG AAG GGG GAC ATT ATC CTT GGG GGG CTC TTT CCT ATT CAT Gln Arg Ala Gln Lys Lys Gly Asp Ile Ile Leu Gly Gly Leu Phe Pro Ile His>

TTT GGA GTA GCA GCT AAA GAT CAA GAT CTC AAA TCA AGG CCG GAG TCT GTG GAA Phe Gly Val Ala Ala Lys Asp Gln Asp Leu Lys Ser Arg Pro Glu Ser Val Glu>

TGT ATC AGG TAT AAT TTC CGT GGG TTT CGC TGG TTA CAG GCT ATG ATA TTT GCC Cys Ile Arg Tyr Asn Phe Arg Gly Phe Arg Trp Leu Gln Ala Met Ile Phe Ala>

ATA GAG GAG ATA AAC AGC AGC CCA GCC CTT CTT CCC AAC TTG ACG CTG GGA TAC Ile Glu Glu Ile Asn Ser Ser Pro Ala Leu Leu Pro Asn Leu Thr Leu Gly Tyr>

AGG ATA TTT GAC ACT TGC AAC ACC GTT TCT AAG GCC TTG GAA GCC ACC CTG AGT Arg Ile Phe Asp Thr Cys Asn Thr Val Ser Lys Ala Leu Glu Ala Thr Leu Ser>

TTT GTT GCT CAA AAC AAA ATT GAT TCT TTG AAC CTT GAT GAG TTC TGC AAC TGC Phe Val Ala Gln Asn Lys Ile Asp Ser Leu Asn Leu Asp Glu Phe Cys Asn Cys>

TCA GAG CAC ATT CCC TCT ACG ATT GCT GTG GTG GGA GCA ACT GGC TCA GGC GTC Ser Glu His Ile Pro Ser Thr Ile Ala Val Val Gly Ala Thr Gly Ser Gly Val>

TCC ACG GCA GTG GCA AAT CTG CTG GGG CTC TTC TAC ATT CCC CAG GTC AGT TAT Ser Thr Ala Val Ala Asn Leu Leu Gly Leu Phe Tyr Ile Pro Gln Val Ser Tyr>

GCC TCC TCC AGC AGA CTC CTC AGC AAC AAG AAT CAA TTC AAG TCT TTC CTC CGA Ala Ser Ser Ser Arg Leu Leu Ser Asn Lys Asn Gln Phe Lys Ser Phe Leu Arg>

ACC ATC CCC AAT GAT GAG CAC CAG GCC ACT GCC ATG GCA GAC ATC ATC GAG TAT Thr Ile Pro Asn Asp Glu His Gln Ala Thr Ala Met Ala Asp Ile Ile Glu Tyr>

TTC CGC TGG AAC TGG GTG GGC ACA ATT GCA GCT GAT GAC GAC TAT GGG CGG CCG Phe Arg Trp Asn Trp Val Gly Thr Ile Ala Ala Asp Asp Asp Tyr Gly Arg Pro>

GGG ATT GAG AAA TTC CGA GAG GAA GCT GAG GAA AGG GAT ATC TGC ATC GAC TTC Gly Ile Glu Lys Phe Arg Glu Glu Ala Glu Glu Arg Asp Ile Cys Ile Asp Phe>

AGT GAA CTC ATC TCC CAG TAC TCT GAT GAG GAA GAG ATC CAG CAT GTG GTA GAG Ser Glu Leu Ile Ser Gln Tyr Ser Asp Glu Glu Glu Ile Gln His Val Val Glu>

GTG ATT CAA AAT TCC ACG GCC AAA GTC ATC GTG GTT TTC TCC AGT GGC CCA GAT Val Ile Gln Asn Ser Thr Ala Lys Val Ile Val Val Phe Ser Ser Gly Pro Asp>

FIG. 3a.

SUBSTITUTE SHEET (RULE 26)

22/25 CTT GAG CCC CTC ATC AAG GAG ATT GTC CGG CGC AAT ATC ACG GGC AAG ATC TGG Leu Glu Pro Leu Ile Lys Glu Ile Val Arg Arg Asn Ile Thr Gly Lys Ile Trp> CTG GCC AGC GAG GCC TGG GCC AGC TCC TCC CTG ATC GCC ATG CCT CAG TAC TTC Leu Ala Ser Glu Ala Trp Ala Ser Ser Ser Leu Ile Ala Met Pro Gln Tyr Phe> CAC GTG GTT GGC GGC ACC ATT GGA TTC GCT CTG AAG GCT GGG CAG ATC CCA GGC His Val Val Gly Gly Thr Ile Gly Phe Ala Leu Lys Ala Gly Gln Ile Pro Gly> TTC CGG GAA TTC CTG AAG AAG GTC CAT CCC AGG AAG TCT GTC CAC AAT GGT TTT Phe Arg Glu Phe Leu Lys Lys Val His Pro Arg Lys Ser Val His Asn Gly Phe> GCC AAG GAG TTT TGG GAA GAA ACA TTT AAC TGC CAC CTC CAA GAA GGT GCA AAA Ala Lys Glu Phe Trp Glu Glu Thr Phe Asn Cys His Leu Gln Glu Gly Ala Lys> GGA CCT TTA CCT GTG GAC ACC TTT CTG AGA GGT CAC GAA GAA AGT GGC GAC AGG Gly Pro Leu Pro Val Asp Thr Phe Leu Arg Gly His Glu Glu Ser Gly Asp Arg> TTT AGC AAC AGC TCG ACA GCC TTC CGA CCC CTC TGT ACA GGG GAT GAG AAC ATC Phe Ser Asn Ser Ser Thr Ala Phe Arg Pro Leu Cys Thr Gly Asp Glu Asn Ile> AGC AGT GTC GAG ACC CCT TAC ATA GAT TAC ACG CAT TTA CGG ATA TCC TAC AAT Ser Ser Val Glu Thr Pro Tyr Ile Asp Tyr Thr His Leu Arg Ile Ser Tyr Asn> GTG TAC TTA GCA GTC TAC TCC ATT GCC CAC GCC TTG CAA GAT ATA TAT ACC TGC Val Tyr Leu Ala Val Tyr Ser Ile Ala His Ala Leu Gln Asp Ile Tyr Thr Cys> TTA CCT GGG AGA GGG CTC TTC ACC AAT GGC TCC TGT GCA GAC ATC AAG AAA GTT Leu Pro Gly Arg Gly Leu Phe Thr Asn Gly Ser Cys Ala Asp Ile Lys Lys Val> GAG GCG TGG CAG GTC CTG AAG CAC CTA CGG CAT CTA AAC TTT ACA AAC AAT ATG Glu Ala Trp Gln Val Leu Lys His Leu Arg His Leu Asn Phe Thr Asn Asn Met> GGG GAG CAG GTG ACC TTT GAT GAG TGT GGT GAC CTG GTG GGG AAC TAT TCC ATC Gly Glu Gln Val Thr Phe Asp Glu Cys Gly Asp Leu Val Gly Asn Tyr Ser Ile> ATC AAC TGG CAC CTC TCC CCA GAG GAT GGC TCC ATC GTG TTT AAG GAA GTC GGG Ile Asn Trp His Leu Ser Pro Glu Asp Gly Ser Ile Val Phe Lys Glu Val Gly> TAT TAC AAC GTC TAT GCC AAG AAG GGA GAA AGA CTC TTC ATC AAC GAG GAG AAA Tyr Tyr Asn Val Tyr Ala Lys Lys Gly Glu Arg Leu Phe Ile Asn Glu Glu Lys> ATC CTG TGG AGT GGG TTC TCC AGG GAG GTG CCC TTC TCC AAC TGC AGC CGA GAC Ile Leu Trp Ser Gly Phe Ser Arg Glu Val Pro Phe Ser Asn Cys Ser Arg Asp> TGC CTG GCA GGG ACC AGG AAA GGG ATC ATT GAG GGG GAG CCC ACC TGC TGC TTT Cys Leu Ala Gly Thr Arg Lys Gly Ile Ile Glu Gly Glu Pro Thr Cys Cys Phe> GAG TGT GTG GAG TGT CCT GAT GGG GAG TAT AGT GAT GAG ACA GAT GCC AGT GCC Glu Cys Val Glu Cys Pro Asp Gly Glu Tyr Ser Asp Glu Thr Asp Ala Ser Ala>

1753

FIG. 3b.

23/25 TGT AAC AAG TGC CCA GAT GAC TTC TGG TCC AAT GAG AAC CAC ACC TCC TGC ATT Cys Asn Lys Cys Pro Asp Asp Phe Trp Ser Asn Glu Asn His Thr Ser Cys Ile> GCC AAG GAG ATC GAG TTT CTG TCG TGG ACG GAG CCC TTT GGG ATC GCA CTC ACC Ala Lys Glu Ile Glu Phe Leu Ser Trp Thr Glu Pro Phe Gly Ile Ala Leu Thr> CTC TIT GCC GTG CTG GGC ATT TTC CTG ACA GCC TTT GTG CTG GGT GTG TTT ATC Leu Phe Ala Val Leu Gly Ile Phe Leu Thr Ala Phe Val Leu Gly Val Phe Ile> AAG TTC CGC AAC ACA CCC ATT GTC AAG GCC ACC AAC CGA GAG CTC TCC TAC CTC Lys Phe Arg Asn Thr Pro Ile Val Lys Ala Thr Asn Arg Glu Leu Ser Tyr Leu> CTC CTC TTC TCC CTG CTC TGC TGC TTC TCC AGC TCC CTG TTC TTC ATC GGG GAG Leu Leu Phe Ser Leu Leu Cys Cys Phe Ser Ser Ser Leu Phe Phe Ile Gly Glu> CCC CAG GAC TGG ACG TGC CGC CTG CGC CAG CCG GCC TTT GGC ATC AGC TTC GTG Pro Gln Asp Trp Thr Cys Arg Leu Arg Gln Pro Ala Phe Gly Ile Ser Phe Val> CTC TGC ATC TCA TGC ATC CTG GTG AAA ACC AAC CGT GTC CTC CTG GTG TTT GAG Leu Cys Ile Ser Cys Ile Leu Val Lys Thr Asn Arg Val Leu Leu Val Phe Glu> GCC AAG ATC CCC ACC AGC TTC CAC CGC AAG TGG TGG GGG CTC AAC CTG CAG TTC Ala Lys Ile Pro Thr Ser Phe His Arg Lys Trp Trp Gly Leu Asn Leu Gln Phe> CTG CTG GTT TTC CTC TGC ACC TTC ATG CAG ATT GTC ATC TGT GTG ATC TGG CTC Leu Leu Val Phe Leu Cys Thr Phe Met Gln Ile Val Ile Cys Val Ile Trp Leu> TAC ACC GCG CCC CCC TCA AGC TAC CGC AAC CAG GAG CTG GAG GAT GAG ATC ATC Tyr Thr Ala Pro Pro Ser Ser Tyr Arg Asn Gln Glu Leu Glu Asp Glu Ile Ile> TTC ATC ACG TGC CAC GAG GGC TCC CTC ATG GCC CTG GGC TTC CTG ATC GGC TAC Phe Ile Thr Cys His Glu Gly Ser Leu Met Ala Leu Gly Phe Leu Ile Gly Tyr> ACC TGC CTG CTG GCT GCC ATC TGC TTC TTT GCC TTC AAG TCC CGG AAG CTG Thr Cys Leu Leu Ala Ala Ile Cys Phe Phe Phe Ala Phe Lys Ser Arg Lys Leu> CCG GAG AAC TTC AAT GAA GCC AAG TTC ATC ACC TTC AGC ATG CTC ATC TTC TTC Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Thr Phe Ser Met Leu Ile Phe Phe> ATC GTC TGG ATC TCC TTC ATT CCA GCC TAT GCC AGC ACC TAT GGC AAG TTT GTC Ile Val Trp Ile Ser Phe Ile Pro Ala Tyr Ala Ser Thr Tyr Gly Lys Phe Val> TCT GCC GTA GAG GTG ATT GCC ATC CTG GCA GCC AGC TTT GGC TTG CTG GCG TGC Ser Ala Val Glu Val Ile Ala Ile Leu Ala Ala Ser Phe Gly Leu Leu Ala Cys> ATC TTC TTC AAC AAG ATC TAC ATC ATT CTC TTC AAG CCA TCC CGC AAC ACC ATC Ile Phe Phe Asn Lys Ile Tyr Ile Ile Leu Phe Lys Pro Ser Arg Asn Thr Ile> GAG GAG GTG CGT TGC AGC ACC GCA GCT CAC GCT TTC AAG GTG GCT GCC CGG GCC Glu Glu Val Arg Cys Ser Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala> ACG CTG CGC CGC AGC AAC GTC TCC CGC AAG CGG TCC AGC AGC CTT GGA GGC TCC Thr Leu Arg Arg Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser>

FIG. 3c.

24/25
ACG GGA TCC ACC CCC TCC TCC TCC ATC AGC AGC AAG AGC AAC AGC GAA GAC CCA
Thr Gly Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro>

GAG CAG CAG CAG CCC CTG ACC CTC CCA CAG CAG CAA CGA TCT CAG CAG CAG Glu Gln Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Arg Ser Gln Gln Gln>

CCC AGA TGC AAG CAG AAG GTC ATC TTT GGC AGC GGC ACG GTC ACC TTC TCA CTG Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu>

AGC TTT GAT GAG CCT CAG AAG AAC GCC ATG GCC CAC GGG AAT TCT ACG CAC CAG Ser Phe Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln>

AAC TCC CTG GAG GCC CAG AAA AGC AGC GAT ACG CTG ACC CGA CAC CAG CCA TTA Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln Pro Leu>


CTC CCG CTG CAG TGC GGG GAA ACG GAC TTA GAT CTG ACC GTC CAG GAA ACA GGT Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly>

CTG CAA GGA CCT GTG GGT GGA GAC CAG CGG CCA GAG GTG GAG GAC CCT GAA GAG Leu Gln Gly Pro Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu>

TTG TCC CCA GCA CTT GTA GTG TCC AGT TCA CAG AGC TTT GTC ATC AGT GGT GGA Leu Ser Pro Ala Leu Val Val Ser Ser Gln Ser Phe Val Ile Ser Gly Gly>

GGC AGC ACT GTT ACA GAA AAC GTA GTG AAT TCA Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser>

FIG. 3d.



PCT/US99/07352

1

SEQUENCE LISTING

<110> NPS PHARMACEUTICALS, INC.

<120> NOVEL GABA_B RECEPTOR

<130> 241/143-PCT

<140> TO BE ASSIGNED
<141> 199-04-02

<150> US 60/080,676
<151> 1998-04-03

<160> 9

<170> FastSEQ for Windows Version 3.0

<210> 1
<211> 2823
<212> DNA
<213> Human
<400> 1

atggettece egeggagete egggeagece gggeegenge egeegeegee acegeegee 60 120 gegegeetge tactgetact getgetgeeg etgetgetge etetggegee eggggeetgg 180 ggetgggege ggggegeece eeggeegeeg eecageagee egeegetete cateatggge ctcatgccgc tcaccaagga ggtggccaag ggcagcatcg ggcgcggtgt gctccccgcc 240 gtggaactgg ccategagea gateegeaac gagteactee tgegeeeeta etteetegae 300 ctgcggctct atgacacgga gtgcgacaac gcaaaagggt tgaaagcctt ctacgatgca 360 ataaaatacg ggccgaacca cttgatggtg tttggaggcg tctgtccatc cgtcacatcc 420 atcattgcag agtccctcca aggctggaat ctggtgcagc tttcttttgc tgcaaccacg 480 cctgttctag ccgataagaa aaaataccct tatttctttc ggaccgtccc atcagacaat 540 geggtgaate cagecattet gaagttgete aagcactace agtggaageg egtgggeaeg 600 ctgacgcaag acgttcagag gttctctgag gtgcggaatg acctgactgg agttctgtat 660 720 ggcgaggaca ttgagatttc agacaccgag agcttctcca acgatecetg taccagtgtc aaaaagctga aggggaatga tgtgcggatc atccttggcc agtttgacca gaatatggca 780 gcaaaagtgt tetgttgtge atacgaggag aacatgtatg gtagtaaata teagtggate 840 atteeggget ggtacgagec ttettggtgg gageaggtge acaeggaage caacteatee 900 960 cgctgcctcc ggaagaatct gcttgctgcc atggagggct acattggcgt ggatttcgag cccctgagct ccaagcagat caagaccatc tcaggaaaga ctccacagca gtatgagaga 1020 gagtacaaca acaagcggtc aggcgtgggg cccagcaagt tccacgggta cgcctacgat 1080 1140 ggcatctggg tcatcgccaa gacactgcag agggccatgg agacactgca tgccagcagc cggcaccagc ggatccagga cttcaactac acggaccaca cgctgggcag gatcatcctc 1200 aatgccatga acgagaccaa cttcttcggg gtcacgggtc aagttgtatt ccggaatggg 1260 gagagaatgg ggaccattaa atttactcaa tttcaagaca gcagggaggt gaaggtggga 1320 gagtacaacg ctgtggccga cacactggag atcatcaatg acaccatcag gttccaagga 1380 tccgaaccac caaaagacaa gaccatcatc ctggagcagc tgcggaagat ctccctacct 1440 ctctacagca tcctctctgc cctcaccatc ctcgggatga tcatggccag tgcttttctc 1500

PCT/US99/07352

ttcttcaaca	tcaagaaccg	gaatcagaag	ctcataaaga	tgtcgagtcc	atacatgaac	1560
			tatgcttcca			1620
			acactttgca			1680
accgtgggct	acacgaccgc	ttttggggcc	atgtttgcaa	agacctggag	agtccacgcc	1740
atcttcaaaa	atgtgaaaat	gaagaagaag	atcatcaagg	accagaaact	gcttgtgatc	1800
gtgggggca	tgctgctgat	cgacctgtgt	atcctgatct	gctggcaggc	tgtggacccc	1860
			gagccggacc			1920
			acccatatga			1980
tatgcctaca	agggacttct	catgttgttc	ggttgtttct	tagcttggga	gacccgcaac	2040
gtcagcatcc	ccgcactcaa	cgacagcaag	tacatcggga	tgagtgtcta	caacgtgggg	2100
			ttcctgaccc			2160
			tgcagcacca			2220
			ccagatgcag			2280
			tctaaaacgt			2340
			ctacagtcag			2400
			gaggtcacca			2460
			taccaagagc			2520
			aaggccattt			2580
			ccctctcgaa			2640
			cggctgtccc			2700
cacgcctacc	tcccatccat	cggaggcgtg	gacgccagct	gtgtcagccc	ctgcgtcagc	2760
cccaccgcca	gcccccgcca	cagacatgtg	ccaccctcct	tccgagtcat	ggtctcgggc	2820
ctg						2823

<210> 2

<211> 3464

<212> DNA

<213> Human

<400> 2

atgttgctgc	tgctgctact	ggcgccactc	ttcctccgcc	ccccgggcgc	gggcggggcg	60
			cagatcatac			120
			gtgaaggcta			180
			cgcgaggtgg			240
			gacacaccca			300
			aaggttttcc			360
			tgtgaccccg			420
			agcaccccca			480
			tacatcgggg			540
ggctggccag	ggggccaggc	ctgccagccc	gcggtggaga	tggcgctgga	ggacgtgaat	600
agccgcaggg	acatectgee	ggactatgag	ctcaagctca	tccaccacga	cagcaagtgt	660
			gagctgctct			720
			acgctggtgg			780
			tcaccagccc			840
			acactccaca			900
			accatccagc			960
			aaggaggctg			1020
			gtcaaaaacc			1080
			gcccggaaag			1140
			ttcctcattg			1200
			acagtggatg			1260
			aatcctgcca			1320
			accaagcgac			1380
			tatgatgcca			1440
			tctggtgtgc			1500

aacaaccaga	ccattaccga	ccaaatctac	cgggcaatga	actcttcgtc	ctttgagggt	1560
gtctctggcc	atgtggtgtt	tgatgccagc	ggctctcgga	tggcatggac	gcttatcgag	1620
		caagaagatt				1680
tcctggtcca	aaacagataa	atggattgga	gggtccccc	cagctgacca	gaccctggtc	1740
atcaagacat	teegetteet	gtcacagaaa	ctctttatct	ccgtctcagt	tctctccagc	1800
		tgtctgtctg				1860
		caacctgaac				1920
ttagctgctg.	tcttcccct	ggggctcgat	ggttaccaca	ttgggaggaa	ccagtttcct	1980
		ctggctcctg				2040
		ggtccacacg				2100
		ctggaagctg				2160
gatgtcctca	ctctcgccat	ctggcagatc	gtggaccctc	tgcaccggac	cattgagaca	2220
tttgccaagg	aggaacctaa	ggaagatatt	gacgtctcta	ttctgcccca	gctggagcat	2280
		tacatggctt				2340
		tgcttatgag				2400
		ggctatctac				2460
		cagccagcag				2520
atagttttct	cctcctatat	cactcttgtt	gtgctctttg	tgcccaagat	gcgcaggctg	2580
		gtcggaggcg				2640
aacaacaacg	aggaggagaa	gtcccggctg	ttggagaagg	agaaccgtga	actggaaaag	2700
atcattgctg	agaaagagga	gcgtgtctct	gaactgcgcc	atcagctcca	gtctcggcag	2760
cagctccgct	cccggcgcca	cccaccgaca	ccccagaac	cctctggggg	cctgcccagg	2820
ggaccccctg	agccccccga	ccggcttagc	tgtgatggga	gtcgagtgca	tttgctttat	2880
		aggacaggcc				2940
		ggggtcccca				3000
		gtccccctgt				3060
		tctctcttac				3120
		ttgaagctgc				3180
		ccatgcaaca				3240
		ctgttcctgt				3300
		cttttctcca				3360
		tggctccccc			gagctcattc	3420
ntttcgccaa	ggntcacatg	ctcccttgcc	tctggctccg	tgca	*	3464

<210> 3

<211> 2887

<212> DNA

<213> Human

<400> 3

atggggcccg	gggccccttt	tgcccgggtg	gggtggccac	tgccgcttct	ggttgtgatg	60
					gcctcactcg	120
cgggtccccc						180
		gggccaggcc				240
		catcctgccg				300
					caacgaccct	360
					tgaggctgct	420
		gctttcctat				480
					ccctacccgc	540
		gggctggaag				600
		cgacctggag				660
		ctcagatcca				720
		acttttctat				780
					gtggtatgct	840
					gatgactgag	900

PCT/US99/07352

gcggtggagg	gccacatcac	aactgagatt	gtcatgctga	atcctgccaa	tacccgcagc	960
atttccaaca	tgacatccca	ggaatttgtg	gagaaactaa	ccaagcgact	gaaaagacac	1020
cctgaggaga	caggaggctt	ccaggaggca	ccgctggcct	atgatgccat	ctgggccttg	1080
gcactggccc	tgaacaagac	atctggagga	ggcggccgtt	ctggtgtgcg	cctggaggac	1140
ttcaactaca	acaaccagac	cattaccgac	caaatctacc	gggcaatgaa	ctcttcgtcc	1200
tttgagggtg	tctctggcca	tgtggtgttt	gatgccagcg	gctctcggat	ggcatggacg	1260
cttatcgagc	agcttcaggg	tggcagctac	aagaagattg	gctactatga	cagcaccaag	1320
gatgatcttt.	cctggtccaa	aacagataaa	tggattggag	ggtcccccc	agctgaccag	1380
accctggtca	tcaagacatt	ccgcttcctg	tcacagaaac	tctttatctc	cgtctcagtt	1440
ctctccagcc	tgggcattgt	cctagctgtt	gtctgtctgt	cctttaacat	ctacaactca	1500
catgtccgtt	atatccagaa	ctcacagccc	aacctgaaca	acctgactgc	tgtgggctgc	1560
				gttaccacat		1620
				gcctgggctt		1680
tacggttcca	tgttcaccaa	gatttggtgg	gtccacacgg	tcttcacaaa	gaaggaagaa	1740
aagaaggagt	ggaggaagac	tctggaaccc	tggaagctgt	atgccacagt	gggcctgctg	1800
gtgggcatgg	atgtcctcac	tctcgccatc	tggcagatcg	tggaccctct	gcaccggacc	1860
attgagacat	ttgccaagga	ggaacctaag	gaagatattg	acgtctctat	tctgccccag	1920
ctggagcatt	gcagctccag	gaagatgaat	acatggcttg	gcattttcta	tggttacaag	1980
gggctgctgc	tgctgctggg	aatcttcctt	gcttatgaga	ccaagagtgt	gtccactgag	2040
aagatcaatg	atcaccgggc	tgtgggcatg	gctatctaca	atgtggcagt.	cctgtgcctc	2100
atcactgctc	ctgtcaccat	gattctgtcc	agccagcagg	atgcagcctt	tgcctttgcc	2160
tctcttgcca	tagttttctc	ctcctatatc	actcttgttg	tgctctttgt	gcccaagatg	2220
cgcaggctga	tcacccgagg	ggaatggcag	tcggaggcgc	aggacaccat	gaagacaggg	2280
tcatcgacca	acaacaacga	ggaggagaag	tcccggctgt	tggagaagga	gaaccgtgaa	2340
ctggaaaaga	tcattgctga	gaaagaggag	cgtgtctctg	aactgcgcca	tcaactccag	2400
tctcggcagc	agctccgctc	ccggcgccac	ccaccgacac	ccccagaacc	ctctgggggc	2460
ctgcccaggg	gaccccctga	gccccccgac	cggcttagct	gtgatgggag	tcgagtgcat	2520
				gtagggggag		2580
aggggaaggg	caggggactc	aggaagcagg	gggtccccat	ccccagctgg	gaagaacatg	2640
ctatccaatc	tcatctcttg	taaatacatg	tccccctgtg	agttctgggc	tgatttgggt	2700
ctctcatacc	tctgggaaac	agaccttttt	ctctcttact	gcttcatgta	attttgtatc	2760
			-	cactgctcac		2820
	tcactgcatc	tttctcttcc	catgcaacac	cctcttctag	ttaccacggc	2880
aacccct						2887

```
<210> 4
<211> 943
```

<212> PRT

<213> Human

<400> 4

Met Ala Ser Pro Arg Ser Ser Gly Gln Pro Gly Pro Xaa Pro Pro Pro 1 10 15

Pro Pro Pro Pro Ala Arg Leu Leu Leu Leu Leu Leu Leu Pro Leu Leu Leu 25 30

Leu Pro Leu Ala Pro Gly Ala Trp Gly Trp Ala Arg Gly Ala Pro Arg 35 40 45

Pro Pro Pro Ser Ser Pro Pro Leu Ser Ile Met Gly Leu Met Pro Leu 50 55 60



Thr Lys Glu Val Ala Lys Gly Ser Ile Gly Arg Gly Val Leu Pro Ala Val Glu Leu Ala Ile Glu Gln Ile Arg Asn Glu Ser Leu Leu Arg Pro Tyr Phe Leu Asp Leu Arg Leu Tyr Asp Thr Glu Cys Asp Asn Ala Lys 105 Gly Leu Lys Ala Phe Tyr Asp Ala Ile Lys Tyr Gly Pro Asn His Leu Met Val Phe Gly Gly Val Cys Pro Ser Val Thr Ser Ile Ile Ala Glu 135 Ser Leu Gln Gly Trp Asn Leu Val Gln Leu Ser Phe Ala Ala Thr Thr 155 150 Pro Val Leu Ala Asp Lys Lys Lys Tyr Pro Tyr Phe Phe Arg Thr Val 170 Pro Ser Asp Asn Ala Val Asn Pro Ala Ile Leu Lys Leu Lys His 185 Tyr Gln Trp Lys Arg Val Gly Thr Leu Thr Gln Asp Val Gln Arg Phe 200 Ser Glu Val Arg Asn Asp Leu Thr Gly Val Leu Tyr Gly Glu Asp Ile 210 Glu Ile Ser Asp Thr Glu Ser Phe Ser Asn Asp Pro Cys Thr Ser Val 230 Lys Lys Leu Lys Gly Asn Asp Val Arg Ile Ile Leu Gly Gln Phe Asp Gln Asn Met Ala Ala Lys Val Phe Cys Cys Ala Tyr Glu Glu Asn Met Tyr Gly Ser Lys Tyr Gln Trp Ile Ile Pro Gly Trp Tyr Glu Pro Ser Trp Trp Glu Gln Val His Thr Glu Ala Asn Ser Ser Arg Cys Leu Arg 295 Lys Asn Leu Leu Ala Ala Met Glu Gly Tyr Ile Gly Val Asp Phe Glu Pro Leu Ser Ser Lys Gln Ile Lys Thr Ile Ser Gly Lys Thr Pro Gln 330 Gln Tyr Glu Arg Glu Tyr Asn Asn Lys Arg Ser Gly Val Gly Pro Ser Lys Phe His Gly Tyr Ala Tyr Asp Gly Ile Trp Val Ile Ala Lys Thr 360 355

Leu Gln Arg Ala Met Glu Thr Leu His Ala Ser Ser Arg His Gln Arg Ile Gln Asp Phe Asn Tyr Thr Asp His Thr Leu Gly Arg Ile Ile Leu Asn Ala Met Asn Glu Thr Asn Phe Phe Gly Val Thr Gly Gln Val Val Phe Arg Asn Gly Glu Arg Met Gly Thr Ile Lys Phe Thr Gln Phe Gln 425 Asp Ser Arg Glu Val Lys Val Gly Glu Tyr Asn Ala Val Ala Asp Thr Leu Glu Ile Ile Asn Asp Thr Ile Arg Phe Gln Gly Ser Glu Pro Pro 455 Lys Asp Lys Thr Ile Ile Leu Glu Gln Leu Arg Lys Ile Ser Leu Pro 470 475 Leu Tyr Ser Ile Leu Ser Ala Leu Thr Ile Leu Gly Met Ile Met Ala 490 485 Ser Ala Phe Leu Phe Phe Asn Ile Lys Asn Arg Asn Gln Lys Leu Ile 505 Lys Met Ser Ser Pro Tyr Met Asn Asn Leu Ile Ile Leu Gly Gly Met 520 Leu Ser Tyr Ala Ser Ile Phe Leu Phe Gly Leu Asp Gly Ser Phe Val 535 Ser Glu Lys Thr Phe Glu Thr Leu Cys Thr Val Arg Thr Trp Ile Leu Thr Val Gly Tyr Thr Thr Ala Phe Gly Ala Met Phe Ala Lys Thr Trp Arg Val His Ala Ile Phe Lys Asn Val Lys Met Lys Lys Ile Ile Lys Asp Gln Lys Leu Leu Val Ile Val Gly Gly Met Leu Leu Ile Asp Leu Cys Ile Leu Ile Cys Trp Gln Ala Val Asp Pro Leu Arg Arg Thr Val Glu Lys Tyr Ser Met Glu Pro Asp Pro Ala Gly Arg Asp Ile Ser 630 635 Ile Arg Pro Leu Leu Glu His Cys Glu Asn Thr His Met Thr Ile Trp 645 Leu Gly Ile Val Tyr Ala Tyr Lys Gly Leu Leu Met Leu Phe Gly Cys 665

- Phe Leu Ala Trp Glu Thr Arg Asn Val Ser Ile Pro Ala Leu Asn Asp 675 680 685
- Ser Lys Tyr Ile Gly Met Ser Val Tyr Asn Val Gly Ile Met Cys Ile 690 695 700
- Ile Gly Ala Ala Val Ser Phe Leu Thr Arg Asp Gln Pro Asn Val Gln 705 710 715 720
- Phe Cys Ile Val Ala Leu Val Ile Ile Phe Cys Ser Thr Ile Thr Leu 725 730 735
- Cys Leu Val Phe Val Pro Lys Leu Ile Thr Leu Arg Thr Asn Pro Asp 740 745 750
- Ala Ala Thr Gln Asn Arg Arg Phe Gln Phe Thr Gln Asn Gln Lys Lys
 755 760 765
- Glu Asp Ser Lys Thr Ser Thr Ser Val Thr Ser Val Asn Gln Ala Ser 770 775 780
- Thr Ser Arg Leu Glu Gly Leu Gln Ser Glu Asn His Arg Leu Arg Met 785 790 795 800
- Lys Ile Thr Glu Leu Asp Lys Asp Leu Glu Glu Val Thr Met Gln Leu 805 810 815
- Gln Asp Thr Pro Glu Lys Thr Thr Tyr Ile Lys Gln Asn His Tyr Gln 820 825 830
- Glu Leu Asn Asp Ile Leu Asn Leu Gly Asn Phe Thr Glu Ser Thr Asp 835 840 845
- Gly Lys Ala Ile Leu Lys Asn His Leu Asp Gln Asn Pro Gln Leu 850 860
- Gln Trp Asn Thr Thr Glu Pro Ser Arg Thr Cys Lys Asp Pro Ile Glu 865 870 875 880
- Asp Ile Asn Ser Pro Glu His Ile Gln Arg Arg Leu Ser Leu Gln Leu 885 890 895
- Pro Ile Leu His His Ala Tyr Leu Pro Ser Ile Gly Gly Val Asp Ala 900 905 910
- Ser Cys Val Ser Pro Cys Val Ser Pro Thr Ala Ser Pro Arg His Arg 915 920 925
- His Val Pro Pro Ser Phe Arg Val Met Val Ser Gly Leu Ser Asp 930 935 940

<210> 5

<211> 960

<212> PRT

<213> Rat

<400> 5

Met Leu Leu Leu Leu Val Pro Leu Phe Leu Arg Pro Leu Gly Ala Gly Gly Ala Gln Thr Pro Asn Ala Thr Ser Glu Gly Cys Gln Ile Ile His Pro Pro Trp Glu Gly Gly Ile Arg Tyr Arg Gly Leu Thr Arg Asp Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu Tyr Val Cys Arg Gly Glu Arg Glu Val Val Gly Pro Lys Val Arg Lys Cys Leu Ala Asn Gly Ser Trp Thr Asp Met Asp Thr Pro Ser Arg Cys Val Arg Ile Cys Ser Lys Ser Tyr Leu Thr Leu Glu Asn Gly Lys Val Phe 105 Leu Thr Gly Gly Asp Leu Pro Ala Leu Asp Gly Ala Arg Val Glu Phe Arg Cys Asp Pro Asp Phe His Leu Val Gly Ser Ser Arg Ser Val Cys 135 Ser Gln Gly Gln Trp Ser Thr Pro Lys Pro His Cys Gln Val Asn Arg Thr Pro His Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala Arg Met Trp Asn Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala 265 Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser 275 Ala Thr Leu His Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly 295 300

Trp Lys Lys Ile Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser 315 310 Thr Leu Asp Asp Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu Ile 330 Thr Phe Arg Gln Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys Asn Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu Thr Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe Gly Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp Phe Lys Thr Tyr Asp Pro Ser Ile Asn Cys Thr Val Glu Glu Met Thr Glu Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro Ala 425 Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu Lys Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe Gln 455 Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala Leu Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu Asp 490 Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala Met 500 Asn Ser Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp Ala 520 Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly Gly 535 530 Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu Ser 555 550 Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp Gln 565 Ile Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe Ile 585 Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val Cys 600

Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn Ser 615 Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala Leu 630 635 Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg Ser 650 Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr Leu 690 Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Lys Lys Met Asn Thr Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly Ile 775 Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn Asp 790 His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys Leu 805 810 Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala Ala 825 820 Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr Leu 840 Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly Glu 850 855 Trp Gln Ser Glu Thr Gln Asp Thr Met Lys Thr Gly Ser Ser Thr Asn 870 875 Asn Asn Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu Arg

11

His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro Pro 915 920 925

Thr Pro Pro Asp Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro 930 935 940

Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys 945 950 955 960

<210> 6

<211> 844

<212> PRT

<213> Rat

<400> 6

Met Gly Pro Gly Gly Pro Cys Thr Pro Val Gly Trp Pro Leu Pro Leu 1 5 10 15

Leu Leu Val Met Ala Ala Gly Val Ala Pro Val Trp Ala Ser His Ser 20 25 30

Pro His Leu Pro Arg Pro His Pro Arg Val Pro Pro His Pro Ser Ser 35 40 45

Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly 50 55 60

Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu 65 70 75 80

Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu 85 90 95

Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu 100 105 110

Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly 115 120 125

Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala Arg Met Trp Asn 130 135 140

Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala Leu Ser Asn Arg 145 150 155 160

Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser Ala Thr Leu His
165 170 175

Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly Trp Lys Lys Ile 180 185 190

Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser Thr Leu Asp Asp 195 200 205

Leu	Glu 210	Glu	Arg	Val	Lys	Glu 215	Ala	Gly	Ile	Glu	Ile 220	Thr	Phe	Arg	Gln
Ser 225	Phe	Phe	Ser	Asp	Pro 230	Ala	Val	Pro	Val	Lys 235	Asn	Leu	Lys	Arg	Ģln 240
Asp	Ala	Arg	Ile	Ile 245	Val	Gly	Leu	Phe	Tyr 250	Glu	Thr	Glu	Ala	Arg 255	Lys
Val	Phe	Cys	Glu 260	Val	Tyr	Lys	Glu	Arg 265	Leu	Phe	Gly	Lys	Lys 270	Tyr	Val
Trp	Phe	Leu 275	Ile	Gly	Trp	Tyr	Ala 280	Asp	Asn	Trp	Phe	Lys 285	Thr	Tyr	Asp
Pro	Ser 290	Ile	Asn	Cys	Thr	Val 295	Glu	Glu	Met	Thr	Glu 300	Ala	Val	Glu	Gly
His 305	Ile	Thr	Thr	Glu	Ile 310	Val	Met	Leu	Asn	Pro 315	Ala	Asn	Thr	Arg	Ser 320
Ile	Ser	Asn	Met	Thr 325	Ser	Gln	Glu	Phe	Val 330	Glu	Lys	Leu	Thr	Lys 335	Arg
Leu	Lys	Arg	His 340	Pro	Glu	Glu	Thr	Gly 345	Gly	Phe	Gln	Glu	Ala 350	Pro	Leu
Ala	Tyr	Asp 355	Ala	Ile	Trp	Ala	Leu 360	Ala	Leu	Ala	Leu	Asn 365	Lys	Thr	Ser
Gly	Gly 370	Gly	Gly	Arg	Ser	Gly 375	Val	Arg	Leu	Glu	Asp 380	Phe	Asn	Tyr	Asn
Asn 385	Gln	Thr	Ile	Thr	Asp 390	Gln	Ile	Tyr	Arg	Ala 395	Met	Asn	Ser	Ser	Ser 400
Phe	Glu	Gly	Val	Ser 405	Gly	His	Val	Val	Phe 410	Asp	Ala	Ser	Gly	Ser 415	Arg
Met	Ala	Trp	Thr 420	Leu	Ile	Glu	Gln	Leu 425	Gln	Gly	Gly	Ser	Tyr 430	Lys	Lys
Ile	Gly	Tyr 435	Tyr	Asp	Ser	Thr	Lys 440	Asp	Asp	Leu	Ser	Trp 445	Ser	Lys	Thr
Asp	Lys 450		Ile	Gly	Gly	Ser 455		Pro	Ala	Asp	Gln 460	Ile	Leu	Val	Ile
Lys 465		Phe	Arg	Phe	Leu 470		Gln	Lys	Leu	Phe 475	Ile	Ser	Val	Ser	Val 480
Leu	Ser	Ser	Leu	Gly 485	Ile	Val	Leu	Ala	Val 490	Val	Cys	Leu	Ser	Phe 495	Asn
Ile	Tyr	Asn	Ser 500		Val	Arg	Tyr	Ile 505	Gln	Asn	Ser	Gln	Pro 510	Asn	Leu

Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala Leu Ala Ala Val Phe 520 Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg Ser Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu Gly Phe Ser Leu Gly 550 Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr Leu Glu Pro Trp Lys 585 Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp Val Leu Thr Leu 600 Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg Thr Ile Glu Thr Phe 615 Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Lys Lys Met Asn Thr Trp Leu Gly Ile Phe 650 Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn Asp His Arg Ala Val 680 Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys Leu Ile Thr Ala Pro 690 695 Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr Leu Val Val Leu Phe 725 Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly Glu Trp Gln Ser Glu 745 Thr Gln Asp Thr Met Lys Thr Gly Ser Ser Thr Asn Asn Asn Glu Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile 775 Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu Arg His Gln Leu Gln 785 790 Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro Pro Thr Pro Pro Asp 810 805

WO 99/51636 PCT/US99/07352

14

Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro Pro Asp Arg Leu 820 825 830

Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys 835 840

<210> 7

<211> 961

<212> PRT

<213> Human

<400> 7

Met Leu Leu Leu Leu Leu Ala Pro Leu Phe Leu Arg Pro Pro Gly
1 5 10 15

Ala Gly Gly Ala Gln Thr Pro Asn Ala Thr Ser Glu Gly Cys Gln Ile
20 25 30

Ile His Pro Pro Trp Glu Gly Gly Ile Arg Tyr Arg Gly Leu Thr Arg
35 40 45

Asp Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu
50 55 60

Tyr Val Cys Arg Gly Glu Arg Glu Val Val Gly Pro Lys Val Arg Lys 65 70 75 80

Cys Leu Ala Asn Gly Ser Trp Thr Asp Met Asp Thr Pro Ser Arg Cys
85 90 95

Val Arg Ile Cys Ser Lys Ser Tyr Leu Thr Leu Glu Asn Gly Lys Val
100 105 110

Phe Leu Thr Gly Gly Asp Leu Pro Ala Leu Asp Gly Ala Arg Val Asp 115 120 125

Phe Arg Cys Asp Pro Asp Phe His Leu Val Gly Ser Ser Arg Ser Ile 130 135 140

Cys Ser Gln Gly Gln Trp Ser Thr Pro Lys Pro His Cys Gln Val Asn 145 155 160

Arg Thr Pro His Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe 165 170 175

Pro Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val 180 185 190

Glu Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp 195 200 205

Tyr Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln 210 215 220

Ala Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala 250 Ala Arg Met Trp Asn Leu Ile Val Leu Ser Tyr Gly Ser Ser Pro 265 Ala Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro 280 Ser Ala Thr Leu His Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly Trp Lys Lys Ile Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser Thr Leu Asp Asp Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu 330 Ile Thr Phe Arg Gln Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys 345 Asn Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu 360 Thr Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe 375 Gly Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp 395 390 Phe Lys Ile Tyr Asp Pro Ser Ile Asn Cys Thr Val Asp Glu Met Thr 405 Glu Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro 425 Ala Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu 435 Lys Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe 455 Gln Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala 465 Leu Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu 490 Asp Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala Met Asn Ser Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp 520 525

Ala Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly 535 Gly Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu 555 Ser Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp 570 Gln Thr Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe Ile Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val Cys Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn Ser Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala 635 Leu Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg Asn Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val 675 680 His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr 695 Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg 725 730 Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val 740 745 Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Arg Lys Met Asn Thr 760 Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly 775 Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn 795 Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys 805 Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala 825

Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr 835 840 845

Leu Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly 850 855 860

Glu Trp Gln Ser Glu Ala Gln Asp Thr Met Lys Thr Gly Ser Ser Thr 865 870 875 880

Asn Asn Asn Glu Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg 885 890 895

Glu Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu 900 905 910

Arg His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro 915 920 925

Pro Thr Pro Pro Glu Pro Ser Gly Gly Leu Pro Arg Gly Pro Pro Glu 930 935 940

Pro Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr 945 950 955 960 Lys

<210> 8

<211> 844

<212> PRT

<213> Human

<400> 8

Met Gly Pro Gly Ala Pro Phe Ala Arg Val Gly Trp Pro Leu Pro Leu 1 5 10 15

Leu Val Val Met Ala Ala Gly Val Ala Pro Val Trp Ala Ser His Ser 20 25 30

Pro His Leu Pro Arg Pro His Ser Arg Val Pro Pro His Pro Ser Ser 35 40 45

Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly 50 55 60

Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu 65 70 75 80

Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu
85 90 95

Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu 100 105 110

Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly
115 120 125

Cys	Ser 130	Ser	Val	Ser	Thr	Leu 135	Val	Ala	Glu	Ala	Ala 140	Arg	Met	Trp	Asn
Leu 145	Ile	Val	Leu	Ser	Tyr 150	Gly	Ser	Ser	Ser	Pro 155	Ala	Leu	Ser	Asn	Arg 160
Gln	Arg	Phe	Pro	Thr 165	Phe	Phe	Arg	Thr	His 170	Pro	Ser	Ala	Thr	Leu 175	His
Asn	Pro	Thr	Arg 180	Val	Lys	Leu	Phe	Glu 185	Lys	Trp	Gly	Trp	Lys 190	Lys	Ile
Ala	Thr	Ile 195	Gln	Gln	Thr	Thr	Glu 200	Val	Phe	Thr	Ser	Thr 205	Leu	Asp	Asp
Leu	Glu 210	Glu	Arg	Val	Lys	Glu 215	Ala	Gly	Ile	Glu	Ile 220	Thr	Phe	Arg	Gln
Ser 225	Phe	Phe	Ser	Asp	Pro 230	Ala	Val	Pro	Val	Lys 235	Asn	Leu	Lys	Arg	Gln 240
Asp	Ala	Arg	Ile	Ile 245	Val	Gly	Leu	Phe	Tyr 250	Glu	Thr	Glu	Ala	Arg 255	Lys
			260	Val				265					270		
_		275					280					285			Asp
	290			_		295					300				Gly
305				Glu	310					315					320
				325					330					335	Arg
			340					345					350		Leu
		355					360					365			Ser
	370					375					380				Asn
385					390					395					Ser 400
				405					410					415	Arg
Met	Ala	Trp	Thr 420		Ile	Glu	Gln	Leu 425		Gly	Gly	Ser	Tyr 430		Lys

Ile	Gly	Tyr 435	Tyr	Asp	Ser	Thr	Lys 440	Asp	Asp	Leu	Ser	Trp 445	Ser	Lys	Thr
Asp	Lys 450	Trp	Ile	Gly	Gly	Ser 455	Pro	Pro	Ala	Asp	Gln 460	Thr	Leu	Val	Ile
Lys 465	Thr	Phe	Arg	Phe	Leu 470	Ser	Gln	Lys	Leu	Phe 475	Ile	Ser	Val	Ser	Val 480
Leu	Ser	Ser	Leu	Gly 485	Ile	Val	Leu	Ala	Val 490	Val	Cys	Leu	Ser	Phe 495	Asn
Ile	Tyr	Asn	Ser 500	His	Val	Arg	Tyr	Ile 505	Gln	Asn	Ser	Gln	Pro 510	Asn	Leu
Asn	Asn	Leu 515	Thr	Ala	Val	Gly	Cys 520	Ser	Leu	Ala	Leu	Ala 525	Ala	Val	Phe
Pro	Leu 530	Gly	Leu	Asp	Gly	Tyr 535	His	Ile	Gly	Arg	Asn 540	Gln	Phe	Pro	Phe
Val 545	Cys	Gln	Ala	Arg	Leu 550	Trp	Leu	Leu	Gly	Leu 555	Gly	Phe	Ser	Leu	Gly 560
_				565					570				Val	575	
_			580					585					Pro 590		
		595					600					605	Leu		
	610					615					620		Glu		
625					630					635			Leu		640
				645					650				Gly	655	
			660					665					Leu 670		
		675					680					685	Arg		
_	690					695					700		Thr		
705					710					715			Ala		720
Ser	Leu	Ala	Ile	Val	Phe	Ser	Ser	Tyr	Ile	Thr	Leu	Val	Val	Leu 735	Phe

WO 99/51636 PCT/US99/07352

Val	Pro	Lys	Met 740	Arg	Arg	Leu	Ile	Thr 745	Arg	Gly	Glu	Trp	Gln 750	Ser	Glu	•
Ala	Gln	Asp 755	Thr	Met	Lys	Thr	Gly 760	Ser	Ser	Thr	Asn	Asn 765	Asn	Glu	Glu	
Glu	Lys 770	Ser	Arg	Leu	Leu	Glu 775	Lys	Glu	Asn	Arg	Glu 780	Leu	Glu	Lys	Ile	
Ile 785	Ala	Glu	Lys	Glu	Glu 790	Arg	Val	Ser	Glu	Leu 795	Arg	His	Gln	Leu	Gln 800	
Ser	Arg	Gln	Gln	Leu 805	Arg	Ser	Arg	Arg	His 810		Pro	Thr	Pro	Pro 815	Glu	
Pro	Ser	Gly	Gly 820	Leu	Pro	Arg	Gly	Pro 825	Pro	Glu	Pro	Pro	Asp 830	Arg	Leu	
Ser	Cys	Asp 835	Gly	Ser	Arg	Val	His 840	Leu	Leu	Tyr	Lys					
		210>	٥												•	
			355	1												
			DNA													
	<2	213>	Huma	an												
	<	220>														
	<:	221>		(:	3234)										
	<: <:	221> 222>	(1)	(:	3234)										
	<: <:	221>	(1)	(:	3234))										
atg	<: <: <: gca	221> 222> 400> ttt	(1) 9 tat	agc	tgc	tgc	tgg	gtc	ctc	ttg	gca	ctc	acc	tgg	cac	48
Met	<: <: <: gca	221> 222> 400> ttt	(1) 9 tat	agc Ser	tgc	tgc	tgg Trp	gtc Val	Leu	ttg Leu	gca Ala	ctc Leu	acc Thr	tgg Trp 15	cac His	48
Met 1	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	221> 222> 400> ttt Phe	(1) 9 tat Tyr	agc Ser 5	tgc Cys	tgc Cys	Trp	Val	Leu 10	Leu	Ala	Leu	Thr	Trp 15	His	
Met 1 acc	cc cc gca Ala	221> 222> 400> ttt Phe	(1) 9 tat Tyr	agc Ser 5	tgc Cys cca	tgc Cys gac	Trp	Val cga	Leu 10 gcc	Leu	Ala	Leu aag	Thr	Trp 15 gac	His	48 96
Met 1 acc	cc cc gca Ala	221> 222> 400> ttt Phe	(1) 9 tat Tyr	agc Ser 5	tgc Cys cca	tgc Cys gac	Trp	Val cga	Leu 10 gcc	Leu	Ala	Leu aag	Thr	Trp 15 gac	His	
Met 1 acc Thr	gca Ala tct	221> 222> 400> ttt Phe gcc Ala	(1) 9 tat Tyr tac Tyr 20	agc Ser 5 ggg Gly	tgc Cys cca Pro	tgc Cys gac Asp	Trp cag Gln	val cga Arg 25	Leu 10 gcc Ala	Leu caa Gln	Ala aag Lys	Leu aag Lys	ggg Gly 30	Trp 15 gac Asp	His att Ile	
Met 1 acc Thr	gca Ala tct Ser	221> 222> 400> ttt Phe gcc Ala	(1) 9 tat Tyr tac Tyr 20	agc Ser 5	tgc Cys cca Pro	tgc Cys gac Asp	cag Gln att	cga Arg 25	Leu 10 gcc Ala ttt	caa Gln gga	Ala aag Lys gta	aag Lys gca Ala	Thr ggg Gly 30 gct	Trp 15 gac Asp	His att Ile gat	96
Met 1 acc Thr	gca Ala tct Ser	221> 222> 400> ttt Phe gcc Ala	(1) 9 tat Tyr tac Tyr 20 ggg Gly	agc Ser 5 ggg Gly	tgc Cys cca Pro	tgc Cys gac Asp	Trp cag Gln att	cga Arg 25	Leu 10 gcc Ala ttt	caa Gln gga	Ala aag Lys gta	Leu aag Lys gca	Thr ggg Gly 30 gct	Trp 15 gac Asp	His att Ile gat	96
Met 1 acc Thr atc Ile	gca Ala tct Ser ctt Leu	221> 222> 400> ttt Phe gcc Ala ggg Gly 35	(1) 9 tat Tyr tac Tyr 20 ggg Gly	agc Ser 5 ggg Gly ctc Leu	tgc Cys cca Pro ttt Phe	tgc Cys gac Asp cct Pro	cag Gln att Ile 40	cga Arg 25 cat His	Leu 10 gcc Ala ttt Phe	caa Gln gga Gly	aag Lys gta Val	aag Lys gca Ala 45	ggg Gly 30 gct Ala	Trp 15 gac Asp aaa Lys	His att Ile gat Asp	96
Met 1 acc Thr atc Ile	gca Ala tct Ser ctt Leu gat	221> 222> 400> ttt Phe gcc Ala ggg Gly 35 ctc Leu	(1) 9 tat Tyr tac Tyr 20 ggg Gly	agc Ser 5 ggg Gly ctc Leu	tgc Cys cca Pro ttt Phe	tgc Cys gac Asp cct Pro	cag Gln att Ile 40	cga Arg 25 cat His	Leu 10 gcc Ala ttt Phe	caa Gln gga Gly	aag Lys gta Val tgt	aag Lys gca Ala 45	ggg Gly 30 gct Ala	Trp 15 gac Asp aaa Lys	His att Ile gat Asp	96 144
Met 1 acc Thr atc Ile caa Gln	gca Ala tct Ser ctt Leu gat Asp	221> 222> 400> ttt Phe gcc Ala ggg Gly 35 ctc Leu	(1) 9 tat Tyr tac Tyr 20 ggg Gly aaa Lys	agc Ser 5 ggg Gly ctc Leu tca Ser	tgc Cys cca Pro ttt Phe agg Arg	tgc Cys gac Asp cct Pro	cag Gln att Ile 40 gag Glu	cga Arg 25 cat His tct Ser	Leu 10 gcc Ala ttt Phe gtg Val	caa Gln gga Gly gaa Glu	aag Lys gta Val tgt Cys 60	aag Lys gca Ala 45 atc	ggg Gly 30 gct Ala agg Arg	Trp 15 gac Asp aaa Lys tat Tyr	Att Ile gat Asp aat	96 144 192
Met 1 acc Thr atc Ile caa Gln	gca Ala tct Ser ctt Leu gat Asp 50	221> 222> 400> ttt Phe gcc Ala ggg 35 ctc Leu	(1) 9 tat Tyr tac Tyr 20 ggg Gly aaa Lys	agc Ser 5 ggg Gly ctc Leu tca Ser	tgc Cys cca Pro ttt Phe agg Arg	tgc Cys gac Asp cct Pro ccg Pro	cag Gln att Ile 40 gag Glu	cga Arg 25 cat His tct Ser	Leu 10 gcc Ala ttt Phe gtg Val	caa Gln gga Gly gaa Glu	aag Lys gta Val tgt Cys 60	aag Lys gca Ala 45 atc Ile	ggg Gly 30 gct Ala agg Arg	Trp 15 gac Asp aaa Lys tat Tyr	Att Ile gat Asp aat Asn	96 144
Met 1 acc Thr atc Ile caa Gln	gca Ala tct Ser ctt Leu gat Asp 50	221> 222> 400> ttt Phe gcc Ala ggg 35 ctc Leu	(1) 9 tat Tyr tac Tyr 20 ggg Gly aaa Lys	agc Ser 5 ggg Gly ctc Leu tca Ser	tgc Cys cca Pro ttt Phe agg Arg	tgc Cys gac Asp cct Pro ccg Pro	cag Gln att Ile 40 gag Glu	cga Arg 25 cat His tct Ser	Leu 10 gcc Ala ttt Phe gtg Val	caa Gln gga Gly gaa Glu	aag Lys gta Val tgt Cys 60	aag Lys gca Ala 45 atc Ile	ggg Gly 30 gct Ala agg Arg	Trp 15 gac Asp aaa Lys tat Tyr	Att Ile gat Asp aat Asn	96 144 192
Met 1 acc Thr atc Ile caa Gln ttc Phe 65	gca Ala tct Ser ctt Leu gat Asp 50 cgt	221> 222> 400> ttt Phe gcc Ala ggg Gly 35 ctc Leu ggg Gly	(1) 9 tat Tyr tac Tyr 20 ggg Gly aaa Lys ttt Phe	agc Ser 5 ggg Gly ctc Leu tca Ser cgc	tgc Cys cca Pro ttt Phe agg Arg	tgc Cys gac Asp cct Pro ccg Pro tta Leu	cag Gln att Ile 40 gag Glu cag	cga Arg 25 cat His tct Ser gct Ala	Leu 10 gcc Ala ttt Phe gtg Val atg Met	caa Gln gga Gly gaa Glu ata Ile 75	aag Lys gta Val tgt Cys 60 ttt	aag Lys gca Ala 45 atc Ile gcc	ggg Gly 30 gct Ala agg Arg ata Ile	gac Asp aaa Lys tat Tyr	Att Ile gat Asp aat Asn gag Glu 80	96 144 192 240
Met 1 acc Thr atc Ile caa Gln ttc Phe 65 ata	gca Ala tct Ser ctt Leu gat Asp 50 cgt Arg	221> 222> 400> ttt Phe gcc Ala ggg Gly 35 ctc Leu ggg Gly	(1) 9 tat Tyr tac Tyr 20 ggg Gly aaa Lys ttt Phe	agc Ser 5 ggg Gly ctc Leu tca Ser	tgc Cys cca Pro ttt Phe agg Arg	tgc Cys gac Asp cct Pro ccg Pro tta Leu	cag Gln att Ile 40 gag Glu cag Gln	cga Arg 25 cat His tct Ser gct Ala	Leu 10 gcc Ala ttt Phe gtg Val atg Met	caa Gln gga Gly gaa Glu ata Ile 75	aag Lys gta Val tgt Cys 60 ttt Phe	aag Lys gca Ala 45 atc Ile gcc Ala	ggg Gly 30 gct Ala agg Arg ata Ile	Trp 15 gac Asp aaa Lys tat Tyr gag Glu tac	His att Ile gat Asp aat Asn gag Glu 80 agg Arg	96 144 192

ata Ile	ttt Phe	gac Asp	act Thr 100	tgc Cys	aac Asn	acc Thr	gtt Val	tct Ser 105	aag Lys	gcc Ala	t'tg Leu	gaa Glu	gcc Ala 110	acc Thr	ctg Leu	33	6
	ttt Phe															38	4
	aac Asn 130															43	2
	ggc Gly														ttc Phe 160	48	0
	att Ile		_	_	_		_			-	_					52	8
	aat Asn															57	6
	gcc Ala															62	4
	ggc Gly 210															67	2
	ttc Phe															72	0
	ctc Leu															76	8
	gtg Val															81	.6
ggc	cca Pro	gat Asp 275	ctt Leu	gag Glu	ccc Pro	ctc Leu	atc Ile 280	aag Lys	gag Glu	att Ile	gtc Val	cgg Arg 285	cgc Arg	aat Asn	atc Ile	86	4
	ggc Gly 290															91	.2
	gcc Ala															96	0

gct Ala	ctg Leu	aag Lys	gct Ala	999 Gly 325	cag Gln	atc Ile	cca Pro	ggc Gly	ttc Phe 330	cgg Arg	gaa Glu	ttc Phe	ctg Leu	aag Lys 335	aag Lys	1008
gtc Val	cat His	ccc Pro	agg Arg 340	aag Lys	tct Ser	gtc Val	cac His	aat Asn 345	ggt Gly	ttt Phe	gcc Ala	aag Lys	gag Glu 350	ttt Phe	tgg Trp	1056
gaa Glu	gaa Glu	aca Thr 355	ttt Phe	aac Asn	tgc Cys	cac His	ctc Leu 360	caa Gln	gaa Glu	ggt Gly	gca Ala	aaa Lys 365	gga Gly	cct Pro	tta Leu	1104
cct Pro	gtg Val 370	gac Asp	acc Thr	ttt Phe	ctg Leu	aga Arg 375	ggt Gly	cac His	gaa Glu	gaa Glu	agt Ser 380	ggc	gac Asp	agg Arg	ttt Phe	1152
					gcc Ala 390											1200
					acc Thr											1248
tcc Ser	tac Tyr	aat Asn	gtg Val 420	tac Tyr	tta Leu	gca Ala	gtc Val	tac Tyr 425	tcc Ser	att Ile	gcc Ala	cac His	gcc Ala 430	ttg Leu	caa Gln	1296
					tta Leu											1344
tgt Cys	gca Ala 450	gac Asp	atc Ile	aag Lys	aaa Lys	gtt Val 455	gag Glu	gcg Ala	tgg Trp	cag Gln	gtc Val 460	ctg Leu	aag Lys	cac His	cta Leu	1392
cgg Arg 465	cat His	cta Leu	aac Asn	ttt Phe	aca Thr 470	aac Asn	aat Asn	atg Met	Gly	gag Glu 475	cag Gln	gtg Val	acc Thr	ttt Phe	gat Asp 480	1440
gag Glu	tgt Cys	ggt Gly	gac Asp	ctg Leu 485	gtg Val	gly	aac Asn	tat Tyr	tcc Ser 490	atc Ile	atc Ile	aac Asn	tgg Trp	cac His 495	ctc Leu	1488
tcc Ser	cca Pro	gag Glu	gat Asp 500	Gly	tcc Ser	atc Ile	gtg Val	ttt Phe 505	aag Lys	gaa Glu	gtc Val	Gly	tat Tyr 510	tac Tyr	aac Asn	1536
gtc Val	tat Tyr	gcc Ala 515	Lys	aag Lys	gga Gly	gaa Glu	aga Arg 520	Leu	ttc Phe	atc Ile	aac Asn	gag Glu 525	gag Glu	aaa Lys	atc Ile	1584
ctg Leu	tgg Trp 530	Ser	gly aaa	ttc Phe	tcc Ser	agg Arg 535	gag Glu	gtg Val	ccc Pro	ttc Phe	tcc Ser 540	Asn	tgc Cys	agc Ser	cga Arg	1632

gac Asp 545	tgc Cys	ctg Leu	gca Ala	gly aaa	acc Thr 550	agg Arg	aaa Lys	Gly 999	atc Ile	att Ile 555	gag Glu	gly aaa	gag Glu	ccc Pro	acc Thr 560	1680
tgc Cys	tgc Cys	ttt Phe	gag Glu	tgt Cys 565	gtg Val	gag Glu	tgt Cys	cct Pro	gat Asp 570	Gly 333	gag Glu	tat Tyr	agt Ser	gat Asp 575	gag Glu	1728
aca Thr	gat Asp	gcc Ala	agt Ser 580	gcc Ala	tgt Cys	aac Asn	aag Lys	tgc Cys 585	cca Pro	gat Asp	gac Asp	ttc Phe	tgg Trp 590	tcc Ser	aat Asn	1776
gag Glu	aac Asn	cac His 595	acc Thr	tcc Ser	tgc Cys	att Ile	gcc Ala 600	aag Lys	gag Glu	atc Ile	gag Glu	ttt Phe 605	ctg Leu	tcg Ser	tgg Trp	1824
acg Thr	gag Glu 610	ccc Pro	ttt Phe	gjà aaa	atc Ile	gca Ala 615	ctc Leu	acc Thr	ctc Leu	ttt Phe	gcc Ala 620	gtg Val	ctg Leu	ggc Glÿ	att Ile	1872
ttc Phe 625	ctg Leu	aca Thr	gcc Ala	ttt Phe	gtg Val 630	ctg Leu	ggt Gly	gtg Val	ttt Phe	atc Ile 635	aag Lys	ttc Phe	cgc Arg	aac Asn	aca Thr 640	1920
ccc Pro	att Ile	gtc Val	aag Lys	gcc Ala 645	acc Thr	aac Asn	cga Arg	gag Glu	ctc Leu 650	tcc Ser	tac Tyr	ctc Leu	ctc Leu	ctc Leu 655	ttc Phe	1968
tcc Ser	ctg Leu	ctc Leu	tgc Cys 660	tgc Cys	ttc Phe	tcc Ser	agc Ser	tcc Ser 665	ctg Leu	ttc Phe	ttc Phe	atc Ile	ggg Gly 670	gag Glu	ccc Pro	2016
cag Gln	gac Asp	tgg Trp 675	acg Thr	tgc Cys	cgc Arg	ctg Leu	cgc Arg 680	cag Gln	ccg Pro	gcc Ala	ttt Phe	ggc Gly 685	atc Ile	agc Ser	ttc Phe	2064
gtg Val	ctc Leu 690	tgc Cys	atc Ile	tca Ser	tgc Cys	atc Ile 695	ctg Leu	gtg Val	aaa Lys	acc Thr	aac Asn 700	cgt Arg	gtc Val	ctc Leu	ctg Leu	2112
gtg Val 705	ttt Phe	gag Glu	gcc Ala	aag Lys	atc Ile 710	ccc Pro	acc Thr	agc Ser	ttc Phe	cac His 715	cgc Arg	aag Lys	tgg Trp	tgg Trp	999 Gly 720	2160
ctc Leu	aac Asn	ctg Leu	cag Gln	ttc Phe 725	ctg Leu	ctg Leu	gtt Val	ttc Phe	ctc Leu 730	tgc Cys	acc Thr	ttc Phe	atg Met	cag Gln 735	att Ile	2208
gtc Val	atc Ile	tgt Cys	gtg Val 740	atc Ile	tgg Trp	ctc Leu	tac Tyr	acc Thr 745	gcg Ala	ccc Pro	ccc Pro	tca Ser	agc Ser 750	tac Tyr	cgc Arg	2256
aac Asn	cag Gln	gag Glu 755	Leu	gag Glu	gat Asp	gag Glu	atc Ile 760	atc Ile	ttc Phe	atc Ile	acg Thr	tgc Cys 765	cac His	gag Glu	ggc Gly	2304

tcc Ser	ctc Leu 770	atg Met	gcc Ala	ctg Leu	ggc Gly	ttc Phe 775	ctg Leu	atc Ile	ggc Gly	tac Tyr	acc Thr 780	tgc Cys	ctg Leu	ctg Leu	gct Ala	2352
													ccg Pro			2400
ttc Phe	aat Asn	gaa Glu	gcc Ala	aag Lys 805	ttc Phe	atc Ile	acc Thr	ttc Phe	agc Ser 810	atg Met	ctc Leu	atc Ile	ttc Phe	ttc Phe 815	atc Ile	2448
gtc Val	tgg Trp	atc Ile	tcc Ser 820	ttc Phe	att Ile	cca Pro	gcc Ala	tat Tyr 825	gcc Ala	agc Ser	acc Thr	tat Tyr	ggc Gly 830	aag Lys	ttt Phe	2496
gtc Val	tct Ser	gcc Ala 835	gta Val	gag Glu	gtg Val	att Ile	gcc Ala 840	atc Ile	ctg Leu	gca Ala	gcc Ala	agc Ser 845	ttt Phe	ggc Gly	ttg Leu	2544
													ttc Phe			2592
tcc Ser 865	cgc Arg	aac Asn	acc Thr	atc Ile	gag Glu 870	gag Glu	gtg Val	cgt Arg	tgc Cys	agc Ser 875	acc Thr	gca Ala	gct Ala	cac His	gct Ala 880	2640
ttc Phe	aag Lys	gtg Val	gct Ala	gcc Ala 885	cgg Arg	gcc Ala	acg Thr	ctg Leu	cgc Arg 890	cgc Arg	agc Ser	aac Asn	gtc Val	tcc Ser 895	cgc Arg	2688
													ccc Pro 910			2736
													cag Gln			2784
agg Arg	cag Gln 930	aag Lys	cag Gln	cag Gln	cag Gln	ccg Pro 935	ctg Leu	gcc Ala	cta Leu	acc Thr	cag Gln 940	caa Gln	gag Glu	cag Gln	cag Gln	2832
													cag Gln			2880
													acc Thr			2928
ctg Leu	agc Ser	ttt Phe	gat Asp 980	gag Glu	cct Pro	cag Gln	aag Lys	aac Asn 985	gcc Ala	atg Met	gcc Ala	cac His	990 Gly Ggg	aat Asn	tct Ser	2976

PCT/US99/07352

acg Thr	cac His	cag Gln 995	Asn	tcc Ser	ctg Leu	gag Glu	gcc Ala 1000	Gln	aaa Lys	agc Ser	agc Ser	gat Asp 1005	Thr	ctg Leu	acc Thr	3024
cga Arg	cac His 1010	Gln	cca Pro	tta Leu	ctc Leu	ccg Pro 1015	Leu	cag Gln	tgc Cys	gly ggg	gaa Glu 1020	Thr	gac Asp	tta Leu	gat Asp	3072
ctg Leu 1029	Thr	gtc Val	cag Gln	gaa Glu	aca Thr 1030	Gly	ctg Leu	caa Gln	gga Gly	cct Pro 1035	Val	ggt Gly	gga Gly	gac Asp	cag Gln 1040	3120
cgg Arg	cca Pro	gag Glu	gtg Val	gag Glu 1045	Asp	cct Pro	gaa Glu	gag Glu	ttg Leu 1050	Ser	cca Pro	gca Ala	ctt Leu	gta Val 1059	Val	3168
				agc Ser					Gly					Val		3216
_		_		aat Asn												3234

tional Application No PCT/US 99/07352

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C07K14/47 C07K14/705 A01K67/027 C12N15/12 C07K16/28 C12N5/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

 $\frac{\text{Minimum documentation searched (classification system followed by classification symbols)}}{IPC~6}~\frac{\text{C12N}}{\text{C07K}}$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 97 46675 A (NOVARTIS AG) 11 December 1997 (1997-12-11) cited in the application abstract page 6, paragraph 2 -page 7, paragraph 1 page 16, paragraph 2 -page 21, paragraph 2; examples 1-10	1-33
X	KAUPMANN K ET AL: "EXPRESSION CLONING OF GABAB RECEPTORS UNCOVERS SIMILARITY TO METABOTROPIC GLUTAMATE RECEPTORS" NATURE, vol. 386, no. 6622, 20 March 1997 (1997-03-20), pages 239-246, XP002032306 ISSN: 0028-0836 cited in the application the whole document	1-24, 26-29

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search 23 September 1999	Date of mailing of the international search report $08/10/1999$
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nt, Fax: (+31-70) 340-3016	Authorized officer Mateo Rosell, A.M.

Intr tional Application No PC I/US 99/07352

C (Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	<u> </u>
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	JONES, K.A. ET AL.,: "GABAB receptors function as heteromeric assembly of the subunits GABABR1 and GABABR2" NATURE, vol. 396, 17 December 1998 (1998-12-17), pages 674-679, XPO02116148 cited in the application page 677, right-hand column, paragraph 2 -page 678, left-hand column, paragraph 1; figures 1A,2	1-4, 15-17, 24,25, 28-32
P,X	WHITE J.H. ET AL.,: "Heterodimerization is required for the formation of a functional GABAB receptor." NATURE, vol. 396, 17 December 1998 (1998-12-17), page 679-682 XP002116149 abstract; figures 1,4 page 681, left-hand column, last paragraph -page 682, right-hand column, paragraph 1	1-4, 15-17, 28-32
Ρ,Χ ·	KAUPMANN K. ET AL.,: "GABAB-receptor subtypes assemble into functional heteromeric complexes" NATURE, vol. 396, 17 December 1998 (1998-12-17), pages 683-687, XP002105268 abstract; figures 1,2	1-4, 15-17, 24,25, 28-32
P,X	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,10 October 1998 (1998-10-10), XP002114719 HINXTON, GB AC= AF056085. Homo sapiens GABA-B receptor mRNA, complete cds. from nt 458 abstract	1-4, 15-17
Ρ,Χ	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,21 December 1998 (1998-12-21), XP002116150 HINXTON, GB AC= AF074483. Homo sapiens GABA-B receptor 2 mRNA, complete cds. abstract	5-9, 18-23
Ρ,Χ	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,4 January 1999 (1999-01-04), XP002116151 HINXTON, GB AC = AF069755. Homo sapiens orphan G protein-coupled receptor HG20 (HG20) mRNA, complete cds.	1-4, 15-17

Intr Ional Application No PCI/US 99/07352

	•	PCT/US 99/0735	9/07352	
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevan	t to claim No.	
	WO 99 20751 A (BOROWSKY BETH ;JONES KENNETH A (US); LAZ THOMAS M (US); SYNAPTIC P) 29 April 1999 (1999-04-29) fig la-e abstract page 6-19 page 91, line 1 -page 123, line 6	1 2	-24, 6-33	
	EP 0 937 777 A (SMITHKLINE BEECHAM PLC; SMITHKLINE BEECHAM CORP (US)) 25 August 1999 (1999-08-25) see SEQ.ID.N.1 and 3. abstract page 3, line 10-25 page 6, line 44 -page 11, line 11		24, :6-32	

information on patent family members

Intr tional Application No PCT/US 99/07352

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9746675	Α	11-12-1997	AU CA EP	2028497 A 2254862 A 0907731 A	05-01-1998 11-12-1997 14-04-1999
WO 9920751	Α	29-04-1999	AU	1101099 A	10-05-1999
EP 0937777 .	Α	25-08-1999	WO WO	9942580 A 9942603 A	26-08-1999 26-08-1999